

STATUS REPORT ON THE OCCURRENCE OF PER- AND POLYFLUOROALKYL SUBSTANCES (PFAS) CONTAMINATION IN NEW HAMPSHIRE

This report has been developed to satisfy the requirements of the Laws of New Hampshire

January Session of 2018, Chapter 306:2 (HB 1766)

Prepared by
New Hampshire Department of Environmental Services

Robert R. Scott, Commissioner

December 1, 2020



PO Box 95, Concord, NH 03302-0095

www.des.nh.gov

Table of Contents

1. Introduction.....	3
2. Coakley Landfill Superfund Site	4
3. Former Pease Air Force Base Superfund Site	4
4. Statewide Public Water Supplies.....	9
5. Statewide PFAS Data	9
5.1 Solid Waste Facilities	10
5.2 Hazardous Waste Remediation Sites.....	10
5.3 Oil Remediation Sites.....	11
5.4 Groundwater Discharge Permit Sites (Wastewater Disposal to Groundwater)	11
APPENDICES	12
Appendix 1.....	13
House Bill 1766-FN- Final Version.....	13
Table 1 – Public Water System PFAS Water Quality Summary	
Table 2 – Solid Waste Facility PFAS Water Quality Summary	
Table 3 – Hazardous Waste Remediation Sites PFAS Water Quality Summary	
Table 4 – Oil Remediation Sites PFAS Water Quality Summary	
Table 5 – Groundwater Discharge Permit Sites PFAS Water Quality Summary	

LIST OF COMMON ACRONYMS

- AGQS – Ambient Groundwater Quality Standard
- EPA – United States Environmental Protection Agency
- NHDES – New Hampshire Department of Environmental Services
- PFAS – Per- and polyfluoroalkyl substances
- PFOA – Perfluorooctanoic Acid
- PFOS – Perfluorooctanesulfonic Acid
- PFHxS - Perfluorohexane Sulfonic Acid
- PFNA - Perfluorononanoic Acid
- PWS – Public Water System

1. Introduction

The New Hampshire Department of Environmental Services (NHDES) is engaged in an ongoing investigation into per- and polyfluoroalkyl substances (PFAS) in New Hampshire drinking water. New Hampshire and several other northeast states are dealing with several sites where there have been widespread PFAS impacts on drinking water supplies. In recognition of public concern regarding the issue of water quality in the Seacoast area and at areas of environmental interest across the state relative to PFAS, the Laws of New Hampshire, January Session of 2018 Chapter 306:2 (House Bill 1766) requires NHDES to report to the general court regarding bedrock testing and PFAS contamination in the Seacoast area and at other landfills and hazardous waste sites. This status report reflects an update to NHDES' June 2020 report, and has been developed to satisfy the twice yearly reporting requirements established in Chapter 306:2 (House Bill 1766).

Per- and polyfluoroalkyl substances or PFAS are a family of nearly 5,000 man-made chemicals, some of which have been more widely used and studied than others¹. PFAS have been widely used since the 1940s in commercial, industrial, and household products and applications, including production of water resistant materials, fire suppression foams, non-stick cookware, stain removers, etc. PFAS are used for their properties to resist heat, oil, grease and water. Once released to the environment, PFAS are persistent and do not biodegrade or breakdown.

In 2019, NHDES adopted administrative rules that establish health-based Maximum Contaminant Levels (MCLs) and Ambient Groundwater Quality Standards (AGQS) for four per- and polyfluoroalkyl substances (PFAS) that include: 12 ppt for perfluorooctanoic acid (PFOA), 15 ppt for perfluorooctane sulfonic acid (PFOS), 18 ppt for perfluorohexane sulfonic acid (PFHxS), and 11 ppt for perfluorononanoic acid (PFNA). While enforcement of these standards was temporarily stayed by a court injunction, the MCLs and AGQS were established as a matter of law by House Bill 1264, which became effective July 23, 2020. MCLs are drinking water quality standards that non-transient public water systems (water systems serving the same 25 people more than 6 months per year) must comply with. An AGQS is the standard used to require site investigations and remedial action at and around contamination sites. AGQS are also used to identify where the provision of alternate drinking water is required when contamination sites have contaminated private and/or public water supply wells. Please note that these rules do not require testing by owners of private water wells. NHDES does recommend for health reasons that private wells meet the AGQS.

This status report provides a brief summary of PFAS information available to date at the Coakley Landfill and former Pease Air Force Base superfund sites, both of which are located in the seacoast area of New Hampshire. This information includes a description of recent investigations at the Coakley site, and efforts to treat groundwater and drinking water at the Pease site. The report also presents PFAS data for public drinking water supplies, and groundwater data compiled from known PFAS sites statewide.

NHDES notes that its PFAS data are contained in several different databases, which impacts the ease with which PFAS information can be queried. Data provided in this status report is current for most NHDES programs through September 2020. Since new data are continuously provided to NHDES, readers may wish to access more up-to-date information using the following resources:

- Data viewer summarizing up to date PFOA and PFOS sampling results at <https://www4.des.state.nh.us/nh-pfas-investigation/> (under "Maps and Data");

¹ <https://www.fda.gov/food/chemicals/and-polyfluoroalkyl-substances-pfas>

- Data tables representing up-to-date water sampling results provided by public water systems in New Hampshire at https://www4.des.state.nh.us/nh-pfas-investigation/?page_id=826; and
 - An online, searchable database referred to as “OneStop” comprised of environmental information and data compiled by select NHDES programs. OneStop does not provide access to all existing PFAS NHDES data, however, it is considered to be a valuable resource. The database can be found at <https://www4.des.state.nh.us/DESONestop/BasicSearch.aspx>.

This status report is required to be updated every six months and provided to the legislature. NHDES anticipates updates to the report will be available June 1 and December 1 of each year.

2. Coakley Landfill Superfund Site

The Coakley Landfill Superfund Site (Coakley) is a closed 27-acre former municipal/industrial solid waste disposal facility located in North Hampton. The landfill operated from 1972 to 1982 and received incinerator ash from the Portsmouth Refuse-to-Energy Facility through 1985. The site was listed on the National Priorities List (Superfund) in 1983 and construction of selected remedies was completed in 1999. Sampling for the emerging contaminants 1,4-dioxane and PFAS in 2009 and 2016, respectively, confirmed their presence and prompted extensive follow-on investigations. Currently, the Coakley Landfill Group (CLG), a consortium of the parties responsible for the contamination, is conducting an investigation that will further develop the conceptual site model, refining the source, fate, and transport of these emerging contaminants.

The following provides an update regarding ongoing activities in part related to the investigation of PFAS at Coakley generally through September 2020. For additional site-specific information please visit NHDES’ OneStop database at: <https://www4.des.state.nh.us/DESONestop/BasicSearch.aspx> or EPA’s website at: <https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0101107>. The NHDES Site ID associated with the Coakley Landfill is NHDES #198712001.

- On September 17, 2020, the CLG submitted to NHDES a memorandum outlining a work plan to perform a pilot-scale surface water treatment program, addressing components of the 2019 New Hampshire House Bill 494. The proposed pilot study includes the installation of a bioavailable absorbent media (BAM) material to contact surface water in Berrys Brook for the removal of PFAS. CLG plans to install the BAM material this fall and run the pilot study until freezing conditions necessitate removal. NHDES issued comments on the work plan in October 2020.
- The CLG conducted semi-annual sampling rounds in fall 2019 and spring 2020, including the sampling of more than 20 private wells and resampling of newly installed deep bedrock wells to the north and west of the landfill. Validated data for the spring 2020 sampling round were provided to private property owners by the CLG on September 22, 2020. Results are consistent with historic data, with the exception of the detection of a PFAS compound with no regulatory standard (perfluorooctanesulfonamide or PFOSA) at higher concentrations than fall 2019 results. CLG will continue to monitor for the presence of PFOSA to better understand this possible anomaly. Private well sampling options will remain flexible in light of the Covid-19 pandemic, by offering private well sampling where it can be accomplished under applicable safety guidelines.

- The CLG redeveloped bedrock monitoring well designated MW-6, conducted a geophysical survey of the same, and performed discrete zone packer sampling to determine if the well is adequate for use as an extraction well for a groundwater pumping test to be conducted as part of the final phase of the bedrock investigation. Upon review of the gathered data, EPA, in consultation with NHDES, determined that MW-6 would be an acceptable extraction well for the pending pump test, as summarized in EPA's August 26, 2020 email to CLG.
- The CLG submitted an interim report related to the ongoing bedrock investigation on November 25, 2019. EPA had directed CLG to develop this interim report to provide an updated conceptual site model for the deep bedrock based on the investigations conducted and data collected to date and to provide recommendations for any remaining tasks necessary to complete the bedrock investigation. EPA, in consultation with NHDES, issued comments on the interim report to the CLG on February 6, 2020, which included a request that the CLG prepare an addendum to the previously approved Bedrock Investigation Work Plan to incorporate additional investigation activities that were identified in the interim report and further developed in meetings between EPA, NHDES, CLG, CES and Sanborn Head (CLG's consultants). CLG submitted the requested addendum on April 6, 2020. EPA issued comments on the addendum to the CLG on June 17, 2020 and subsequently provided a letter of conditional approval of a July 17, 2020 revision of the addendum on August 4, 2020.
- On July 31, 2020, the CLG submitted a draft Annual Report for 2019 that details the data collected during 2019, including the results from the sampling of groundwater, surface water, sediment and private water supply wells. EPA and NHDES will review and provide comments for CLG to finalize the report.
- The agencies provided a written site update via email distribution on June 16, 2020.
- Due to elevated levels of per- and polyfluoroalkyl substances (PFAS) detected in one private well during wide-scale private well sampling conducted in 2016-17, the NHDES has been sampling three private water supplies in Greenland adjacent to I-95, over a mile from the Site. Detailed data from the ongoing bedrock investigation, provided in the November 25, 2019 interim report, supported discontinuing sampling of these wells. On February 25, 2020, NHDES issued letters to the property owners containing the fall 2019 sampling results and provided notification that future sampling of their water supply would be discontinued. The data and process for making this determination is further detailed in a May 13, 2020, technical memorandum that was provided to the New Hampshire Legislative Commission on the Seacoast Cancer Cluster Investigation.
- On November 22, 2019, EPA sent agency comments to the CLG in response to a stormwater investigation report that was submitted on September 24, 2019. The report provided the results of wet-weather sampling of surface and underdrain discharge locations from the landfill cap conducted in fall 2018 and spring 2019. The sampling results indicated the potential for significant loading of PFAS compounds to stormwater runoff from the landfill cap, as well as PFAS compounds contained within the cap soil cover materials. The CLG submitted a response to the comments on January 22, 2020, which included a Statement of Work (SOW) for additional investigative and sampling activity. In a letter dated April 2, 2020, EPA, in consultation with NHDES, conditionally approved the SOW.

For further details on submittals and agency responses, please see hyperlinks provided in the table below.

Documents added to EPA and/or NHDES websites between April 1, 2020 and September 30, 2020:

Date	Document
September 22, 2020	CLG letter and analytical data summary of private water supply well sampling results https://semspub.epa.gov/work/01/100015835.pdf
August 26, 2020	EPA email re: MW-6 interval packer sampling results and viability memo https://www4.des.state.nh.us/IISProxy/IISProxy.dll?ContentId=4870836
August 18, 2020	CLG submittal of MW-6 interval packer sampling results and pump test viability https://www4.des.state.nh.us/IISProxy/IISProxy.dll?ContentId=4870817
August 4, 2020	EPA letter re: conditional approval of July 17 version of deep bedrock investigation work plan addendum https://www4.des.state.nh.us/IISProxy/IISProxy.dll?ContentId=4867910
July 17, 2020	CLG submittal of deep bedrock investigation work plan addendum response to agency comments https://www4.des.state.nh.us/IISProxy/IISProxy.dll?ContentId=4885052
June 29, 2020	CLG revised downhole geophysics and packer sampling interval recommendations for MW-6 https://www4.des.state.nh.us/IISProxy/IISProxy.dll?ContentId=4856551
June 18, 2020	EPA email response to CLG report on downhole geophysics and packer sampling for MW-6 https://www4.des.state.nh.us/IISProxy/IISProxy.dll?ContentId=4855503
June 17, 2020	EPA letter to CLG re: April 2020 Deep Bedrock Investigation Work Plan Addendum https://www4.des.state.nh.us/IISProxy/IISProxy.dll?ContentId=4853998
June 16, 2020	EPA email update on the Coakley Landfill Site https://www4.des.state.nh.us/IISProxy/IISProxy.dll?ContentId=4884541
June 11, 2020	CLG report on downhole geophysics and packer sampling interval recommendations for MW-6 https://www4.des.state.nh.us/IISProxy/IISProxy.dll?ContentId=4855497
May 13, 2020	NHDES technical memo re: summary of bedrock groundwater flow conditions https://www4.des.state.nh.us/IISProxy/IISProxy.dll?ContentId=4848589
April 6, 2020	CLG submittal of draft deep bedrock investigation work plan addendum https://www4.des.state.nh.us/IISProxy/IISProxy.dll?ContentId=4855498
April 2, 2020	EPA letter re: CLG's response to comments on January 2020 stormwater investigation report https://www4.des.state.nh.us/IISProxy/IISProxy.dll?ContentId=4841702

3. Former Pease Air Force Base Superfund Site

The following provides an update regarding ongoing activities specific to the investigation and remediation of PFAS at the former Pease Air Force Base Superfund Site (Pease). NHDES notes that the Air Force maintains the official Administrative Record for Pease. Reports summarizing investigations and other site-specific documents are public record on the U.S. Air Force Civil Engineering Center (AFCEC) Administrative Record website <https://ar.afcec-cloud.af.mil/Search.aspx>. Once there, select *BRAC>Pease AFB>OU-9 PFC Operable Unit* then click "Search" to view the document listing.

- Pease Tradeport Municipal Water Supply.** The City of Portsmouth has been operating a filtration system using granular activated carbon (GAC) on the two active Tradeport municipal supply wells (Smith and Harrison wells) since September 2016 to treat low-level PFAS. The Haven supply well, the most productive of the three wells on the Tradeport, was taken off-line immediately upon the discovery of PFAS in samples collected in April 2014 (including PFOS and PFOA at concentrations above the then applicable EPA Provisional Health Advisory levels). Regular monitoring for the presence of PFAS is conducted on the four municipal water supply wells that actively draw groundwater from the Pease

aquifer (Smith, Harrison, and two off-base wells, Portsmouth and Collins) and also on a network of sentry monitoring wells distributed throughout the southern portion of the Pease aquifer. The City's construction of a full-scale treatment plant at their Grafton Road site that will allow for operation and treatment of the Smith, Harrison and Haven wells is still underway with expected completion this year. Treatment of the Smith and Harrison wells has successfully transitioned to the new filters; the City is working on their plan to develop the inactive Haven well in early 2021 prior to its reconnection to the Pease system. The City posts the water supply well monitoring results, the filter demonstration project monitoring results and other pertinent information on their website.

Pease Tradeport Water Information. NHDES notes the following links for additional updates

PEASE TRADEPORT WATER SUPPLY UPDATE

<http://files.cityofportsmouth.com/files/dpw/PeaseWaterSupplyUpdate4.22.2020.pdf>

PEASE COMPREHENSIVE PFC SAMPLING DATA

<http://files.cityofportsmouth.com/files/ww/PeasePFAS04.2020.pdf>

PEASE TRADEPORT WATER SYSTEM OVERVIEW

<http://files.cityofportsmouth.com/publicworks/PeaseWaterSystemOperationsUpdate033115.pdf>

- **Off-site Private Wells.** In June 2014 the Air Force began an inventory and sampling program for private off-site supply wells within 1-mile of Pease in the towns of Newington, Greenland and Portsmouth. To date, 41 residential drinking water wells have been sampled, five of which were documented to have PFOS/PFOA at concentrations near or above the 2016 AGQS. All five were initially supplied with bottled water; four were provided with point-of-entry treatment (POET) systems, one was taken out of use. Of the four wells provided with POE systems, a permanent solution was agreed upon between the Air Force and three property owners to connect to Portsmouth's municipal supply system that already services parts of Newington. Two of those wells were successfully connected to the municipal system in December 2019; the Air Force is still seeking resolution with the third owner. The owner of the fourth well opted to take over operation and maintenance of their POET system from the Air Force rather than connect to the municipal supply. Since 2014, long-term monitoring has occurred on a regular basis for all residential wells where the owners have elected to participate. The long-term monitoring plan is continually evaluated and modified, as appropriate, based on the results. All sampling results are provided to each individual well owner.

In October 2019 NHDES sent letters to six additional private supply well owners to notify them of the development of new AGQSs for four PFAS because at least one PFAS concentration was detected in a past water quality sample above one or more of the new more stringent PFAS standards. The letters were intended to ensure the residents were aware of the new standards and to provide them with updated information and resources relative to PFAS. One of those six wells is on the Great Bay National Wildlife Refuge; U.S. Fish and Wildlife Service subsequently confirmed that it is not used for potable purposes. Based on the most recent sampling results for 2019 and 2020, two of the five notified wells have PFAS concentrations consistently below AGQS, the remaining three are clustered together in one area.

Following reestablishment of the AGQSs, as signed into law in July 2020, NHDES requested Air Force compliance with our standards and response actions including providing bottled water and permanent mitigation for affected private well owners. In correspondence dated September 2, 2020 the Air Force

responded to NHDES that it would not take corrective action on private well issues unless detected concentrations exceed the EPA's Lifetime Health Advisory levels (70 ppt for PFOS/PFOA).

NHDES has since coordinated bottled water delivery and is evaluating permanent mitigation actions (e.g. connection to municipal supply, installation of a point-of-entry treatment system).

- **Base-wide Hydrogeological Investigation.** Concurrent with initial response actions and completion of a CERCLA Preliminary Assessment for PFAS to identify areas where fluorinated Aqueous Film-Forming Foam (AFFF) was released, the source of the widespread PFAS at Pease, the Air Force conducted a base-wide PFAS site investigation (SI) to better understand the nature and extent of PFAS in soil and overburden and bedrock groundwater. The SI was completed in 2016. This information was used to develop a conceptual site model of PFAS contamination and to develop a groundwater remediation plan called the Airfield Interim Mitigation System (AIMS). A supplemental PFAS investigation, designated as Expanded Site Inspection (ESI), was conducted in 2018 and 2019 to further refine the relationship between overburden and bedrock groundwater and surface waters, both base-wide and with particular focus in Newington, north of Site 8. The ESI also included PFAS characterization and an exposure assessment of other media (soil, sediment, surface water, and shellfish). Results of the ESI were shared with the public at the 2019 Pease Restoration Advisory Board (RAB) meetings. Key conclusions of the ESI include: additional investigation and risk assessment is warranted and will occur as part of the next CERCLA phase, a Remedial Investigation (RI); though PFAS were detected in shellfish collected from various locations, the detected concentrations did not exceed the Screening Levels (SLs) established for three PFAS by EPA. Because of the detection NHDES' Environmental Health Program conducted a site-specific evaluation of PFAS in shellfish and concluded that a shellfish consumption advisory for PFAS was not warranted. The Final ESI report was published in March 2020, its posting on the AFCEC Administrative Record website is pending.

The Air Force awarded a contract for the Pease PFAS RI in July 2020 and is working with NHDES and EPA on development of a formal scope of work for that investigation.

- **Airfield Interim Mitigation System (AIMS).** The AIMS objectives include: intercepting PFAS-impacted groundwater upgradient of the Haven Well through a network of groundwater extraction wells; treatment of the intercepted water in a centrally-located treatment plant using best available technology; reinjection of the treated groundwater back into the Pease aquifer to restore the aquifer, support the City's reactivation of the Haven Well and provide hydraulic protection of the southern Pease aquifer supply wells. Installation of the AIMS extraction and infiltration wells was completed in 2018. Construction of the AIMS treatment plant was completed and the Air Force started operation in April 2019. Since April 2019 the AIMS has treated more than 290 million gallons of groundwater.
- **Former Fire Training Area No. 2 (Site 8).** Concurrent with the base-wide PFAS Site Investigation, a separate investigation was conducted at the former fire training area where AFFF was known to have been used by the Air Force beginning in the early 1970s up through the late 1980s. Extensive investigations in the 1990s were conducted to address petroleum and solvent contamination. A remedy including a hydraulic containment system had been operated since 1995 and was demonstrated to have mitigated off-site migration of those contaminants. Based on the Site 8 PFAS investigation a design was developed to augment the hydraulic containment system to better mitigate PFAS migration. That system and its associated state-of-the-art PFAS treatment plant began operating in spring 2018. Since operation began, the Site 8 Interim Mitigation System has treated more than 34 million gallons of groundwater. System design and operations are regularly evaluated to optimize performance. Due to

the unexpected presence of elevated iron concentrations in several of the Site 8 IMS extraction wells, the Air Force augmented the Site 8 IMS an iron mitigation treatment phase. The Air Force is currently proving out the iron removal by systematically expanding the extraction well network pumping.

- **Community Involvement.** Since discovery of PFAS in the municipal supply wells in May 2014 the community has been actively engaged and has participated in numerous public meetings hosted by NHDES and New Hampshire Department of Health and Human Services (NHDHHS). In addition, the following community groups have been developed for Pease PFAS-related issues:
 - Restoration Advisory Board (RAB). In 2015 NHDES requested the Air Force re-establish Pease’s RAB, a stakeholder group that meets quarterly to discuss ongoing environmental restoration of Pease. The RAB provides community members an open forum to talk with the Air Force and regulatory agencies about environmental restoration activities. The Pease RAB consists of local volunteer community members (including the NH Air National Guard) and appointed members representing the Air Force, regulatory agencies, the Pease Development Authority and the City of Portsmouth. RAB information can be accessed on the Air Force Civil Engineering Center website: <https://www.afcec.af.mil/Home/BRAC/Pease.aspx>
 - Community Assistance Panel (CAP): The initial forum that was created for community input on PFAS-related health concerns was the Community Advisory Board. To build on the community involvement started with the Board, the Agency for Toxic Substances and Disease Registry (ATSDR) formed the Pease CAP as a way for the community to participate directly in ATSDR’s health activities. CAP information can be accessed on the ATSDR website for Pease: <https://www.atsdr.cdc.gov/pfas/Pease-CAP.html>

Information on the Pease Study made by ATSDR can be accessed on the ATSDR website for Pease: <https://www.atsdr.cdc.gov/sites/pease/index.html>.

ATSDR’s Health Consultation on PFAS in the Pease Tradeport Public Water System can be accessed on the ATSDR website for Pease: [https://www.atsdr.cdc.gov/HAC/pha/pease/Pease Air Force Base HC-508.pdf](https://www.atsdr.cdc.gov/HAC/pha/pease/Pease_Air_Force_Base_HC-508.pdf)

ATSDR’s draft Health Consultation on PFAS in the Private Residential Drinking Water Wells was available for public comment through July 30, 2020 and can be accessed on the ATSDR website for Pease: [https://www.atsdr.cdc.gov/HAC/pha/pease/Pease AFB HC-PC April 2020-508.pdf](https://www.atsdr.cdc.gov/HAC/pha/pease/Pease_AFB_HC-PC_April_2020-508.pdf)

4. Statewide Public Water Supplies

NHDES began a statewide initiative to test drinking water from all community water supplies for PFAS in 2016. Of the 1,880 sources of drinking water that supply public water systems in New Hampshire, as of September 2020, approximately 58% (1095 sources) have been sampled for PFAS with approximately 32% of wells having detections of PFOA, PFOS, PFHxS, or PFNA.

Information included on the attached Table 1 summarizes sampling results for PFOA, PFOS, PFHxS, and PFNA. NHDES notes that exceedances of the MCLs for the four PFAS compounds occurred at 89 water supply

wells which have or may require that the owners of these wells install treatment or take the wells out of service. Table 1 presents only one sample result for each source, representing the most recent concentration of PFOA, PFOS, PFHxS, and PFNA detected. Additional results for some of the water sources that are conducting periodic monitoring can be accessed at the link provided in Note 5 at the end of the table.

5. Statewide PFAS Data

The following summarizes PFAS information that NHDES has compiled to date from various sources at existing solid waste facilities, hazardous waste remediation sites, oil remediation sites, and groundwater discharge sites. Please refer to the additional resources referenced in Section 1 above for up-to-date and/or additional site-specific information.

5.1 Solid Waste Facilities

There are roughly 200 unlined/lined solid waste disposal facilities or synthetic lined wastewater treatment lagoons in New Hampshire for which the owner/operator is responsible for monitoring water quality. These sites have either a groundwater release detection permit (GDP) or groundwater management permit (GMP) that have been issued by NHDES, in accordance with applicable administrative rules. These permits prescribe programs for periodic groundwater quality monitoring and reporting, provide for groundwater remediation either through active measures or natural attenuation, specify performance standards for remedies, and describe procedures for performing site investigations and implementing remedial action plans.

NHDES has required groundwater sampling for PFAS at all of these sites. As of September 2020, 92% have sampled, and of those sites sampled, approximately 89% have PFAS detections and 63% have exceedances of the AGQS for PFOA, PFOS, PFHxS, and PFNA. Refer to Table 2 for a summary of maximum PFOA, PFOS, PFHxS, and PFNA concentrations at each of the sites where data has been compiled by NHDES.

5.2 Hazardous Waste Remediation Sites

Hazardous waste remediation sites include all sites where a hazardous substance or waste has been released, and which often have a long-term remediation and management component prescribed and regulated through an NHDES-issued groundwater management permit or remedial action plan. There are roughly 515 waste sites, including State-listed hazardous waste, Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA), and Brownfield sites, that have an open status and are currently regulated by NHDES, in accordance with its administrative rules.

As outlined in a letter to responsible parties, site owners, and/or permittees dated May 18, 2017, and clarified in a follow-up letter dated October 19, 2017, NHDES is requiring waste sites that meet certain criteria to complete an initial screening for the presence of PFAS per the provisions of the NH Code of Administrative Rules, Chapters Env-Or 600 and Env-Or 700, as applicable. As of September 2020, 42% have sampled and of those sites sampled, approximately 89% have detected PFAS and 63% have exceedances of the AGQS for PFOA, PFOS, PFHxS, and PFNA. Refer to Table 3 for a summary of maximum PFOA, PFOS, PFHxS, and PFNA concentrations at each of the sites where data has been compiled by NHDES.

5.3 Oil Remediation Sites

Oil remediation sites include all sites where long-term remediation and management of petroleum contamination occurs primarily through a NHDES-issued GMP or remedial action plan. There are roughly 1,500 active petroleum sites, including, but not limited to, leaking underground/above ground storage tank sites, motor vehicle salvage yards, and spills that have an open status and are currently regulated by NHDES in accordance with the administrative rules.

NHDES undertook an initiative in 2019 requesting a small initial subset of these petroleum sites to voluntarily complete an initial screening for the presence of PFAS. As of September 2019, less than 1% of all petroleum sites have sampled and reported data to NHDES for PFAS. Of the sites sampled, several have exceedances of the AGQS for PFOA, PFOS, PFHxS, and PFNA. NHDES notes however, that in all cases to date, it has been concluded that the source and release mechanism(s) have not been attributable to the petroleum discharge. PFAS exceedances in groundwater were observed in the general vicinity of areas where fire suppression foam was used and motor oil additives or other fluids were stored or discharged at motor vehicle salvage yards or unpermitted solid waste facilities. Refer to Table 4 for a summary of maximum PFOA, PFOS, PFHxS, and PFNA concentrations at each of the sites where data has been compiled by NHDES.

5.4 Groundwater Discharge Permit Sites (Wastewater Disposal to Groundwater)

NHDES regulates 92 facilities that dispose of wastewater to the ground through such practices as discharges to unlined lagoons, rapid infiltration basins, spray irrigation systems and very large leach fields. These sites are managed under a Groundwater Discharge Permit (GDP), which allows the discharge in accordance with administrative rules that protect against impact to other properties and drinking water supply wells. NHDES has required sampling for PFAS at all of these sites. To date, 85% have sampled and of those sites sampled, approximately 86% have detected PFAS and 44% have exceedances of the AGQS for PFOA, PFOS, PFHxS, and PFNA. Refer to Table 5 for a summary of maximum PFOA, PFOS, PFHxS, and PFNA concentrations at each of the sites where data has been compiled by NHDES.

APPENDICES

Appendix 1

House Bill 1766-FN- Final Version

The following document is an image of the final bill text of House Bill (HB) 1766-FN- Final Version. Please visit the following webpage for an HTML or PDF version of the final bill text:

http://gencourt.state.nh.us/bill_status/billText.aspx?sy=2018&id=1523&txtFormat=html

CHAPTER 306
HB 1766-FN - FINAL VERSION

04/26/2018 1630s
23May2018... 1983-CofC

2018 SESSION

18-2503
08/04

HOUSE BILL ***1766-FN***

AN ACT requiring the department of environmental services to report to the general court regarding bedrock testing and perfluorochemical contamination in the Seacoast area and at other landfills and hazardous waste sites.

SPONSORS: Rep. Messmer, Rock. 24; Rep. Cushing, Rock. 21; Rep. Bean, Rock. 21; Rep. Edgar, Rock. 21; Rep. T. Le, Rock. 31; Rep. P. Gordon, Rock. 29; Sen. Fuller Clark, Dist 21

COMMITTEE: Environment and Agriculture

AMENDED ANALYSIS

This bill requires the department of environmental services to report to the general court regarding perfluorinated chemical contamination at the Seacoast and at landfills and other hazardous waste sites.

Explanation: Matter added to current law appears in ***bold italics***.
Matter removed from current law appears ~~[in brackets and struck through.]~~
Matter which is either (a) all new or (b) repealed and reenacted appears in regular type.

CHAPTER 306
HB 1766-FN - FINAL VERSION

04/26/2018 1630s
23May2018... 1983-CofC

18-2503
08/04

STATE OF NEW HAMPSHIRE

In the Year of Our Lord Two Thousand Eighteen

AN ACT requiring the department of environmental services to report to the general court regarding bedrock testing and perfluorochemical contamination in the Seacoast area and at other landfills and hazardous waste sites.

Be it Enacted by the Senate and House of Representatives in General Court convened:

1 306:1 Findings. The general court acknowledges the public concern regarding the
2 issue of water quality in the Seacoast area and at areas of environmental interest all
3 over the state. The general court further finds that in view of bedrock testing due to
4 begin in the Seacoast area during the summer of 2018, and in view of the impending first
5 ever study of per and polyfluoroalkyl (PFAS) exposure, the general court shall be
6 informed, on a regular basis, of contaminant monitoring and contaminant migration,
7 and advised regarding new research on contaminant exposure and any developments in
8 remediation technology.

9 306:2 Department of Environmental Services; Reports Required.

10 I. The department of environmental services shall submit an initial report to the
11 general court by December 1, 2018, and shall submit interim reports every 6 months
12 thereafter, on the results of monitoring, testing, and any other analysis or data relative
13 to perfluorooctanesulfonic acid (PFOS) and perfluorooctanoic acid (PFOA) levels at
14 statewide sites that it has identified as sources of those contaminants. The reports shall
15 include preliminary results from bedrock testing conducted at the Coakley Landfill site
16 beginning in the summer of 2018. The department shall submit interim reports on the
17 bedrock testing by July 1, 2019 and December 1, 2019, and a final report within 6 months
18 of when such testing is completed. Other Seacoast area sites shall include, but not be
19 limited to, the Pease International Tradeport and its vicinity, the Hampton Landfill, the
20 Coakley Landfill, the Rye Breakfast Hill Landfill, the Rye Grove Landfill, the Garland
21 Well and nearby well sites, the former Cibor Airport, the Hampton Airport, and other
22 municipal and commercial operations within the Seacoast area deemed relevant by the
23 department. The department shall also include in such reports the PFOS and PFOA
24 levels at any landfill, hazardous waste, and other sites statewide where it currently
25 requires testing.

26 II. Copies of the reports required in paragraph I shall be submitted to:

27 (a) The president of the senate.

CHAPTER 306
HB 1766-FN - FINAL VERSION
- Page 2 -

1 (b) The speaker of the house of representatives.

2 (c) The chairman of the senate energy and natural resources committee, or
3 the successor committee with jurisdiction over energy and natural resource issues.

4 (d) The chairman of the environment and agriculture committee, or the
5 successor committee with jurisdiction over energy and natural resource issues.

6 (e) The joint legislative fiscal committee of the general court.

7 **306:3 Senate and House of Representatives Committees; Duties.** The senate energy
8 and natural resources committee and the house environment and agriculture committee,
9 or their successor committees as specified in section 2, paragraph II of this act, shall
10 collect and evaluate the reports required in section 2 of this act along with any other
11 reports, data, and information the committees deem relevant. The committees shall
12 solicit information from commissions and informed citizens in southeastern New
13 Hampshire and shall solicit information from the United States Environmental
14 Protection Agency regarding the reports required in section 2.

15 **306:4 Effective Date.** This act shall take effect July 1, 2018.

Approved: June 25, 2018
Effective Date: July 01, 2018

TABLES



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	WELL TYPE	DATE SAMPLED	Max PFOA Detected (ng/L) MCL= 12	Max PFOS Detected (ng/L) MCL= 15	Max PFNA Detected (ng/L) MCL= 11	Max PFHxS Detected (ng/L) MCL= 18
0015010-001	ACWORTH PRIMARY SCH	ACWORTH		07/20/20	ND	ND	ND	ND
0022010-501	WILDWOOD DEV	ALBANY		03/10/20	ND	ND	ND	ND
0023010-001	PIPER MEADOWS PRIVATE COMMUNITY	ALBANY		11/21/19	ND	ND	ND	ND
0032010-501	LEDGES AT NEWFOUND LAKE	ALEXANDRIA		11/05/19	ND	ND	ND	ND
0052010-001	PAPERMILL VILLAGE	ALSTEAD		08/08/16	ND	ND	ND	ND
0055010-501	ALSTEAD VILAS SCH	ALSTEAD		07/20/20	ND	ND	ND	ND
0055020-001	ALSTEAD PRIMARY SCH	ALSTEAD	BEDROCK WELL	07/20/20	ND	ND	ND	ND
0055030-001	ORCHARD SCHOOL	ALSTEAD		12/04/19	ND	ND	ND	ND
0059010-001	MOLE HILL THEATRE/LEAF CHARTER	ALSTEAD		11/13/19	ND	ND	ND	ND
0062010-501	EAGLES REST MHP	ALTON		11/07/19	ND	ND	ND	ND
0062050-501	LAKESIDE AT WINNIPESAUKEE	ALTON		11/05/19	ND	ND	ND	ND
0065020-501	PROSPECT MOUNTAIN HIGH SCH	ALTON		11/07/19	ND	ND	ND	ND
0072070-501	SOUHEGAN WOODS	AMHERST		10/02/19	4.85	ND	ND	ND
0072080-001	GOWING WOODS	AMHERST		06/29/16	ND	ND	ND	ND
0072090-501	CONNOR COURT	AMHERST		11/08/19	7.45	ND	ND	ND
0073030-000	RIDGEWOOD ESTATES	AMHERST	BEDROCK WELL	11/05/19	ND	ND	ND	ND
0075060-501	AMHERST MEDICAL CENTER	AMHERST		12/03/19	ND	ND	ND	ND
0076070-001	MC SQUARE	AMHERST		04/15/16	5.00	ND	ND	ND
0076130-501	COLONIAL PARK	AMHERST		12/03/19	ND	ND	ND	5.00
0078090-501	MEETING PLACE	AMHERST	BEDROCK WELL	11/12/19	2.38	3.11	ND	5.93
0081010-002	ANDOVER VILLAGE DIST	ANDOVER		02/20/20	ND	ND	ND	ND
0091010-501	ANTRIM SEWER AND WATER DEPT	ANTRIM		02/11/20	ND	ND	ND	ND
0092010-001	STEELE POND DEV	ANTRIM		08/05/16	ND	ND	ND	ND
0095010-001	OVERSEAS UNITED EDUC FNDTN	ANTRIM		12/04/19	ND	ND	ND	ND
0101010-504	ASHLAND WATER DEPT	ASHLAND	BEDROCK WELL	10/01/19	ND	ND	ND	ND
0102010-500	ROPEWALK SERVICES	ASHLAND		03/06/20	ND	ND	ND	ND
0102020-000	VILLAGE AT RIVERBEND	ASHLAND		02/12/20	ND	ND	ND	ND
0112030-501	WRIGHT FARM CONDOS	ATKINSON		10/18/19	4.98	ND	ND	3.03
0112060-501	COMMONS OF ATKINSON	ATKINSON		10/25/19	8.72	4.55	ND	1.97
0112070-501	WATER WHEEL ESTATES	ATKINSON		02/04/20	ND	ND	ND	ND
0112080-001	WALNUT RIDGE/BRYANT WDS	ATKINSON		06/17/19	5.90	1.60	ND	2.10
0112080-003	WALNUT RIDGE/BRYANT WDS	ATKINSON		06/17/19	4.80	1.40	0.26	1.50
0112080-004	WALNUT RIDGE/BRYANT WDS	ATKINSON	BEDROCK WELL	06/17/19	16.00	3.90	0.74	3.50
0112080-009	WALNUT RIDGE/BRYANT WDS	ATKINSON	BEDROCK WELL	06/17/19	2.60	1.10	ND	0.88
0112080-011	WALNUT RIDGE/BRYANT WDS	ATKINSON	BEDROCK WELL	06/17/19	2.10	0.89	ND	0.70
0112080-012	WALNUT RIDGE/BRYANT WDS	ATKINSON	BEDROCK WELL	06/17/19	2.70	ND	ND	0.80
0112080-013	WALNUT RIDGE/BRYANT WOODS	ATKINSON	BEDROCK WELL	05/26/16	ND	ND	ND	ND
0112080-021	WALNUT RIDGE/BRYANT WDS	ATKINSON	BEDROCK WELL	06/17/19	1.80	1.80	ND	1.80
0115010-502	ATKINSON ACADEMY SCH	ATKINSON	BEDROCK WELL	10/29/19	10.70	9.80	ND	3.38
0115060-001	LEARNING PATH CHILD CARE CTR	ATKINSON	BEDROCK WELL	11/04/19	7.47	ND	ND	ND
0116010-501	PEU/PIONEER COMMERCE PARK	ATKINSON		10/03/19	3.47	ND	ND	ND
0116020-501	GEX	ATKINSON		10/14/19	4.34	ND	ND	ND
0116040-501	PALMER GAS	ATKINSON		10/14/19	7.50	3.46	ND	ND
0135010-502	AUBURN VILLAGE SCH	AUBURN		10/02/19	ND	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	WELL TYPE	DATE SAMPLED	Max PFOA Detected (ng/L) MCL= 12	Max PFOS Detected (ng/L) MCL= 15	Max PFNA Detected (ng/L) MCL= 11	Max PFHxS Detected (ng/L) MCL= 18
0145010-502	BARNSTEAD ELEMENTARY SCH	BARNSTEAD		11/14/19	ND	ND	ND	ND
0152020-501	OLD STAGE COACH ARMS	BARRINGTON		10/07/19	5.72	3.14	ND	ND
0152030-001	BARRINGTON HILLS APTS/LOWER	BARRINGTON		11/19/19	ND	ND	ND	ND
0152050-001	BARRINGTON HILLS APTS/UPPER	BARRINGTON		11/19/19	ND	ND	ND	ND
0152060-003	OYSTER RIVER APTS EAST/WEST	BARRINGTON		01/14/20	ND	ND	ND	ND
0152090-501	PEPPERIDGE WOODS	BARRINGTON		11/13/19	ND	ND	ND	ND
0153030-502	BARRINGTON OAKS	BARRINGTON		12/04/19	ND	ND	ND	ND
0153040-501	LEE OAK COOPERATIVE	BARRINGTON		10/03/19	3.36	ND	ND	ND
0153050-506	BARRINGTON MOBILE HOME ESTATES	BARRINGTON		10/21/19	2.12	ND	ND	ND
0155020-501	EARLY CHILDHOOD LEARNING CTR	BARRINGTON		11/18/19	ND	ND	ND	ND
0155070-501	FRISBIE HEALTH SERVICES	BARRINGTON		11/21/19	ND	ND	ND	ND
0155080-500	BARRINGTON MIDDLE SCH	BARRINGTON		11/18/19	ND	ND	ND	ND
0156020-501	COMPUTER RESOURCES	BARRINGTON		10/10/19	ND	2.60	ND	ND
0156030-501	ASSOCIATED BUYERS	BARRINGTON		11/26/19	ND	ND	ND	ND
0161010-003	BARTLETT VILLAGE PCT	BARTLETT		10/23/19	ND	ND	ND	ND
0161020-001	LOWER BARTLETT WATER PCT	BARTLETT		10/11/16	ND	ND	ND	ND
0161020-003	LOWER BARTLETT WATER PCT	BARTLETT		10/11/16	ND	ND	ND	ND
0162160-001	COW HILL WELLHOUSE	BARTLETT		11/09/16	ND	ND	ND	ND
0162170-511	RIVER RUN CONDOS	BARTLETT		03/26/20	3.58	3.10	ND	ND
0162180-001	BLUEBERRY VILLAGE CONDOS	BARTLETT		10/23/19	ND	ND	ND	ND
0162190-502	CRAWFORD HILLS	BARTLETT		02/11/20	ND	ND	ND	ND
0162200-503	TOP NOTCH CONDOS	BARTLETT		03/12/20	ND	ND	ND	ND
0162210-502	MOUNTAINSIDE ON ATTITASH	BARTLETT		03/10/20	ND	ND	ND	ND
0162250-504	BARTLETT PLACE	BARTLETT		03/09/20	ND	ND	ND	ND
0162260-001	VILLAGGIO BIANCO	BARTLETT	GRAVEL PACK WELL	03/09/20	ND	ND	ND	ND
0162270-505	NORDIC VILLAGE	BARTLETT	GRAVEL PACK WELL	11/21/19	ND	ND	ND	ND
0162310-502	WHISPERING BROOK	BARTLETT		03/09/20	ND	ND	ND	ND
0162330-501	CRAWFORD POND	BARTLETT		02/11/20	ND	ND	ND	ND
0162340-001	BEAR VILLAGE SOUTH	BARTLETT		03/12/20	ND	ND	ND	ND
0162350-000	GOODRICH PROPERTY	BARTLETT		10/23/19	ND	ND	ND	ND
0162390-501	SUGARWOOD ON THE SACO	BARTLETT	BEDROCK WELL	11/14/19	3.33	5.28	ND	ND
0162400-501	EAGLE RIDGE RESORT	BARTLETT		11/11/19	ND	ND	ND	ND
0162410-508	STILLINGS GRANT	BARTLETT		10/23/19	ND	ND	ND	ND
0162430-501	BEARFOOT CREEK	BARTLETT		10/23/19	ND	ND	ND	ND
0167010-501	MT ATTITASH SKI AREA/LODGE	BARTLETT		11/14/19	ND	ND	ND	ND
0168460-001	BEAR PEAK AT ATTITASH	BARTLETT		10/23/19	ND	ND	ND	ND
0171010-503	BATH VILLAGE WATER WORKS	BATH		12/04/19	ND	ND	ND	ND
0192060-501	ENGLISH WOODS	BEDFORD		10/04/19	ND	ND	ND	ND
0195020-501	KELLOGG CHRISTIAN SCHOOL	BEDFORD		10/29/19	40.20	2.63	ND	2.31
0195090-001	BETHANY COVENANT CHURCH	BEDFORD		07/27/16	3.00	ND	ND	ND
0196210-501	288 ROUTE 101	BEDFORD		02/03/20	ND	ND	ND	ND
0196270-501	EVERSOURCE ENERGY BEDFORD AWC	BEDFORD		09/21/20	ND	ND	ND	ND
0196280-501	292 ROUTE 101	BEDFORD		11/12/19	5.73	ND	ND	ND
0196310-001	FRENCH ATWOOD MARKETPLACE	BEDFORD		08/02/16	ND	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	WELL TYPE	DATE SAMPLED	Max PFOA Detected (ng/L) MCL= 12	Max PFOS Detected (ng/L) MCL= 15	Max PFNA Detected (ng/L) MCL= 11	Max PFHxS Detected (ng/L) MCL= 18
0196330-501	124 BEDFORD CENTER RD	BEDFORD		11/14/19	5.20	17.00	ND	ND
0197020-001	CAMP FOSTER	BEDFORD		05/09/17	ND	ND	ND	3.00
0197030-001	CAMP KETTLEFORD	BEDFORD		05/09/17	ND	ND	ND	ND
0198010-001	OLDE ROAD II	BEDFORD		11/30/18	93.00	2.60	0.80	1.30
0201010-501	BELMONT WATER DEPT	BELMONT		10/30/19	ND	ND	ND	ND
0201010-502	BELMONT WATER DEPT	BELMONT		10/30/19	ND	ND	ND	ND
0201010-503	BELMONT WATER DEPT	BELMONT		10/30/19	ND	ND	ND	ND
0202010-005	ABENAKI WATER /LAKELAND	BELMONT		11/05/19	ND	ND	ND	ND
0202010-504	ABENAKI WATER /LAKELAND	BELMONT		11/05/19	ND	ND	ND	ND
0202020-500	SUNRAY SHORES WATER DIST	BELMONT	BEDROCK WELL	12/06/19	ND	ND	ND	ND
0202060-501	SUN LAKE VILLAGE	BELMONT		11/06/19	ND	ND	ND	ND
0203010-001	CATES MOBILE HOME PARK	BELMONT		02/11/20	ND	ND	ND	ND
0203060-504	SOLAR VILLAGE	BELMONT	BEDROCK WELL	11/05/19	ND	ND	ND	ND
0203080-000	MALLARD'S LANDING	BELMONT		11/06/19	ND	ND	ND	ND
0203090-505	LAKES REGION MHP COOP II	BELMONT	BEDROCK WELL	10/29/19	ND	ND	ND	ND
0206020-501	BELMONT BUSINESS PARK	BELMONT	BEDROCK WELL	11/15/19	ND	ND	ND	ND
0206040-501	AFL TELECOMMUNICATIONS LLC	BELMONT	BEDROCK WELL	11/21/19	6.46	4.22	ND	ND
0212010-501	SOUTH FACE CONDOS	BENNINGTON		11/06/19	ND	ND	ND	ND
0212030-000	BIRCHES OF BENNINGTON	BENNINGTON		11/06/19	ND	ND	ND	ND
0231010-004	BERLIN WATER WORKS	BERLIN		10/10/19	ND	ND	ND	ND
0231010-008	BERLIN WATER WORKS	BERLIN		11/06/19	ND	ND	ND	ND
0231010-009	BERLIN WATER WORKS	BERLIN		10/10/19	ND	ND	ND	ND
0241010-003	BETHLEHEM VILLAGE DIST	BETHLEHEM		11/08/19	ND	ND	ND	ND
0245010-502	PROFILE HIGH SCH	BETHLEHEM		12/05/19	ND	ND	ND	ND
0251010-002	PENACOOK BOSCAWEN WATER PCT	BOSCAWEN		10/30/19	ND	ND	ND	1.89
0251010-003	PENACOOK BOSCAWEN WATER PCT	BOSCAWEN		10/30/19	ND	ND	ND	ND
0251010-004	PENACOOK BOSCAWEN WATER PCT	BOSCAWEN		10/30/19	ND	ND	ND	ND
0261010-511	BOW MUNICIPAL WATER SYSTEM	BOW		12/27/19	3.00	6.00	ND	ND
0262010-501	EVERGREEN DRIVE WATER	BOW		12/30/19	ND	ND	ND	ND
0262030-502	BELA BROOK WATER	BOW		11/06/19	ND	ND	ND	ND
0262040-502	COTTAGES AT WINDCHIMES	BOW		11/19/19	ND	ND	ND	ND
0262050-501	PEU/WHITE ROCK SENIOR LIVING	BOW		10/04/19	3.96	ND	ND	ND
0265050-001	BOW YOUTH CENTER	BOW		10/03/16	ND	ND	ND	ND
0265060-501	MEETING HOUSE MONTESSORI	BOW		11/13/19	ND	ND	ND	ND
0266010-000	GSP/MERRIMACK STATION	BOW		10/01/19	6.19	3.53	ND	2.76
0266050-002	GRAPPONE FORD COMPLEX	BOW		11/12/19	5.20	7.30	ND	3.70
0266090-001	PITCO FRIALATOR	BOW		11/13/19	13.00	2.20	ND	11.00
0266130-002	RUGGLES III OFFICE BLDG	BOW		11/05/19	ND	ND	ND	ND
0266140-501	NH AUTO DEALERS ASSN	BOW		11/13/19	ND	ND	ND	ND
0266150-502	CONCORD GROUP	BOW		11/13/19	ND	ND	ND	ND
0266200-500	GRAPPONE TOYOTA	BOW		11/12/19	3.80	ND	ND	3.70
0266220-001	501 SOUTH STREET	BOW		11/06/19	ND	ND	ND	ND
0266240-001	GRAPPONE HONDA	BOW		11/12/19	5.20	6.60	ND	3.30
0266250-501	BOW SAFETY BLDG	BOW		12/27/19	ND	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	WELL TYPE	DATE SAMPLED	Max PFOA Detected (ng/L) MCL= 12	Max PFOS Detected (ng/L) MCL= 15	Max PFNA Detected (ng/L) MCL= 11	Max PFHxS Detected (ng/L) MCL= 18
0269010-501	BOW MUNICIPAL BUILDING	BOW		12/27/19	ND	ND	ND	ND
0272010-001	FISHERFIELD TOWNHOUSES	BRADFORD		10/21/19	ND	ND	ND	ND
0275070-001	KEARSARGE REG ELEM SCH/BRADFRD	BRADFORD		11/20/19	ND	ND	ND	ND
0275090-501	CHILDRENS CTR FOR CREATIVE LRNG	BRADFORD		11/18/19	ND	2.00	ND	ND
0284010-502	ROCKINGHAM COUNTY COMPLEX	BRENTWOOD		10/22/19	ND	ND	ND	ND
0284010-503	ROCKINGHAM COUNTY COMPLEX	BRENTWOOD		10/21/19	ND	3.26	ND	9.04
0285010-502	SWASEY CENTRAL SCH	BRENTWOOD		11/05/19	2.30	ND	ND	ND
0286060-500	ROCKINGHAM COUNTY COURTHOUSE	BRENTWOOD	BEDROCK WELL	11/18/19	2.59	ND	ND	ND
0292010-000	WHITTEMORE SHORES	BRIDGEWATER		11/06/19	ND	ND	ND	ND
0298040-001	NEWFOUND GROCERY	BRIDGEWATER		07/22/16	ND	ND	ND	ND
0301010-501	BRISTOL WATER WORKS	BRISTOL		10/29/19	ND	ND	ND	ND
0301010-502	BRISTOL WATER WORKS	BRISTOL		10/29/19	ND	ND	ND	ND
0301010-503	BRISTOL WATER WORKS	BRISTOL		10/29/19	ND	ND	ND	ND
0305010-501	NEWFOUND REGIONAL HS	BRISTOL		12/09/19	ND	ND	ND	ND
0325010-001	RICHARD MAGHAKIAN MEMORIAL SCH	BROOKLINE		10/28/19	ND	ND	ND	ND
0325050-501	CAPT SAMUEL DOUGLASS ACADEMY	BROOKLINE		10/28/19	ND	ND	ND	ND
0326020-501	DECCO	BROOKLINE		10/28/19	ND	ND	ND	ND
0342020-001	TRIPPLEWOOD RESORT CONDOS	CAMPTON		11/22/19	ND	ND	ND	ND
0342060-002	BECKET HOUSE AT CAMPTON	CAMPTON		11/05/19	ND	ND	ND	ND
0342090-001	RED SLEIGH CONDOS	CAMPTON		12/18/19	ND	ND	ND	ND
0343010-000	CHESLEY'S MHP	CAMPTON		11/06/19	ND	ND	ND	ND
0351010-501	CANAAN WATER DEPT	CANAAN		10/02/19	ND	ND	ND	ND
0353010-001	COUNTRY VILLAGE MHP	CANAAN		11/23/16	1.00	ND	ND	ND
0353010-002	COUNTRY VILLAGE MHP	CANAAN		11/23/16	0.50	ND	ND	ND
0353020-001	MASCOMA VALLEY COOP	CANAAN		11/05/19	ND	ND	ND	ND
0354010-503	CARDIGAN MOUNTAIN SCH	CANAAN		01/10/20	ND	ND	ND	ND
0355030-001	MASCOMA VALLEY REG HIGH SCH	CANAAN		11/21/16	12.00	15.00	ND	ND
0355060-001	INDIAN RIVER SCH	CANAAN		11/21/16	3.00	7.00	ND	ND
0365010-503	HENRY W MOORE SCH	CANDIA		12/20/19	ND	ND	ND	ND
0365020-501	M AND C CHILDRENS LEARNING PL	CANDIA		11/20/19	15.00	32.20	ND	ND
0366040-001	BIRCHWOOD PLAZA	CANDIA		10/17/19	ND	ND	ND	ND
0374010-102	CANTERBURY SPRUCES HOUSING	CANTERBURY		09/12/16	ND	ND	ND	ND
0375010-002	CANTERBURY ELEMENTARY SCH	CANTERBURY	BEDROCK WELL	10/04/16	ND	ND	ND	ND
0381010-514	CARROLL WATER WORKS	CARROLL		10/24/19	ND	ND	ND	ND
0382010-001	ROSEBROOK WATER	CARROLL		08/09/16	ND	ND	ND	ND
0382010-002	ROSEBROOK WATER	CARROLL		08/09/16	ND	ND	ND	ND
0398030-001	CENTER HARBOR INN	CENTER HARBOR		12/08/16	4.60	ND	ND	ND
0411010-004	CHARLESTOWN WATER WORKS	CHARLESTOWN		11/05/19	ND	ND	ND	ND
0411010-005	CHARLESTOWN WATER WORKS	CHARLESTOWN		11/05/19	ND	ND	ND	ND
0411010-502	CHARLESTOWN WATER WORKS	CHARLESTOWN		11/05/19	2.45	ND	ND	ND
0411020-511	NORTH CHARLESTOWN WATER DEPT	CHARLESTOWN		10/09/19	ND	ND	ND	ND
043020-511	NORTH CHARLESTOWN WATER DEPT	CHARLESTOWN		10/09/19	ND	ND	ND	ND
043040-505	OLDE TOWNE	ALLENSTOWN		09/23/20	ND	ND	ND	ND
043040-505	CATAMOUNT HILL	ALLENSTOWN		03/25/20	ND	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	WELL TYPE	DATE SAMPLED	Max PFOA Detected (ng/L) MCL= 12	Max PFOS Detected (ng/L) MCL= 15	Max PFNA Detected (ng/L) MCL= 11	Max PFHxS Detected (ng/L) MCL= 18
0432010-501	VILLAGES AT CHESTER CONDOS	CHESTER		10/22/19	ND	ND	ND	ND
0432020-502	OAK HILL	CHESTER		10/23/19	ND	ND	ND	ND
0435060-501	CHESTER ACADEMY	CHESTER	BEDROCK WELL	10/22/19	2.12	ND	ND	3.93
0435070-001	PLAY LAUGH N GROW	CHESTER		10/03/19	ND	ND	ND	ND
0435080-501	CHESTERBROOK SCH OF NTRL LRNG	CHESTER	BEDROCK WELL	11/13/19	ND	ND	ND	ND
0438010-001	SHAKER HEIGHTS PROF PLAZA	CHESTER	BEDROCK WELL	05/25/16	ND	ND	ND	ND
0445010-004	CHESTERFIELD CENTRAL SCH	CHESTERFIELD		12/05/19	ND	ND	ND	ND
0449040-001	FEDEX FACILITY	CHESTERFIELD		12/05/19	ND	ND	ND	ND
0455010-501	CHICHESTER CENTRAL SCH	CHICHESTER	BEDROCK WELL	11/19/19	ND	ND	ND	ND
0456010-502	CAMPING WORLD OF NEW HAMPSHIRE	CHICHESTER	BEDROCK WELL	11/13/19	ND	ND	ND	ND
0461010-002	CLAREMONT WATER DEPT	CLAREMONT		02/04/20	ND	ND	ND	ND
0511010-501	CONWAY VILLAGE FIRE DIST	CONWAY		08/04/20	ND	ND	ND	ND
0511010-502	CONWAY VILLAGE FIRE DIST	CONWAY		08/04/20	ND	ND	ND	ND
0512050-000	ECHO LAKE WOODS	CONWAY		03/10/20	ND	ND	ND	ND
0512060-501	FOREST EDGE	CONWAY	BEDROCK WELL	11/07/19	ND	ND	ND	ND
0512070-001	FOREST PARK VILLAGE	CONWAY	BEDROCK WELL	03/12/20	ND	ND	ND	ND
0512080-501	REBECCA LANE WATER SYS	CONWAY		03/17/20	ND	ND	ND	ND
0512110-502	NORTH PINES	CONWAY	GRAVEL PACK WELL	03/26/20	ND	ND	ND	ND
0512120-501	SACO RIVER FOREST	CONWAY	GRAVEL PACK WELL	03/11/20	2.03	ND	ND	ND
0512130-501	WOODLAND GROVE	CONWAY	BEDROCK WELL	03/10/20	ND	ND	ND	ND
0512140-002	SOUTH PINES	CONWAY		03/17/20	ND	ND	ND	ND
0512150-501	DEERBROOK CONDOS	CONWAY		11/07/19	4.74	2.09	ND	ND
0512170-501	OAKWOOD HEIGHTS	CONWAY		11/20/19	ND	ND	ND	ND
0512180-502	SACO PINES	CONWAY		03/10/20	ND	ND	ND	ND
0512190-001	BROOK VIEW VILLAGE	CONWAY		03/12/20	2.83	2.24	ND	3.38
0512200-503	CEDAR CREEK	CONWAY		10/17/19	ND	ND	ND	ND
0512200-503	CEDAR CREEK	CONWAY		03/10/20	ND	ND	ND	ND
0512210-501	NEAR LEDGE	CONWAY		03/12/20	ND	ND	ND	ND
0512230-502	MELODY PINES CONDOS	CONWAY		03/17/20	ND	ND	ND	ND
0512240-506	ROCKHOUSE MOUNTAIN	CONWAY		03/26/20	ND	ND	ND	ND
0512240-508	ROCKHOUSE MOUNTAIN	CONWAY		03/26/20	ND	ND	ND	ND
0512250-501	SACO WOODS CONDOS	CONWAY		03/26/20	ND	ND	ND	ND
0512260-502	DAVIS HILL	CONWAY		03/12/20	ND	ND	ND	ND
0512270-501	HALE ESTATES	CONWAY		10/24/19	ND	ND	ND	ND
0513100-501	MOUNTAIN VALE VILLAGE MHP	CONWAY		10/23/19	2.64	ND	ND	ND
0515010-001	CONWAY COMMUNITY BLDG	CONWAY	BEDROCK WELL	09/20/16	ND	ND	ND	ND
0515040-501	LITTLE HANDS BIG DREAMS	CONWAY		11/12/19	ND	ND	ND	ND
0516030-001	CONWAY MUNICIPAL CENTER	CONWAY	BEDROCK WELL	11/21/19	ND	ND	ND	ND
0516040-001	LUPINE	CONWAY		10/23/19	ND	ND	ND	ND
0519020-002	CONWAY TOWN HALL	CONWAY		11/21/19	ND	ND	ND	ND
0545010-001	CROYDON VILLAGE SCH	CROYDON		12/04/19	ND	ND	ND	ND
0575010-001	DANBURY ELEMENTARY SCH	DANBURY		12/09/19	ND	ND	ND	ND
0578060-001	DANBURY COUNTRY STORE	DANBURY		12/08/16	ND	ND	ND	ND
0582010-501	COLBY POND	DANVILLE		10/25/19	ND	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	WELL TYPE	DATE SAMPLED	Max PFOA Detected (ng/L) MCL= 12	Max PFOS Detected (ng/L) MCL= 15	Max PFNA Detected (ng/L) MCL= 11	Max PFHxS Detected (ng/L) MCL= 18
0583020-005	IRON WHEEL MHP	DANVILLE		11/11/19	16.00	9.10	ND	5.30
0583020-006	IRON WHEEL MHP	DANVILLE		11/11/19	15.00	17.00	ND	11.00
0583050-505	ROCK RIMMON COOPERATIVE	DANVILLE		10/01/19	5.37	2.11	ND	ND
0585010-502	DANVILLE ELEMENTARY	DANVILLE		10/02/19	ND	ND	ND	ND
0594010-003	CORNERSTONE PLACE	DEERFIELD		11/25/19	6.45	4.06	ND	ND
0594020-501	INN AT DEERFIELD	DEERFIELD		12/05/19	ND	ND	ND	ND
0594030-001	SHERBURN WOODS	DEERFIELD		11/29/16	0.70	ND	ND	ND
0595010-501	GEORGE B WHITE BLDG	DEERFIELD		11/25/19	5.10	4.83	ND	ND
0595020-501	DEERFIELD COMMUNITY SCH	DEERFIELD		12/05/19	ND	ND	ND	ND
0595040-001	LONGVIEW SCH	DEERFIELD		11/21/19	ND	ND	ND	ND
0603010-502	LONGWOODS MHP	DEERING		10/17/19	2.49	ND	ND	ND
0612040-501	BARKLAND ACRES	DERRY		11/14/19	14.10	5.05	ND	1.80
0612050-000	MORNINGSIDE DRIVE	DERRY		11/01/19	15.80	5.69	ND	2.09
0612070-502	GLEN RIDGE DEV	DERRY		10/02/19	4.08	ND	ND	ND
0612110-501	PEU/FARMSTEAD ACRES	DERRY		10/02/19	ND	ND	ND	ND
0612140-004	HI AND LO ESTATES	DERRY		11/19/19	10.90	4.83	ND	3.10
0612150-504	DREW WOODS	DERRY		10/02/19	5.08	ND	ND	ND
0612160-001	WOODLAND AT DERRY	DERRY		07/21/16	ND	ND	ND	ND
0612170-502	MAPLE HAVEN	DERRY		10/02/19	1.90	ND	ND	ND
0612220-501	AUTUMN WOODS	DERRY		10/01/19	3.56	ND	ND	ND
0612230-501	RAND SHEPARD HILL	DERRY		11/04/19	7.34	ND	ND	ND
0612240-501	WILLOW BEND	DERRY		01/22/20	ND	ND	ND	ND
0613030-501	RUNNING BROOK	DERRY		10/02/19	10.00	2.87	ND	5.87
0615060-501	E DERRY MEMORIAL ELEM SCH	DERRY		09/17/20	2.91	7.26	ND	13.60
0616040-511	BROOKSTONE PARK/EAST	DERRY	BEDROCK WELL	11/04/19	7.76	ND	ND	ND
0651010-003	DOVER WATER DEPT	DOVER		10/16/19	ND	ND	ND	ND
0651010-005	DOVER WATER DEPT - WELL NOT IN USE	DOVER		10/13/16	82.00	160.00	6.20	35.00
0651010-007	DOVER WATER DEPT - WELL NOT IN USE	DOVER		07/05/18	106.00	173.00	ND	50.70
0655030-501	MISS PATTYS CHILDCARE	DOVER		11/26/19	ND	ND	ND	ND
0664010-502	DUBLIN CHRISTIAN ACADEMY	DUBLIN		10/16/19	ND	ND	ND	ND
0664010-503	DUBLIN CHRISTIAN ACADEMY	DUBLIN		10/16/19	ND	ND	ND	ND
0664020-501	DUBLIN SCHOOL	DUBLIN	BEDROCK WELL	10/10/19	2.19	ND	ND	ND
0665010-501	DUBLIN CONSOLIDATED SCH	DUBLIN		10/30/19	6.31	3.29	ND	ND
0665030-501	PHOENIX HOUSE DUBLIN CENTER	DUBLIN		11/15/19	3.20	ND	ND	ND
0685010-502	DUNBARTON ELEMENTARY SCH	DUNBARTON		10/16/19	ND	ND	ND	ND
0691010-501	UNH/DURHAM WATER SYS	DURHAM		05/22/20	2.02	ND	ND	ND
0691010-502	UNH/DURHAM WATER SYS	DURHAM		11/19/19	1.95	ND	ND	ND
0692010-501	JOHNSON CREEK	DURHAM		11/25/19	ND	ND	ND	ND
0692020-501	STAGECOACH FARMS	DURHAM		12/06/19	ND	ND	ND	ND
0694010-501	BROOKDALE SPRUCE WOOD	DURHAM	BEDROCK WELL	10/30/19	2.09	ND	ND	ND
0702020-003	BRANDYWINE	EAST KINGSTON		10/22/19	ND	ND	ND	ND
0702020-501	BRANDYWINE	EAST KINGSTON		10/22/19	2.34	ND	ND	ND
0702030-502	MAPLEVALE AND CRICKET HILL	EAST KINGSTON		10/25/19	3.50	ND	ND	ND
0732020-502	GREEN MOUNTAIN TREATMENT CTR	EFFINGHAM		11/20/19	ND	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	WELL TYPE	DATE SAMPLED	Max PFOA Detected (ng/L) MCL= 12	Max PFOS Detected (ng/L) MCL= 15	Max PFNA Detected (ng/L) MCL= 11	Max PFHxS Detected (ng/L) MCL= 18
0732030-000	LOST VALLEY	EFFINGHAM		03/17/20	ND	ND	ND	ND
0735030-001	EFFINGHAM ELEMENTARY SCH	EFFINGHAM		10/10/19	ND	ND	ND	ND
0751010-002	ENFIELD WATER DEPT	ENFIELD		09/15/20	ND	ND	ND	ND
0751010-003	ENFIELD WATER DEPT	ENFIELD		09/15/20	ND	ND	ND	ND
0751010-005	ENFIELD WATER DEPT	ENFIELD		09/15/20	ND	ND	ND	ND
0751010-504	ENFIELD WATER DEPT	ENFIELD		09/15/20	ND	ND	ND	ND
0752020-001	LAKEVIEW CONDOS	ENFIELD	BEDROCK WELL	11/06/19	ND	ND	ND	ND
0752020-002	LAKEVIEW CONDOS	ENFIELD		11/06/19	ND	ND	ND	ND
0753010-001	WILSONS MHP	ENFIELD		10/22/19	ND	ND	ND	ND
0753020-502	DANIELS ACRES	ENFIELD		12/03/19	ND	ND	ND	ND
0753030-501	LOWER SHAKER VILLAGE	ENFIELD		03/11/20	ND	ND	ND	ND
0753030-501	LOWER SHAKER VILLAGE	ENFIELD		10/02/19	ND	ND	ND	ND
0761010-507	EPPING WATER AND SEWER DEPT	EPPING		01/21/20	ND	ND	ND	ND
0761010-514	EPPING WATER AND SEWER DEPT	EPPING		01/21/20	ND	ND	ND	ND
0762040-501	MELLING GLEN	EPPING		04/01/20	ND	ND	ND	ND
0762050-502	GOVERNORS GREEN	EPPING		04/01/20	ND	ND	ND	ND
0762070-502	PLUMER COURT	EPPING		10/04/19	ND	ND	ND	ND
0762080-501	VILLAGES ON THE LAMPREY	EPPING		10/16/19	5.02	2.15	ND	2.17
0762120-502	WOODLANDS	EPPING		02/12/20	ND	ND	ND	ND
0763010-501	EVANS TRAILER PARK	EPPING		10/01/19	ND	ND	ND	ND
0771010-501	EPSOM VILLAGE DIST	EPSOM		10/10/19	2.45	ND	ND	ND
0771010-502	EPSOM VILLAGE DIST	EPSOM		10/10/19	6.29	ND	ND	ND
0773010-504	KINGS TOWNE MHP	EPSOM		10/10/19	ND	ND	ND	ND
0773030-504	SHELTERING PINES MHP	EPSOM		11/05/19	2.50	ND	ND	ND
0774030-002	MEADOW BROOK	EPSOM		11/16/16	ND	ND	ND	ND
0801010-002	EXETER WATER DEPT	EXETER		08/05/20	2.35	1.13	ND	ND
0801010-003	EXETER WATER DEPT	EXETER		08/05/20	5.13	4.37	ND	2.01
0801010-004	EXETER WATER DEPT	EXETER		08/05/20	2.60	ND	ND	ND
0801010-507	EXETER WATER DEPT	EXETER		08/05/20	ND	ND	ND	ND
0802020-001	EXETER HIGHLANDS	EXETER		11/02/16	2.00	ND	ND	ND
0802030-000	LOUISBURG CIRCLE	EXETER		11/13/19	3.00	ND	ND	ND
0802040-501	PEU/FOREST RIDGE	EXETER		02/12/20	ND	ND	ND	ND
0803020-502	EXETER RIVER MOBILE HOME PARK	EXETER		11/04/19	ND	ND	ND	ND
0803030-501	LANDING AT EXETER RIVER	EXETER		10/01/19	3.43	2.01	ND	ND
0803040-501	BEECH HILL PARK	EXETER		11/04/19	5.32	6.35	ND	2.00
0803050-501	ICEY HILL COOPERATIVE	EXETER		11/04/19	3.64	2.47	ND	ND
0804010-001	EXETER HOSPITAL/SLEEP MED - WELL NOT IN USE	EXETER		08/03/16	7.00	15.00	19.00	34.00
0804010-001	EXETER HOSPITAL/SLEEP MED - WELL NOT IN USE	EXETER		08/03/16	7.00	15.00	19.00	34.00
0804020-001	EXETER HOSPITAL	EXETER		08/03/16	4.00	8.00	3.00	24.00
0805010-501	BUILDING BLOCK COMMONS	EXETER		12/05/19	2.26	ND	ND	ND
0805030-501	EXETER UNITED METHODIST CHURCH	EXETER		10/23/19	ND	ND	ND	ND
0805040-501	EXETER HIGH SCH	EXETER		11/13/19	ND	ND	ND	ND
0811010-504	FARMINGTON WATER DEPT	FARMINGTON		03/05/20	ND	ND	ND	ND
0811010-506	FARMINGTON WATER DEPT	FARMINGTON		03/05/20	ND	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	WELL TYPE	DATE SAMPLED	Max PFOA Detected (ng/L) MCL= 12	Max PFOS Detected (ng/L) MCL= 15	Max PFNA Detected (ng/L) MCL= 11	Max PFHxS Detected (ng/L) MCL= 18
0823010-001	20 JAFFREY RD	FITZWILLIAM		10/22/19	4.00	3.80	ND	ND
0825010-501	GEORGE S EMERSON ELEM SCH	FITZWILLIAM		12/05/19	5.00	8.00	ND	ND
0827070-001	MEADOWOOD ASSEMBLY HALL	FITZWILLIAM		07/05/16	ND	15.00	ND	7.00
0832010-501	CROTTCHED MOUNTAIN MNTNC	FRANCESTOWN		10/30/19	ND	ND	ND	ND
0835010-501	FRANCESTOWN ELEMENTARY SCH	FRANCESTOWN		10/30/19	ND	ND	ND	ND
0851010-001	FRANKLIN WATER WORKS	FRANKLIN		10/13/16	ND	ND	ND	ND
0851010-002	FRANKLIN WATER WORKS	FRANKLIN		10/13/16	ND	ND	ND	ND
0851010-003	FRANKLIN WATER WORKS	FRANKLIN		10/13/16	ND	ND	ND	ND
0851010-004	FRANKLIN WATER WORKS	FRANKLIN		10/13/16	2.00	ND	ND	ND
0861010-501	FREEDOM VILLAGE WATER PRECINCT	FREEDOM		03/10/20	ND	ND	ND	ND
0862010-501	LOV WATER	FREEDOM		03/16/20	ND	ND	ND	ND
0862020-501	PINE LANDING CONDOS	FREEDOM		11/26/19	2.04	ND	ND	ND
0862030-503	FREEDOM VILLAGE CONDOS	FREEDOM		03/16/20	ND	ND	ND	ND
0872010-501	GOVERNORS FOREST	FREEMONT		11/22/19	ND	ND	ND	ND
0872020-501	BLACKROCKS VILLAGE	FREEMONT		10/25/19	ND	ND	ND	ND
0874020-501	COLONIAL POPLIN NURSING HOME	FREEMONT		12/12/19	10.80	13.00	ND	3.17
0875010-502	ELLIS SCHOOL - BEFORE TREATMENT WAS INSTALLED	FREEMONT		10/01/19	15.50	15.80	34.90	15.80
0875010-503	ELLIS SCHOOL - AFTER TREATMENT WAS INSTALLED	FREEMONT		09/03/20	ND	ND	ND	ND
0875030-501	COUNTRY CLUB FOR KIDS	FREEMONT		10/16/19	4.46	2.33	ND	ND
0875040-001	BARNYARD BUDDIES	FREEMONT		12/04/19	ND	ND	ND	ND
0876030-001	COOPERS CORNER/EAST	FREEMONT	BEDROCK WELL	02/20/20	ND	ND	ND	ND
0878020-001	FREEMONT PIZZERIA RESTAURANT	FREEMONT		02/09/18	12.00	28.00	0.50	5.00
0881010-003	GILFORD VILLAGE WATER DIST	GILFORD		11/16/16	ND	ND	ND	ND
0881010-004	GILFORD VILLAGE WATER DIST	GILFORD		11/16/16	ND	ND	ND	ND
0881010-005	GILFORD VILLAGE WATER DIST	GILFORD		11/16/16	ND	ND	ND	ND
0882010-001	CHALET VILLAGE	GILFORD	BEDROCK WELL	10/11/19	ND	ND	ND	ND
0882050-001	BRAKE HILL ACRES	GILFORD		03/02/20	ND	ND	ND	ND
0882050-002	BRAKE HILL ACRES	GILFORD		03/02/20	ND	ND	ND	ND
0882080-001	CHERRY VALLEY CONDOS	GILFORD		10/11/19	ND	ND	ND	ND
0882090-001	GUNSTOCK GLEN WATER	GILFORD		03/02/20	ND	ND	ND	ND
0882130-503	BROADVIEW CONDOS	GILFORD		10/01/19	ND	ND	ND	ND
0882140-003	MARINA BAY CONDOS I AND II	GILFORD		12/05/19	ND	ND	ND	ND
0882150-502	LAKE SHORE PARK	GILFORD	BEDROCK WELL	11/05/19	ND	ND	ND	ND
0882170-001	COUNTRY VILLAGE WAY	GILFORD		11/07/19	ND	ND	ND	ND
0882180-502	BROOKSIDE CROSSING	GILFORD	BEDROCK WELL	12/05/19	ND	ND	ND	ND
0882190-502	DOCKHAM SHORES ESTATES	GILFORD		03/02/20	ND	ND	ND	ND
0882210-502	GILFORD MEADOWS	GILFORD		11/11/19	ND	ND	ND	ND
0883010-501	OLD LAKE SHORE	GILFORD		11/11/19	ND	ND	ND	ND
0883030-505	MOUNTAIN VIEW HOUSING	GILFORD		11/05/19	ND	ND	ND	ND
0883060-501	EDGE OF WOODS	GILFORD		10/22/19	ND	ND	ND	ND
0885010-001	GILFORD ELEMENTARY SCH	GILFORD		12/13/19	ND	ND	ND	ND
0885020-003	GILFORD MIDDLE AND HIGH SCH	GILFORD		10/20/16	ND	ND	ND	ND
0885050-501	GILFORD PROFESSIONAL PARK	GILFORD	BEDROCK WELL	11/27/18	ND	ND	ND	ND
0886120-002	VILLAGE WEST I	GILFORD		09/22/16	ND	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	WELL TYPE	DATE SAMPLED	Max PFOA Detected (ng/L) MCL= 12	Max PFOS Detected (ng/L) MCL= 15	Max PFNA Detected (ng/L) MCL= 11	Max PFHxS Detected (ng/L) MCL= 18
0886150-501	GILFORD MUNICIPAL BLDG COMPLEX	GILFORD		11/19/19	7.80	44.00	3.30	22.00
0886170-501	VILLAGE WEST II	GILFORD		11/15/19	ND	ND	ND	ND
0887150-001	MEADOWBROOK/CONFERENCE CENTER	GILFORD		12/08/16	ND	ND	ND	ND
0888390-001	AIRPORT COUNTRY STORE	GILFORD		12/08/16	ND	ND	ND	ND
0895010-002	GILMANTON ELEMENTARY SCH	GILMANTON		10/18/16	ND	ND	ND	ND
0905010-001	GILSUM ELEMENTARY SCH	GILSUM	GRAVEL PACK WELL	12/04/19	ND	ND	ND	ND
0906010-501	WS BADGER CO	GILSUM	GRAVEL PACK WELL	07/20/20	ND	ND	ND	ND
0911010-004	GOFFSTOWN VILLAGE PCT	GOFFSTOWN	POINT WELL	03/03/20	ND	ND	ND	ND
0911010-501	GOFFSTOWN VILLAGE PCT	GOFFSTOWN	GRAVEL PACK WELL	03/03/20	ND	ND	ND	ND
0911010-502	GOFFSTOWN VILLAGE PCT	GOFFSTOWN		03/03/20	ND	ND	ND	ND
0912020-502	ORCHARD HIGHLANDS	GOFFSTOWN		10/23/19	ND	ND	ND	ND
0912040-501	BRIAR COURT ESTATES	GOFFSTOWN		11/08/19	2.06	ND	ND	ND
0915020-501	LEARN AS WE PLAY CHLD CARE CTR	GOFFSTOWN		10/23/19	ND	ND	ND	ND
0952020-001	GRAY LEDGES	GRANTHAM		01/13/17	ND	ND	ND	ND
0955010-001	GRANTHAM VILLAGE SCH	GRANTHAM		12/11/19	ND	ND	ND	ND
0956040-001	GRANTHAM GREENWAY	GRANTHAM		11/05/19	ND	ND	ND	ND
0972010-010	CROTCHED MOUNTAIN REHAB CENTER	GREENFIELD		10/10/19	ND	ND	ND	ND
0972010-011	CROTCHED MOUNTAIN REHAB CENTER	GREENFIELD		10/10/19	ND	ND	ND	ND
0972010-512	CROTCHED MOUNTAIN REHAB CENTER	GREENFIELD		10/10/19	ND	ND	ND	ND
0972010-517	CROTCHED MOUNTAIN REHAB CENTER	GREENFIELD		10/10/19	ND	ND	ND	3.24
0974010-502	GREENFIELD COMMONS	GREENFIELD	BEDROCK WELL	11/07/19	ND	ND	ND	ND
0975020-501	GREENFIELD ELEMENTARY SCH	GREENFIELD	BEDROCK WELL	10/30/19	ND	ND	ND	ND
0987050-001	BREAKFAST HILL GOLF CLUB	GREENLAND	BEDROCK WELL	07/11/16	25.00	ND	ND	ND
1021010-501	HALES LOCATION	HALES LOCATION	BEDROCK WELL	11/07/19	4.48	ND	ND	ND
1031010-523	HAMPSTEAD AREA WATER	HAMPSTEAD		11/12/19	8.10	ND	ND	2.10
1031010-524	HAMPSTEAD AREA WATER	HAMPSTEAD		11/11/19	3.30	ND	ND	ND
1031010-525	HAMPSTEAD AREA WATER	HAMPSTEAD		10/23/19	ND	ND	ND	ND
1031010-526	HAMPSTEAD AREA WATER	HAMPSTEAD		11/11/19	4.30	ND	ND	ND
1031010-527	HAMPSTEAD AREA WATER	HAMPSTEAD		11/11/19	ND	ND	ND	ND
1031010-528	HAMPSTEAD AREA WATER	HAMPSTEAD		11/11/19	ND	ND	ND	ND
1031010-529	HAMPSTEAD AREA WATER	HAMPSTEAD		11/11/19	3.60	ND	ND	ND
1031010-530	HAMPSTEAD AREA WATER	HAMPSTEAD		11/11/19	ND	ND	ND	ND
1032070-001	COACH RUN CONDOS	HAMPSTEAD		08/08/16	3.00	21.00	ND	34.00
1032090-501	GLENWOOD NORTH	HAMPSTEAD		11/18/19	ND	ND	ND	ND
1035020-501	AGES AND STAGES HAMPSTEAD	HAMPSTEAD		10/01/19	5.81	2.75	ND	2.28
1035040-501	HAMPSTEAD MIDDLE SCH - PFAS TREATMENT INSTALL	HAMPSTEAD		09/14/20	ND	ND	ND	ND
1035050-001	HAMPSTEAD ACADEMY	HAMPSTEAD		09/14/20	2.86	2.06	ND	ND
1036080-001	RAM PRINTING	HAMPSTEAD		10/01/19	2.38	2.38	ND	1.84
1036090-002	THUNDERLINE Z	HAMPSTEAD		09/19/18	12.90	16.20	ND	ND
1045010-001	LINCOLN AKERMAN SCH	HAMPTON FALLS		10/13/16	ND	ND	ND	ND
1045040-501	HERONFIELD ACADEMY	HAMPTON FALLS	BEDROCK WELL	11/18/19	ND	ND	ND	ND
1046050-502	CRN REALTY	HAMPTON FALLS	BEDROCK WELL	11/25/19	ND	ND	ND	ND
1048120-002	153 LAFAYETTE RD WATER SYSTEM	HAMPTON FALLS	BEDROCK WELL	03/22/18	23.00	22.00	2.00	8.00
1051010-504	AQUARIUM WATER/NH	HAMPTON		10/21/19	4.55	2.69	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	WELL TYPE	DATE SAMPLED	Max PFOA Detected (ng/L) MCL= 12	Max PFOS Detected (ng/L) MCL= 15	Max PFNA Detected (ng/L) MCL= 11	Max PFHxS Detected (ng/L) MCL= 18
1051010-508	AQUARION WATER/NH	HAMPTON		07/13/20	2.48	ND	ND	ND
1051010-511	AQUARION WATER/NH	HAMPTON	BEDROCK WELL	07/21/20	2.73	ND	ND	ND
1051010-521	AQUARION WATER/NH	HAMPTON	BEDROCK WELL	07/06/20	2.34	ND	ND	ND
1051010-529	AQUARION WATER/NH	HAMPTON	BEDROCK WELL	07/13/20	5.35	4.01	ND	ND
1051010-531	AQUARION WATER/NH	HAMPTON		07/13/20	2.24	ND	ND	ND
1053010-002	FOUR SEASONS MOBILE HOME PARK	HAMPTON		01/15/20	ND	ND	ND	ND
1053020-504	HEMLOCK HAVEN	HAMPTON		01/15/20	ND	ND	ND	ND
1053030-502	TAYLOR RIVER ESTATES	HAMPTON		10/31/19	4.96	6.19	ND	2.35
106010-502	ROCHESTER SHOE TREE	ASHLAND		09/24/20	ND	ND	ND	ND
1061010-501	HANCOCK WATER WORKS	HANCOCK		02/11/20	ND	ND	ND	ND
1071010-511	HANOVER WATER DEPT	HANOVER		01/08/20	ND	ND	ND	ND
1075010-001	HAMPSHIRE COOP NURSERY SCH	HANOVER		12/03/19	ND	ND	ND	ND
1075020-501	MONTESSORI CHILDRENS SCH	HANOVER		03/17/20	ND	ND	ND	ND
1085010-001	WELLS MEMORIAL SCH	HARRISVILLE		12/05/19	ND	ND	ND	ND
1085020-502	CHESHIRE MILLS BOARDING HOUSE	HARRISVILLE		08/04/20	3.00	7.00	ND	ND
1086010-502	HISTORIC HARRISVILLE	HARRISVILLE		08/04/20	6.00	23.00	ND	2.00
1097020-002	CNSP DRY RIVER CAMPGROUND	HART'S LOCATION		09/19/16	ND	ND	ND	ND
1101010-501	PRECINCT OF HAVERHILL CORNER	HAVERHILL	BEDROCK WELL	11/26/19	ND	ND	ND	ND
1101020-501	NO HAVERHILL WATER AND LIGHT	HAVERHILL		02/25/20	ND	ND	ND	ND
1101040-002	WOODSVILLE WATER AND LIGHT	HAVERHILL		02/25/20	ND	ND	ND	ND
1102020-001	FRENCH POND ESTATES	HAVERHILL		02/25/20	ND	ND	ND	ND
1113010-503	HILLSIDE INN CONDOS	HEBRON		02/12/20	ND	ND	ND	ND
1113010-504	HILLSIDE INN CONDOS	HEBRON		02/12/20	ND	ND	ND	ND
1121010-004	COGSWELL SPRINGS WATER WORKS	HENNIKER		09/29/20	ND	ND	ND	ND
1121010-005	COGSWELL SPRINGS WATER WORKS	HENNIKER		09/29/20	ND	ND	ND	ND
1123020-503	WOOD HILL VILLAGE	HENNIKER		10/15/19	ND	ND	ND	ND
1123020-504	WOOD HILL VILLAGE	HENNIKER	BEDROCK WELL	10/15/19	ND	ND	ND	ND
1126030-001	HHP	HENNIKER		11/04/19	ND	ND	ND	ND
1131010-001	HILL WATER WORKS	HILL		09/15/16	ND	ND	ND	ND
1131010-002	HILL WATER WORKS	HILL		09/15/16	ND	ND	ND	ND
1141010-002	HILLSBOROUGH WATER WORKS	HILLSBOROUGH		01/14/20	ND	ND	ND	ND
1141020-001	EMERALD LAKE	HILLSBOROUGH		03/27/20	ND	ND	ND	ND
1141020-506	EMERALD LAKE	HILLSBOROUGH		03/27/20	ND	ND	ND	ND
1141020-512	EMERALD LAKE	HILLSBOROUGH		03/27/20	ND	ND	ND	ND
1145010-501	ROSEWALD FARM	HILLSBOROUGH		10/22/19	ND	ND	ND	ND
1151010-003	NORTH HINSDALE WATER DEPT	HINSDALE		10/26/16	ND	ND	ND	ND
1151010-005	NORTH HINSDALE WATER DEPT	HINSDALE		10/26/16	ND	ND	ND	ND
1151020-001	HINSDALE WATER DEPT/DOWNTOWN	HINSDALE	BEDROCK WELL	10/26/16	ND	ND	ND	ND
1156010-001	GEORGES FIELD WATER SYSTEM	HINSDALE		03/09/20	ND	ND	ND	ND
1162010-500	HIGHLAND COLONY	HOLDERNESS		01/08/20	ND	ND	ND	ND
1163010-001	TOWN LINE VILLAGE	HOLDERNESS		11/12/19	ND	ND	ND	ND
1163010-503	TOWN LINE VILLAGE	HOLDERNESS	BEDROCK WELL	11/12/19	ND	ND	ND	ND
1165020-501	HOLDERNESS CENTRAL SCH	HOLDERNESS		02/11/20	ND	ND	ND	ND
1167190-001	SINSC BLUE HERON SCH	HOLDERNESS	BEDROCK WELL	02/11/20	ND	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	WELL TYPE	DATE SAMPLED	Max PFOA Detected (ng/L) MCL= 12	Max PFOS Detected (ng/L) MCL= 15	Max PFNA Detected (ng/L) MCL= 11	Max PFHxS Detected (ng/L) MCL= 18
1172020-500	RUNNELLS LANDING	HOLLIS		10/28/19	10.70	ND	ND	ND
1172030-501	SILVER LAKE ESTATES	HOLLIS		11/18/19	ND	ND	ND	ND
1173010-503	PITARYS MOBILE HOME PARK/EAST	HOLLIS		11/20/19	14.60	9.32	ND	2.42
1173020-503	PITARYS MOBILE HOME PARK/WEST	HOLLIS		11/20/19	12.10	ND	ND	ND
1175030-501	HOLLIS SCH DIST	HOLLIS		11/18/19	ND	ND	ND	ND
1175050-503	HOLLIS BROOKLINE HS	HOLLIS		11/06/19	3.18	ND	ND	ND
1176010-502	HOLLIS VILLAGE MARKET PLACE	HOLLIS		10/28/19	9.64	ND	ND	ND
1176020-501	26 CLINTON DRIVE BLDG	HOLLIS		01/22/20	ND	ND	ND	ND
1176030-001	HOLLIS LINE MACHINE	HOLLIS		11/18/19	ND	ND	ND	ND
1176070-001	ULTRASOURCE	HOLLIS		02/25/20	ND	ND	ND	ND
1176080-501	PURITAN PRESS	HOLLIS	BEDROCK WELL	10/28/19	7.84	3.41	ND	ND
1176090-501	FARM DESIGN	HOLLIS		10/22/19	4.71	ND	ND	ND
1176100-001	18 CLINTON DR BLDG	HOLLIS		11/06/19	3.18	ND	ND	ND
1181020-503	HOOKSETT VILLAGE WATER PCT	HOOKSETT	BEDROCK WELL	01/06/20	ND	ND	ND	ND
1181020-504	HOOKSETT VILLAGE WATER PCT	HOOKSETT		01/06/20	ND	ND	ND	ND
1181020-506	HOOKSETT VILLAGE WATER PCT	HOOKSETT		01/06/20	ND	ND	ND	ND
1181020-507	HOOKSETT VILLAGE WATER PCT	HOOKSETT		01/06/20	ND	ND	ND	ND
1191010-501	CONTOOCOOK VILLAGE PCT	HOPKINTON		02/24/20	ND	ND	ND	ND
1191020-001	HOPKINTON VILLAGE PCT	HOPKINTON		02/19/17	ND	ND	ND	ND
1191020-002	HOPKINTON VILLAGE PCT	HOPKINTON	BEDROCK WELL	02/19/17	1.00	ND	ND	1.80
1192010-001	E PENACOOK RD WATER SYS	HOPKINTON		04/23/18	19.80	13.40	ND	ND
1193010-501	MEADOWS THE	HOPKINTON		01/29/20	ND	ND	ND	ND
1193030-000	DEER MEADOWS	HOPKINTON		01/29/20	ND	ND	ND	ND
1201010-008	HUDSON WATER DEPT	HUDSON		12/20/19	19.00	ND	ND	4.00
1201010-501	HUDSON WATER DEPT	HUDSON	BEDROCK WELL	10/06/20	6.00	ND	ND	ND
1201010-502	HUDSON WATER DEPT	HUDSON		10/06/20	10.90	ND	ND	ND
1202010-503	FRANCOEUR APT/HUDSON MOTOR INN	HUDSON		10/07/19	3.24	ND	ND	ND
1203010-522	HUDSON MOBILE HOME ESTS	HUDSON		10/21/19	7.64	ND	ND	ND
1205060-001	KIDDIE KONNECTION	HUDSON		11/20/19	23.70	20.20	5.66	ND
1211010-501	JACKSON WATER PCT	JACKSON		02/11/20	ND	ND	ND	ND
1212030-501	WILDCAT TOWNHOUSE RESORT	JACKSON	BEDROCK WELL	03/26/20	ND	ND	ND	ND
1212050-511	MT JEFFERSON/WASHINGTON CONDOS	JACKSON	GRAVEL PACK WELL	02/11/20	ND	ND	ND	ND
1212060-002	ELLIS RIVER VILLAGE	JACKSON	GRAVEL PACK WELL	08/23/16	ND	ND	ND	ND
1212080-512	BLACK MOUNTAIN MEADOW CONDOS	JACKSON		03/09/20	ND	ND	ND	ND
1212090-501	HIGH PASTURES AT BLACK MTN	JACKSON		03/12/20	ND	ND	ND	ND
1212130-501	EAGLE BROOK	JACKSON		02/11/20	ND	ND	ND	ND
1212140-001	TYROL WELL A	JACKSON		03/18/20	ND	ND	ND	ND
1212140-001	TYROL WELL A	JACKSON		11/11/19	ND	ND	ND	ND
1221010-502	JAFFREY WATER WORKS	JAFFREY	GRAVEL PACK WELL	10/07/19	ND	ND	ND	ND
1221010-505	JAFFREY WATER WORKS	JAFFREY	GRAVEL PACK WELL	10/07/19	ND	9.66	ND	3.41
1221010-506	JAFFREY WATER WORKS	JAFFREY	GRAVEL PACK WELL	11/08/19	ND	ND	ND	ND
1221010-511	JAFFREY WATER WORKS	JAFFREY		10/07/19	ND	6.55	ND	5.87
1241010-005	KEENE WATER DEPT	KEENE		01/29/20	ND	ND	ND	ND
1241010-006	KEENE WATER DEPT	KEENE		01/29/20	ND	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	WELL TYPE	DATE SAMPLED	Max PFOA Detected (ng/L) MCL= 12	Max PFOS Detected (ng/L) MCL= 15	Max PFNA Detected (ng/L) MCL= 11	Max PFHxS Detected (ng/L) MCL= 18
1241010-501	KEENE WATER DEPT	KEENE		01/29/20	ND	ND	ND	ND
1241010-502	KEENE WATER DEPT	KEENE		01/29/20	ND	ND	ND	ND
1241010-503	KEENE WATER DEPT	KEENE		01/29/20	ND	ND	ND	ND
1245010-001	MONADNOCK WALDORF SCH	KEENE		11/12/19	ND	ND	ND	ND
1255010-502	KENSINGTON ELEMENTARY SCH	KENSINGTON		12/09/19	ND	ND	ND	ND
1256010-003	UNITIL ENERGY SYS	KENSINGTON		04/14/20	15.70	16.2	2.66	3.16
1256010-503	UNITIL ENERGY SYS	KENSINGTON		04/14/20	9.25	7.18	ND	ND
1272010-501	KINGSTON PINES ELDERLY HOUSING	KINGSTON		10/01/19	ND	ND	ND	ND
1272020-501	ANNS LANDING	KINGSTON		10/25/19	ND	ND	ND	ND
1272030-501	LAMPLIGHTER ESTATES	KINGSTON		10/23/19	ND	ND	ND	ND
1272040-500	ROWELL ESTATES	KINGSTON		10/23/19	2.22	ND	ND	ND
1275010-501	DANIEL J BAKIE SCH	KINGSTON		11/19/19	ND	ND	ND	ND
1275060-501	SANBORN REGIONAL HIGH SCH	KINGSTON		11/26/19	3.39	ND	ND	ND
1276020-501	266 ROUTE 125	KINGSTON		10/16/19	ND	ND	ND	ND
1277090-001	COUNTRY SHORE CAMPGROUND	KINGSTON		07/01/19	20.80	ND	ND	ND
1277090-002	COUNTRY SHORE CAMPGROUND	KINGSTON		08/27/19	22.00	2.39	ND	ND
1279010-511	KINGSTON CHILDREN CENTER	KINGSTON		12/04/19	ND	ND	ND	ND
1279040-001	KINGSTON TOWN HALL	KINGSTON		01/04/17	ND	ND	ND	ND
1281010-001	LACONIA WATER WORKS	LACONIA		05/18/16	2.00	ND	ND	ND
1282020-001	WENTWORTH COVE ESTATES	LACONIA		03/02/20	ND	ND	ND	ND
1282030-001	PENDLETON COVE	LACONIA		03/02/20	ND	ND	ND	ND
1282050-500	WINDEMERE RIDGE	LACONIA	GRAVEL PACK WELL	11/21/19	ND	2.00	ND	ND
1289010-002	PRESCOTT FARM ENVIRONED CTR	LACONIA	GRAVEL PACK WELL	03/05/20	ND	ND	ND	ND
1291010-002	LANCASTER WATER DEPT	LANCASTER	BEDROCK WELL	10/15/19	ND	ND	ND	ND
1305020-501	LANDAFF BLUE SCH	LANDAFF		12/05/19	ND	ND	ND	ND
1315010-002	FALL MOUNTAIN REGIONAL HS	LANGDON		07/15/20	ND	ND	ND	ND
1315020-002	SARAH PORTER SCH	LANGDON		07/15/20	ND	ND	ND	ND
1321010-002	LEBANON WATER DEPT	LEBANON		01/22/20	ND	ND	ND	ND
1323020-001	MASCOMA MEADOWS	LEBANON		11/05/19	ND	ND	ND	ND
1323030-002	OLYMPIC MOBILE HOME VILL/UPPER	LEBANON		11/05/19	ND	ND	ND	ND
1323040-002	CURRIERS MHP	LEBANON		11/05/19	ND	ND	ND	ND
1323050-001	OLYMPIC MOBILE HOME VILL/LOWER	LEBANON		11/05/19	ND	ND	ND	ND
1332010-001	OYSTER RIVER CONDOS	LEE		11/16/16	ND	ND	ND	ND
1332020-502	DARBY FIELD COMMONS	LEE	BEDROCK WELL	10/08/19	9.63	6.35	ND	ND
1332030-501	GREYSTONE COMMONS	LEE		03/25/20	ND	ND	ND	ND
1332040-001	CEDAR WOOD ESTATES	LEE	BEDROCK WELL	08/04/16	ND	ND	ND	ND
1332050-501	PEU/THURSTON WOODS	LEE		02/12/20	ND	ND	ND	ND
1333020-000	PINE KNOLL VILLAGE	LEE		11/21/19	3.01	ND	ND	ND
1333060-501	PACKERS FALLS VILLAGE	LEE		03/25/20	ND	ND	ND	ND
1334010-501	KIRKWOOD CORNERS SENIOR LIVING	LEE		11/25/19	ND	ND	ND	ND
1335010-501	MAST WAY ELEMENTARY SCH	LEE		11/25/19	ND	ND	ND	ND
1335030-002	GROWING PLACES	LEE		10/24/19	ND	ND	ND	ND
1336020-001	LEE MARKETPLACE	LEE		11/27/19	ND	ND	ND	ND
1336020-002	LEE MARKETPLACE	LEE		11/27/19	ND	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	WELL TYPE	DATE SAMPLED	Max PFOA Detected (ng/L) MCL= 12	Max PFOS Detected (ng/L) MCL= 15	Max PFNA Detected (ng/L) MCL= 11	Max PFHxS Detected (ng/L) MCL= 18
1336020-003	LEE MARKETPLACE	LEE		11/27/19	ND	ND	ND	ND
1336030-001	BENUCK AND RAINEY	LEE		12/06/19	ND	ND	ND	ND
1345010-503	LEMPSTER COMMUNITY SCH	LEMPSTER		10/03/19	9.51	ND	ND	ND
135020-001	AUBURN CHILDRENS HOUSE	AUBURN		06/24/20	ND	ND	ND	ND
135030-501	IT'S A CHILDS WORLD	AUBURN		08/13/20	ND	ND	ND	ND
1351010-004	LINCOLN WATER WORKS	LINCOLN		02/04/20	ND	ND	ND	ND
1351010-005	LINCOLN WATER WORKS	LINCOLN		02/04/20	ND	ND	ND	ND
1351010-506	LINCOLN WATER WORKS	LINCOLN		02/04/20	ND	ND	ND	ND
1361010-502	LISBON WATER DEPT	LISBON		02/04/20	ND	ND	ND	ND
1361010-503	LISBON WATER DEPT	LISBON		02/04/20	ND	ND	ND	ND
1372020-001	LITCHFIELD APARTMENTS - WELL NOT IN USE	LITCHFIELD		03/13/16	87.00	ND	ND	ND
1376010-001	LITCHFIELD TECHNOLOGY PARK - WELL NOT IN USE	LITCHFIELD		03/09/16	34.00	ND	ND	ND
1377020-001	MELS FUNWAY PARK - WELL NOT IN USE	LITCHFIELD		03/09/16	57.00	ND	ND	ND
1378010-001	CROFTERS PUB - WELL NOT IN USE	LITCHFIELD		05/06/16	110.00	ND	ND	ND
1378030-001	LITCHFIELD PLAZA - WELL NOT IN USE	LITCHFIELD		04/15/16	92.00	ND	ND	ND
1378050-001	ROMANOS PIZZA - WELL NOT IN USE	LITCHFIELD		04/26/16	23.00	ND	ND	ND
1378060-001	NATICOOK GRILL - WELL NOT IN USE	LITCHFIELD	POINT WELL	04/21/16	61.00	ND	ND	ND
1381010-002	LITTLETON WATER AND LIGHT DEPT	LITTLETON	POINT WELL	09/08/20	ND	ND	ND	ND
1381010-501	LITTLETON WATER AND LIGHT DEPT	LITTLETON		08/19/20	ND	ND	ND	ND
1392010-500	OAKRIDGE CONDOS	LONDONDERRY	BEDROCK WELL	10/25/19	6.30	2.96	ND	ND
1392030-512	OLDE COUNTRY VILLAGE	LONDONDERRY	SURFACE WATER	10/02/19	27.10	4.49	ND	3.11
1392040-501	PEU/PINEHAVEN WATER TRUST	LONDONDERRY		10/03/19	7.55	2.38	ND	2.20
1392130-001	STONEHENGE APARTMENTS	LONDONDERRY		07/28/16	3.00	ND	ND	ND
1392180-502	CENTURY VILLAGE CONDOS	LONDONDERRY		02/12/20	22.90	9.42	ND	2.56
1392200-501	ROLLING MEADOWS CONDOS I	LONDONDERRY		11/21/19	31.30	17.00	ND	3.96
1392220-501	ROLLING MEADOWS CONDOS III	LONDONDERRY		11/21/19	20.60	10.70	ND	4.04
1392230-501	ROLLING MEADOWS CONDOS IV	LONDONDERRY		11/21/19	20.00	7.46	ND	2.28
1392290-501	PEU/HARVEST VILLAGE	LONDONDERRY		10/03/19	27.90	ND	ND	ND
1392300-001	SOUTHVIEW CONDOS	LONDONDERRY		10/07/19	8.08	3.16	ND	ND
1392310-501	PEU/MINISTERIAL/PARRISH HILLS	LONDONDERRY		10/02/19	3.88	ND	ND	ND
1392320-001	BITTIM APARTMENTS	LONDONDERRY		10/29/19	7.10	1.86	ND	1.98
1393050-512	WAGON WHEEL	LONDONDERRY		10/30/19	15.00	ND	ND	ND
1393060-502	PONDEROSA MHP	LONDONDERRY		12/06/19	3.28	ND	ND	ND
1395090-501	CREATIVE LITTLE ANGELS	LONDONDERRY		10/15/19	4.63	3.54	ND	ND
1395110-501	28 BUTTRICK RD PROPERTY	LONDONDERRY	BEDROCK WELL	03/05/20	ND	ND	ND	ND
1395140-501	VICTORY BAPTIST SCH	LONDONDERRY		03/18/20	2.43	ND	ND	3.57
1396060-501	ZOHL WPS INC	LONDONDERRY		10/02/19	8.72	ND	ND	ND
1402010-001	FLINTLOCK APTS	LOUDON	BEDROCK WELL	01/29/20	ND	ND	ND	ND
1402020-501	VILLAGES AT LOUDON	LOUDON		02/20/20	ND	ND	ND	ND
1402030-001	VOA/NNE SENIOR HOUSING	LOUDON		10/29/19	ND	ND	ND	ND
1403010-501	KOS MANUFACTURED HOUSING CMNTY	LOUDON		10/29/19	ND	ND	ND	ND
1403020-501	PRESIDENTIAL PINES/UPPER	LOUDON		11/14/19	ND	ND	ND	ND
1403040-001	PRESIDENTIAL PINES/LOWER	LOUDON		11/14/19	2.00	4.90	ND	ND
1405010-002	LOUDON ELEMENTARY SCH	LOUDON		11/14/19	ND	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	WELL TYPE	DATE SAMPLED	Max PFOA Detected (ng/L) MCL= 12	Max PFOS Detected (ng/L) MCL= 15	Max PFNA Detected (ng/L) MCL= 11	Max PFHxS Detected (ng/L) MCL= 18
1407020-001	NH MOTOR SPEEDWAY	LOUDON		09/29/20	ND	4.18	ND	ND
1407060-001	NH MOTOR SPEEDWAY/MAIN OFFICE	LOUDON		06/24/20	ND	ND	ND	ND
142010-510	PEU/LOCKE LAKE	BARNSTEAD		02/11/20	ND	ND	ND	ND
142010-517	PEU/LOCKE LAKE	BARNSTEAD		02/11/20	ND	ND	ND	ND
1431010-001	LYME WATER	LYME		12/03/19	ND	ND	ND	ND
1431010-003	LYME WATER	LYME		12/03/19	ND	ND	ND	ND
1431010-004	LYME WATER	LYME		12/03/19	ND	ND	ND	ND
1435030-501	CROSSROADS ACADEMY	LYME		03/17/20	ND	ND	ND	ND
1435040-001	CROSSROADS ACADEMY/NORTH	LYME		03/17/20	ND	ND	ND	ND
1435050-001	LYME NURSERY SCHL	LYME		03/17/20	ND	2.30	ND	ND
1436020-501	PATHWAYS ORFORD ROAD RESIDENCE	LYME		10/22/19	ND	ND	ND	ND
1455010-501	MOHARIMET SCH	MADBURY		12/06/19	ND	ND	ND	ND
1456020-501	MADBURY WOODS APARTMENTS	MADBURY		10/01/19	ND	ND	ND	ND
1461010-011	VILLAGE DISTRICT OF EIDELWEISS	MADISON		11/14/19	ND	ND	ND	ND
1461010-510	VILLAGE DISTRICT OF EIDELWEISS	MADISON		11/14/19	1.78	ND	ND	ND
1462040-501	SILVER LAKE LANDING SR HOUSING	MADISON		03/10/20	ND	ND	ND	ND
1463010-001	BROOKWOOD PARK	MADISON		11/14/19	ND	ND	ND	ND
1466020-000	MADISON LUMBER MILL	MADISON		10/03/19	ND	ND	ND	ND
1466050-002	MACLEAN PRECISION MACHINE	MADISON		11/19/19	5.82	16.60	ND	53.20
1471010-001	MANCHESTER WATER WORKS	MANCHESTER		10/31/19	6.08	ND	ND	ND
1471010-003	MANCHESTER WATER WORKS	MANCHESTER		10/31/19	6.14	ND	ND	ND
1472030-501	ROCKWOOD TERRACE CONDOS	MANCHESTER	BEDROCK WELL	11/26/19	6.86	2.28	ND	ND
1481010-001	MARLBOROUGH WATER WORKS	MARLBOROUGH		10/07/19	ND	ND	ND	ND
1481010-504	MARLBOROUGH WATER WORKS	MARLBOROUGH		10/07/19	ND	ND	ND	ND
1482010-501	MARLBOROUGH ESTATES	MARLBOROUGH		10/29/19	ND	ND	ND	ND
1495010-001	N D PERKINS SR ELEM SCH - PFAS TREATMENT INSTA	MARLOW		12/04/19	ND	58.00	ND	18.00
151010-503	SWAINS LAKE VILLAGE WATER	BARRINGTON		03/03/20	ND	ND	ND	ND
1515010-501	MASON PUBLIC SCH	MASON		10/16/19	ND	ND	ND	ND
1521010-003	MEREDITH WATER DEPT	MEREDITH		01/07/20	ND	ND	ND	ND
1522010-502	PATRICIAN SHORES	MEREDITH		03/09/20	ND	ND	ND	ND
1522040-002	SANDS OF BROOKHURST	MEREDITH		11/11/19	2.60	2.10	ND	2.00
1522070-500	PINE HILL COMMUNITY ASSN	MEREDITH		10/22/19	ND	ND	ND	ND
1522090-500	GROUSE POINT CLUB	MEREDITH		11/05/19	ND	ND	ND	ND
1525010-001	INTER LAKES HIGH SCH	MEREDITH		02/19/20	ND	ND	ND	ND
1525020-502	INTER LAKES ELEMENTARY SCH	MEREDITH		02/19/20	ND	ND	ND	ND
153060-503	EMERALD ACRES	BARRINGTON		03/25/20	ND	ND	ND	ND
1531010-003	MERRIMACK VILLAGE DIST	MERRIMACK		09/24/20	17.00	2.30	0.71	0.70
1531010-007	MERRIMACK VILLAGE DIST	MERRIMACK		09/24/20	23.50	5.05	0.77	1.75
1531010-008	MERRIMACK VILLAGE DIST	MERRIMACK		09/24/20	12.00	2.10	ND	1.10
1531010-009	MERRIMACK VILLAGE DIST	MERRIMACK		09/24/20	19.50	3.25	ND	1.40
1531010-508	MERRIMACK VILLAGE DIST	MERRIMACK		09/24/20	27.00	3.60	0.53	1.60
1542030-500	PEU/SUNRISE ESTATES	MIDDLETON		02/11/20	ND	ND	ND	ND
1551000-001	BARRINGTON VLG ENRICHMENT CTR	BARRINGTON	BEDROCK WELL	09/30/20	0.50	1.70	1.70	1.70
1553010-001	DEER ESTATES	MILAN		10/24/19	ND	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	WELL TYPE	DATE SAMPLED	Max PFOA Detected (ng/L) MCL= 12	Max PFOS Detected (ng/L) MCL= 15	Max PFNA Detected (ng/L) MCL= 11	Max PFHxS Detected (ng/L) MCL= 18
156040-004	TURBOCAM/PHASE I	BARRINGTON		03/18/20	ND	ND	ND	ND
156040-005	TURBOCAM/PHASE I	BARRINGTON		03/18/20	ND	ND	ND	ND
156070-001	TURBOCAM B2	BARRINGTON		03/18/20	ND	ND	ND	ND
1561010-004	MILFORD WATER UTILITIES DEPT	MILFORD		04/20/16	ND	ND	ND	ND
1562030-503	BADGER HILL	MILFORD		10/04/19	2.08	ND	ND	ND
1562040-501	HERITAGE WAY	MILFORD		04/06/20	ND	ND	ND	ND
1563020-101	FAIRHAVEN MOBILE HOME PARK	MILFORD		10/08/19	ND	ND	ND	ND
1566020-001	MILFORD TECHNOLOGY CENTER	MILFORD		10/28/19	24.10	ND	ND	2.38
1566040-501	115/119 EMERSON RD	MILFORD		11/20/19	ND	ND	ND	ND
1582010-501	SHORTRIDGE ACADEMY	MILTON		10/18/19	ND	ND	ND	ND
1585030-001	MILTON CHILDRENS CENTER	MILTON		11/07/19	ND	ND	ND	ND
1591010-511	MONROE WATER DEPT	MONROE		02/25/20	ND	ND	ND	ND
1591010-512	MONROE WATER DEPT	MONROE		02/25/20	ND	ND	ND	ND
1603010-513	ROLLING ACRES MHP	MONT VERNON		10/28/19	ND	ND	ND	ND
1603010-515	ROLLING ACRES MHP	MONT VERNON		11/06/19	2.36	ND	ND	ND
1612010-501	PARADISE SHORES	MOULTONBOROUGH		03/16/20	ND	ND	ND	ND
1612010-508	PARADISE SHORES	MOULTONBOROUGH		03/16/20	ND	ND	ND	ND
1612030-501	FAR ECHO HARBOR	MOULTONBOROUGH		03/09/20	2.26	4.68	ND	2.38
1612040-500	WEST POINT	MOULTONBOROUGH		03/09/20	ND	ND	ND	ND
1612080-501	WEST WYNDE VILLAGE	MOULTONBOROUGH		11/04/19	ND	ND	ND	ND
1612170-000	JONATHAN'S LANDING CONDOS	MOULTONBOROUGH		10/17/19	ND	ND	ND	ND
1612200-000	LANDS END	MOULTONBOROUGH		03/09/20	ND	ND	ND	ND
1612210-501	WINDWARD HARBOR CONDOS	MOULTONBOROUGH		02/11/20	ND	ND	ND	ND
1612230-001	KILWOOD ON KANASATKA	MOULTONBOROUGH		11/18/19	ND	ND	ND	ND
1612250-511	WENTWORTH ACRES	MOULTONBOROUGH		12/03/19	ND	ND	ND	ND
1612260-001	CROSSWINDS	MOULTONBOROUGH		10/05/16	ND	ND	ND	ND
1612270-501	STANYAN ROAD	MOULTONBOROUGH		10/15/19	ND	ND	ND	ND
1615010-503	MOULTONBOROUGH CENTRAL SCH	MOULTONBOROUGH		12/03/19	ND	ND	ND	ND
1615020-501	MOULTONBOROUGH ACADEMY	MOULTONBOROUGH		12/03/19	ND	ND	ND	ND
1615050-001	RED HILL BUSINESS CENTER	MOULTONBOROUGH		10/10/19	13.10	ND	ND	ND
1616040-001	CRUCON CRUISE OUTLET	MOULTONBOROUGH		10/04/19	13.60	ND	ND	ND
1618240-001	HARBOR SQUARE SHOPPING CENTER	MOULTONBOROUGH		03/09/20	12.00	2.10	ND	ND
162050-502	NORTH LEDGE	BARTLETT		02/11/20	ND	ND	ND	ND
162070-000	LINDERHOF PROP OWN R ASSN	BARTLETT		03/12/20	ND	ND	ND	ND
162100-002	RIVERSBEND	BARTLETT	GRAVEL PACK WELL	03/12/20	ND	ND	ND	ND
1621010-001	PENNICHUCK WATER WORKS	NASHUA		10/05/20	2.19	ND	ND	ND
1621010-508	PENNICHUCK WATER WORKS	NASHUA		09/21/20	ND	ND	ND	ND
162140-502	RIVERSIDE COBB FARM	BARTLETT		03/12/20	ND	ND	ND	ND
1622010-501	PWW/FARLEY RD ESTATES	NASHUA		10/04/19	ND	ND	ND	ND
162400-501	EAGLE RIDGE RESORT	BARTLETT		03/09/20	ND	ND	ND	ND
162410-508	STILLINGS GRANT	BARTLETT		02/11/20	ND	ND	ND	ND
162430-501	BEARFOOT CREEK	BARTLETT		03/04/20	ND	ND	ND	ND
1625020-001	SECOND NATURE ACADEMY	NASHUA		10/18/16	ND	ND	ND	ND
1635010-501	NELSON ELEMENTARY SCH	NELSON		12/05/19	ND	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	WELL TYPE	DATE SAMPLED	Max PFOA Detected (ng/L) MCL= 12	Max PFOS Detected (ng/L) MCL= 15	Max PFNA Detected (ng/L) MCL= 11	Max PFHxS Detected (ng/L) MCL= 18
1645010-001	NEW BOSTON ELEMENTARY SCH	NEW BOSTON		10/16/19	ND	ND	ND	ND
1645040-501	ROSE MEADOW ACRES	NEW BOSTON		12/03/19	ND	ND	ND	ND
1646020-001	USAF NH SATELLITE TRACKING STN	NEW BOSTON		11/07/19	6.82	3.70	ND	4.88
1646020-002	USAF NH SATELLITE TRACKING STN	NEW BOSTON		11/07/19	7.50	5.33	ND	5.46
1652020-506	CHALK POND WATER	NEWBURY		02/24/20	ND	ND	ND	ND
1652020-506	CHALK POND WATER	NEWBURY		11/18/19	ND	ND	ND	ND
1652050-001	NEWBURY ELDERLY HOUSING	NEWBURY		11/23/16	0.40	ND	ND	ND
167010-501	MT ATTITASH SKI AREA/LODGE	BARTLETT		03/12/20	ND	ND	ND	ND
1675010-001	NEW DURHAM ELEMENTARY SCH	NEW DURHAM		10/03/16	ND	ND	ND	ND
1681010-501	NEWFIELDS VLG WATER AND SEWER	NEWFIELDS		07/22/20	3.10	ND	ND	2.98
1681010-501	NEWFIELDS VLG WATER AND SEWER	NEWFIELDS		10/01/19	4.05	ND	ND	3.09
168460-001	BEAR PEAK AT ATTITASH	BARTLETT	BEDROCK WELL	02/11/20	ND	ND	ND	ND
1691010-002	NEW HAMPTON VILLAGE PCT	NEW HAMPTON		11/06/19	ND	ND	ND	ND
1691010-003	NEW HAMPTON VILLAGE PCT	NEW HAMPTON		11/06/19	ND	ND	ND	ND
1692030-	MANSFIELD WOODS -WELL 3	NEW HAMPTON		07/18/19	ND	ND	ND	ND
1692030-	MANSFIELD WOODS -WELL 4	NEW HAMPTON		07/18/19	ND	ND	ND	ND
1712040-511	WILDER VILLAGE CLUSTER	NEW IPSWICH		10/16/19	ND	ND	ND	ND
1713010-504	FREEDOM POND	NEW IPSWICH		10/21/19	5.12	5.24	ND	ND
1715020-501	MASCENIC REGIONAL HIGH SCH	NEW IPSWICH		10/16/19	9.32	3.21	ND	ND
1715040-500	BOYNTON MIDDLE SCH	NEW IPSWICH		10/16/19	ND	ND	ND	ND
1715060-501	HIGHBRIDGE HILL ELEM SCH	NEW IPSWICH		10/16/19	7.56	3.96	ND	ND
1716050-501	VANGUARD MANUFACTURING	NEW IPSWICH	BEDROCK WELL	12/19/19	ND	ND	ND	ND
1716060-001	APPLETON BUSINESS CENTER	NEW IPSWICH		02/12/20	ND	ND	ND	ND
1716080-001	WARWICK MILLS	NEW IPSWICH		10/15/19	ND	ND	ND	ND
1721010-008	NEW LONDON SPRINGFIELD WATER	NEW LONDON		02/05/20	ND	ND	ND	ND
1722010-001	SEASONS AT LAKE SUNAPEE	NEW LONDON		09/12/16	ND	ND	ND	ND
1731010-506	NEWMARKET WATER WORKS	NEWMARKET		04/15/20	ND	ND	ND	ND
1731010-507	NEWMARKET WATER WORKS	NEWMARKET	BEDROCK WELL	04/15/20	ND	ND	ND	ND
1731010-508	NEWMARKET WATER WORKS	NEWMARKET		04/15/20	ND	ND	ND	ND
1732010-001	MOODY POINT	NEWMARKET		08/10/16	ND	ND	ND	ND
1732020-511	WADE FARM CONDOS	NEWMARKET	BEDROCK WELL	10/30/19	2.55	ND	ND	ND
1732030-514	GREAT BAY WATER SYSTEM	NEWMARKET	BEDROCK WELL	10/03/19	7.63	ND	ND	ND
1741010-502	NEWPORT WATER WORKS	NEWPORT		02/12/20	ND	ND	ND	ND
1741010-503	NEWPORT WATER WORKS	NEWPORT		02/12/20	ND	ND	ND	ND
1749010-001	KIDS WORLD ACADEMY OF NH	NEWPORT		12/11/19	ND	ND	ND	ND
1752020-501	MEADOWVIEW APARTMENTS	NEWTON		10/02/19	ND	ND	ND	ND
1752030-511	PACKER MEADOWS	NEWTON		10/01/19	ND	ND	ND	ND
1752070-501	SARGENT WOODS	NEWTON		11/12/19	ND	ND	ND	ND
1753010-502	WILLOW GROVE TRAILER PARK	NEWTON		03/10/20	ND	ND	ND	ND
1755010-001	SANBORN REGIONAL MIDDLE SCH	NEWTON		09/15/20	ND	ND	ND	ND
1755050-004	NEWTON LEARNING CENTER	NEWTON		11/14/19	7.99	ND	ND	ND
1756040-503	TEREX ENVIRONMENTAL EQUIPMENT	NEWTON	BEDROCK WELL	11/26/19	5.66	ND	ND	2.41
1756050-501	RAVENSBURGER USA	NEWTON		02/24/20	4.87	5.70	ND	20.70
1763010-502	SODA BROOK	NORTHFIELD	BEDROCK WELL	11/15/19	ND	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	WELL TYPE	DATE SAMPLED	Max PFOA Detected (ng/L) MCL= 12	Max PFOS Detected (ng/L) MCL= 15	Max PFNA Detected (ng/L) MCL= 11	Max PFHxS Detected (ng/L) MCL= 18
1764010-002	SPAULDING YOUTH CENTER	NORTHFIELD		10/04/16	7.00	11.00	ND	9.00
1766030-001	YOUNG ENTERPRISES NH	NORTHFIELD		12/06/19	ND	ND	ND	ND
1773020-001	SEACOAST CAMPING AND RV RESORT	NORTH HAMPTON		09/26/16	1.90	ND	ND	ND
1773020-002	SEACOAST CAMPING AND RV RESORT	NORTH HAMPTON		09/26/16	ND	ND	ND	ND
1773020-102	SEACOAST CAMPING AND RV RESORT	NORTH HAMPTON	BEDROCK WELL	09/26/16	2.60	ND	ND	ND
1777020-001	SAGAMORE/HAMPTON GOLF CLUB	NORTH HAMPTON		08/25/16	ND	ND	ND	ND
1777040-001	SAGAMORE GOLF CLUB/DWELLBUB 79	NORTH HAMPTON		08/25/16	ND	ND	ND	ND
1781010-502	GROVETON WATER SYS	NORTHUMBERLAND		10/21/19	ND	ND	ND	ND
1781030-502	LOST NATION WATER	NORTHUMBERLAND		10/21/19	ND	ND	ND	ND
1792030-001	VLG OF NORTHWOOD RDG WTR DIST	NORTHWOOD		11/19/19	ND	ND	ND	ND
1792030-002	VLG OF NORTHWOOD RDG WTR DIST	NORTHWOOD		11/19/19	ND	ND	ND	ND
1792040-001	VILLAGE AT MEAD FIELD	NORTHWOOD		11/17/16	ND	ND	ND	ND
1792050-001	THE MEADOW AT NORTHWOOD	NORTHWOOD		11/16/16	ND	ND	ND	ND
1793010-501	TOWER VIEW	NORTHWOOD		04/06/20	ND	ND	ND	ND
1793020-103	LOON ESTATES	NORTHWOOD	BEDROCK WELL	12/05/19	ND	ND	ND	ND
1793030-501	NORTHWOOD MOUNTAIN VIEW MHP	NORTHWOOD		11/19/19	ND	8.06	ND	6.87
1796010-001	HANNAFORD NORTHWOOD 8160	NORTHWOOD		09/11/20	ND	ND	ND	ND
1805050-501	NOTTINGHAM COMMUNITY SCH	NOTTINGHAM		11/13/19	ND	ND	ND	ND
1805060-001	ALL ABOARD PRESCH AND CHLD CARE	NOTTINGHAM	BEDROCK WELL	08/07/20	ND	ND	ND	ND
1809020-002	NOTTINGHAM COMMUNITY CHURCH	NOTTINGHAM	BEDROCK WELL	08/07/20	2.08	6.87	ND	ND
1835010-002	RIVENDELL INTERSTATE SCH	ORFORD	BEDROCK WELL	03/03/20	ND	ND	ND	ND
1841010-501	OSSIPEE WATER DEPT	OSSIPEE	BEDROCK WELL	11/18/19	ND	ND	ND	ND
1842010-505	BLUFFS AT OSSIPEE LAKE	OSSIPEE	BEDROCK WELL	03/17/20	ND	ND	ND	ND
1842030-503	INDIAN MOUND GOLF CLUB	OSSIPEE	BEDROCK WELL	10/16/19	ND	ND	ND	ND
1842050-001	POLAND BROOK WOODS	OSSIPEE	BEDROCK WELL	12/05/19	ND	ND	ND	ND
1842060-501	DEER COVE WATER	OSSIPEE	BEDROCK WELL	03/12/20	ND	ND	ND	ND
1845020-001	CORNERSTONE CHRISTIAN ACADEMY	OSSIPEE	GRAVEL PACK WELL	07/21/20	ND	ND	ND	ND
1846090-501	HANNAFORD OSSIPEE 8159	OSSIPEE	GRAVEL PACK WELL	07/21/20	ND	ND	ND	ND
1851010-501	PEU/WILLIAMSBURG	PELHAM		10/21/19	5.79	ND	ND	ND
1852020-501	PEU/GAGE HILL	PELHAM		10/21/19	6.84	ND	ND	ND
1852040-002	PROLYN TOWNHOUSE APARTMENTS	PELHAM		10/03/19	9.41	3.90	ND	2.32
1852080-542	OLD LAWRENCE ROAD	PELHAM		10/21/19	16.80	2.46	ND	3.38
1852090-501	SIMPSON WILL ROAD	PELHAM	BEDROCK WELL	02/04/20	ND	ND	ND	ND
1852100-501	BOULDER HILLS	PELHAM	BEDROCK WELL	10/21/19	ND	ND	ND	ND
1852120-501	PEU/SKY VIEW ESTATES	PELHAM		02/04/20	ND	ND	ND	ND
1852140-502	LONG POND WOODS	PELHAM		01/08/20	ND	ND	ND	ND
1855070-001	DYNAMIC FOUNDATION FOR CHILDREN	PELHAM		11/19/19	ND	ND	ND	ND
1855080-001	COLONIAL WAY PLAZA	PELHAM		09/17/18	ND	ND	ND	ND
1855090-001	KINGS KIDS CHILD CARE CENTER	PELHAM		11/14/19	2.30	5.00	ND	ND
1856010-502	PELHAM PLAZA	PELHAM		11/21/19	2.00	ND	ND	ND
1856040-501	HANNAFORD PELHAM 8015	PELHAM		08/11/20	ND	ND	ND	ND
1856050-001	HANNAFORD PELHAM 8015	PELHAM		08/11/20	ND	ND	ND	ND
1856070-502	WAKEFIELD THERMAL SOLUTIONS	PELHAM		09/17/18	20.90	11.80	3.39	7.32
	PELHAM INDUSTRIAL PARK I	PELHAM		10/15/19	19.60	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	WELL TYPE	DATE SAMPLED	Max PFOA Detected (ng/L) MCL= 12	Max PFOS Detected (ng/L) MCL= 15	Max PFNA Detected (ng/L) MCL= 11	Max PFHxS Detected (ng/L) MCL= 18
1859040-001	CROSSROADS BAPTIST CHURCH	PELHAM		11/19/19	ND	ND	ND	ND
1861010-006	PEMBROKE WATER WORKS	PEMBROKE		08/19/20	ND	ND	ND	ND
1861010-502	PEMBROKE WATER WORKS	PEMBROKE		08/19/20	5.88	19.20	ND	6.69
1861010-503	PEMBROKE WATER WORKS	PEMBROKE		08/19/20	ND	ND	ND	ND
1861010-504	PEMBROKE WATER WORKS	PEMBROKE		08/19/20	ND	ND	ND	ND
1861010-507	PEMBROKE WATER WORKS	PEMBROKE		08/19/20	ND	ND	ND	ND
1862030-501	BOROUGH RD APARTMENTS	PEMBROKE		11/19/19	ND	ND	ND	ND
1871010-501	PETERBOROUGH WATER WORKS	PETERBOROUGH		10/03/19	ND	ND	ND	ND
1871010-503	PETERBOROUGH WATER WORKS	PETERBOROUGH		10/03/19	ND	ND	ND	ND
1871010-504	PETERBOROUGH WATER WORKS	PETERBOROUGH		10/03/19	ND	ND	ND	ND
1879020-001	PETERBOROUGH PLAYERS THEATRE	PETERBOROUGH		04/14/16	ND	ND	ND	ND
1897020-501	AMC PINKHAM NOTCH CAMP	PINKHAM'S GRANT		03/24/20	ND	ND	ND	ND
1901010-506	PITTSBURG WATER DEPT	PITTSBURG	BEDROCK WELL	11/04/19	ND	ND	ND	ND
1913010-001	GRIGGS MOBILE HOMES	PITTSBURG		05/26/16	ND	ND	ND	ND
192070-321	CABOT PRESERVE	BEDFORD		03/06/20	14.70	2.72	ND	ND
1921010-506	PLAINFIELD VILLAGE WATER DIST	PLAINFIELD		03/02/20	ND	ND	ND	ND
1921010-507	PLAINFIELD VILLAGE WATER DIST	PLAINFIELD	BEDROCK WELL	03/02/20	ND	ND	ND	ND
1921020-001	MERIDEN VILLAGE WATER DIST	PLAINFIELD		03/26/20	ND	ND	ND	ND
1921020-002	MERIDEN VILLAGE WATER DIST	PLAINFIELD		03/26/20	ND	ND	ND	ND
1921020-003	MERIDEN VILLAGE WATER DIST	PLAINFIELD		03/26/20	ND	ND	ND	ND
1932020-502	GOLDEN HILL	PLAISTOW		10/03/19	16.20	20.90	ND	2.06
1932040-501	FOREST GLEN CONDOS	PLAISTOW		07/14/20	5.63	ND	ND	2.34
1932050-008	TWIN RIDGE CONDOS	PLAISTOW		10/07/19	5.05	3.30	ND	ND
1932050-512	TWIN RIDGE CONDOS	PLAISTOW		12/31/19	2.90	ND	ND	ND
1932060-501	MOONGATE FARM	PLAISTOW		10/03/19	8.79	5.16	ND	ND
1932070-501	VALLEY FIELD APTS NORTHLAND	PLAISTOW		10/07/19	3.03	2.19	ND	ND
1932080-503	STONEBRIDGE VILLAGE	PLAISTOW		10/25/19	ND	ND	ND	ND
1932100-502	STRAWBERRY HILL	PLAISTOW		10/10/19	5.01	3.48	ND	ND
1932110-001	BRYANT BROOK	PLAISTOW	BEDROCK WELL	10/09/19	ND	ND	ND	ND
1932120-501	CROSS RIDGE ESTATES	PLAISTOW		10/03/19	13.80	3.44	ND	ND
1932130-503	26 CHANDLER AVE CONDOS	PLAISTOW		09/24/20	ND	ND	ND	ND
1932140-001	RUTLEDGE PLACE	PLAISTOW	BEDROCK WELL	10/09/19	10.90	6.92	ND	2.97
1932150-501	BLUEBERRY KNOLL ESTATES	PLAISTOW		03/09/20	ND	ND	ND	ND
1932170-501	RAINBOW RIDGE	PLAISTOW		11/12/19	ND	ND	ND	ND
1932180-501	TUXBURY MEADOWS	PLAISTOW		11/13/19	ND	ND	ND	ND
1932190-502	CHANDLER TERRACE	PLAISTOW		10/23/19	ND	ND	ND	ND
1932200-511	SWEET HILL ESTATES	PLAISTOW		02/12/20	ND	ND	ND	ND
1932210-500	WEST PINE CONDOS	PLAISTOW		10/02/19	10.30	10.90	ND	ND
1932220-501	SHADY LANE APARTMENTS	PLAISTOW		11/20/19	6.18	3.45	ND	7.70
1932230-501	LITTLE RIVER VILLAGE	PLAISTOW		11/12/19	ND	ND	ND	ND
1932240-501	THE RESERVE AT SNOWS BROOK	PLAISTOW		11/12/19	ND	ND	ND	ND
1932250-001	CHANDLER PLACE APTS	PLAISTOW		09/20/18	7.83	2.70	ND	2.44
1932250-002	CHANDLER PLACE APTS	PLAISTOW		09/20/18	5.19	3.94	ND	ND
1932250-003	CHANDLER PLACE APTS	PLAISTOW		09/20/18	3.30	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	WELL TYPE	DATE SAMPLED	Max PFOA Detected (ng/L) MCL= 12	Max PFOS Detected (ng/L) MCL= 15	Max PFNA Detected (ng/L) MCL= 11	Max PFHxS Detected (ng/L) MCL= 18
1935010-003	POLLARD ELEMENTARY SCH	PLAISTOW		10/02/19	11.00	5.30	ND	2.92
1935020-001	TIMBERLANE MIDDLE SCH	PLAISTOW		10/03/19	ND	ND	ND	ND
1935030-511	TIMBERLANE REGIONAL HS	PLAISTOW		10/03/19	ND	ND	ND	ND
1936040-002	PLAZA 125	PLAISTOW		09/20/18	11.80	5.56	ND	4.92
1936070-501	144 MAIN STREET	PLAISTOW		03/02/20	ND	ND	ND	ND
1936100-501	PENTUCKET SHOPPING CENTER	PLAISTOW		09/03/20	8.36	2.07	ND	ND
1936110-001	SCANDIA PLASTICS	PLAISTOW		11/20/19	3.09	ND	ND	ND
1936130-001	PLAISTOW COMMONS	PLAISTOW		06/22/20	ND	ND	ND	ND
1936160-001	FITZGERALD SAFETY COMPLEX	PLAISTOW		08/04/17	4.00	ND	73.00	16.00
1936230-003	3 / 11 PLAISTOW RD PLAZA	PLAISTOW		09/20/18	34.80	18.70	9.65	12.40
1936270-001	FIELDSTONE INDUSTRIAL PARK	PLAISTOW		02/17/20	ND	ND	ND	ND
1936280-001	SPARTON BECKWOOD	PLAISTOW		11/20/19	ND	ND	ND	ND
1936300-001	BARONS CONDOS	PLAISTOW		11/11/19	9.02	2.08	ND	3.06
1936310-511	ETHAN ALLEN PLAZA	PLAISTOW		11/11/19	9.08	5.40	ND	3.69
1938190-511	GREAT ELM PLAZA	PLAISTOW	BEDROCK WELL	03/02/20	ND	ND	ND	ND
1941010-001	PLYMOUTH VLG WATER AND SEWER	PLYMOUTH	BEDROCK WELL	09/20/16	ND	ND	ND	ND
1941010-002	PLYMOUTH VLG WATER AND SEWER	PLYMOUTH	BEDROCK WELL	09/20/16	ND	ND	ND	ND
1943010-007	WHIP O WILL	PLYMOUTH		02/18/20	ND	ND	ND	ND
1943010-501	WHIP O WILL	PLYMOUTH		02/18/20	ND	ND	ND	ND
1951010-501	PORTSMOUTH WATER WORKS	PORTSMOUTH		07/21/20	1.40	ND	ND	ND
1951010-502	PEASE TRADE PORT - WELL NOT IN USE	PORTSMOUTH	BEDROCK WELL	05/14/14	320.00	2400.00	14.00	830.00
1951010-503	PORTSMOUTH WATER WORKS	PORTSMOUTH		07/22/20	3.80	2.60	ND	4.90
1951010-504	PORTSMOUTH WATER WORKS	PORTSMOUTH		07/22/20	2.90	2.40	ND	2.30
1951010-506	PORTSMOUTH WATER WORKS	PORTSMOUTH		07/21/20	1.10	ND	ND	ND
1951010-507	PORTSMOUTH WATER WORKS	PORTSMOUTH		07/21/20	1.60	ND	ND	ND
1951010-508	PORTSMOUTH WATER WORKS	PORTSMOUTH	BEDROCK WELL	07/21/20	1.20	ND	ND	ND
1951010-510	PEASE TRADE PORT - PFAS TREATMENT INSTALLED	PORTSMOUTH	BEDROCK WELL	07/22/20	ND	ND	ND	ND
1951010-516	PORTSMOUTH WATER WORKS	PORTSMOUTH		07/22/20	2.50	ND	ND	ND
1971010-504	RAYMOND WATER DEPT	RAYMOND		10/24/19	ND	ND	ND	ND
1971010-505	RAYMOND WATER DEPT	RAYMOND		10/24/19	ND	ND	ND	ND
1971010-506	RAYMOND WATER DEPT	RAYMOND		10/24/19	ND	ND	ND	ND
1972010-505	PEU/LIBERTY TREE ACRES	RAYMOND		10/22/19	1.88	ND	ND	ND
1972020-501	RIVERVIEW MANOR CONDOS	RAYMOND	GRAVEL PACK WELL	11/05/19	ND	ND	ND	ND
1972040-502	BRANCH RIVER APARTMENTS	RAYMOND	GRAVEL PACK WELL	10/18/19	3.72	2.67	ND	3.63
1972050-501	PAWTUCKAWAY FARMS	RAYMOND		11/21/19	ND	ND	ND	ND
1972060-500	WESTGATE ESTATES	RAYMOND		10/30/19	ND	ND	ND	ND
1972070-501	PEU/CLEARWATER ESTATES	RAYMOND		02/12/20	ND	ND	ND	ND
1973050-502	HILL TOP	RAYMOND		11/22/19	8.05	2.84	ND	9.68
1973060-503	LEISURE VILLAGE	RAYMOND		11/21/19	ND	ND	ND	ND
1975010-001	RAYMOND HIGH SCH	RAYMOND		11/10/16	ND	ND	ND	ND
1985010-002	ST BENEDICT CENTER MONASTERY	RICHMOND		04/06/20	ND	ND	ND	ND
1992020-106	DUNBAR PROPERTIES	RINDGE		07/23/20	ND	ND	ND	ND
1992050-001	CARRIAGE APTS	RINDGE		10/11/19	ND	ND	ND	ND
1993010-511	MONADNOCK TENANTS	RINDGE		01/06/20	ND	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	WELL TYPE	DATE SAMPLED	Max PFOA Detected (ng/L) MCL= 12	Max PFOS Detected (ng/L) MCL= 15	Max PFNA Detected (ng/L) MCL= 11	Max PFHxS Detected (ng/L) MCL= 18
1994010-502	FRANKLIN PIERCE UNIVERSITY	RINDGE		12/12/19	ND	ND	ND	ND
1995010-001	RINDGE MEMORIAL SCH	RINDGE		09/14/16	3.00	ND	ND	ND
1996010-501	CHESHIRE MARKET PLACE	RINDGE		11/08/19	ND	ND	ND	ND
1996020-001	WAL MART STORE 2057	RINDGE		08/01/16	3.00	ND	8.00	ND
1996040-504	HANNAFORD RINDGE 8180	RINDGE		10/30/19	26.20	22.60	94.20	2.52
1996060-001	PHASE 10	RINDGE		11/06/19	3.90	ND	ND	ND
2001010-001	ROCHESTER WATER DEPT	ROCHESTER		08/14/20	ND	ND	ND	ND
2001010-002	ROCHESTER WATER DEPT	ROCHESTER		08/14/20	ND	ND	ND	ND
2001010-503	ROCHESTER WATER DEPT	ROCHESTER		08/14/20	3.07	2.19	ND	ND
2002020-501	PROFILE APARTMENTS	ROCHESTER		11/19/19	ND	ND	ND	ND
2002030-504	DUSTIN HOMESTEAD	ROCHESTER		12/08/19	6.54	3.85	ND	ND
2002040-501	MEADOWBROOK VILLAGE	ROCHESTER		10/11/19	ND	ND	ND	ND
2002050-500	GRANDVIEW ESTATES	ROCHESTER		11/04/19	ND	ND	ND	ND
2003030-511	PARADISE ESTATES	ROCHESTER	BEDROCK WELL	10/03/19	15.50	6.08	ND	3.58
2003040-000	STONY BROOK	ROCHESTER		02/03/20	ND	ND	ND	ND
2003090-001	WESTWIND ESTATES II	ROCHESTER		02/20/20	ND	ND	ND	ND
2011010-509	ROLLINSFORD WATER SEWER DIST	ROLLINSFORD		09/14/20	7.20	3.07	ND	2.08
2011010-514	ROLLINSFORD WATER SEWER DIST	ROLLINSFORD		06/30/20	ND	ND	ND	ND
203040-000	PINE GARDENS MHP	BELMONT		03/03/20	ND	ND	ND	ND
203070-502	GRANITE STATE CAMPGROUND	BELMONT	BEDROCK WELL	02/05/20	3.90	6.48	ND	ND
2032010-002	HAWTHORNE VILLAGE	RUMNEY		02/12/20	ND	ND	ND	ND
2035010-501	RUSSELL ELEMENTARY SCH	RUMNEY	BEDROCK WELL	02/12/20	ND	ND	ND	ND
2036010-001	STONEWALL CABLE	RUMNEY		02/12/20	ND	ND	ND	ND
2041010-006	RYE WATER DIST	RYE		08/11/20	2.31	ND	ND	ND
2041010-008	RYE WATER DIST	RYE		08/11/20	5.09	ND	ND	ND
2041010-501	RYE WATER DIST	RYE		08/11/20	7.34	7.38	ND	ND
2051010-009	SALEM WATER DEPT	SALEM		07/09/20	7.28	3.01	ND	ND
2051010-510	SALEM WATER DEPT	SALEM		04/13/20	3.47	ND	ND	ND
2052030-503	LANCASTER FARMS	SALEM		11/11/19	ND	ND	ND	ND
2052060-001	MILLVILLE CIRCLE/NORTH	SALEM		01/24/20	ND	ND	ND	ND
2052070-501	AUTUMN WOODS	SALEM		10/03/19	ND	ND	ND	ND
2053020-501	ACKERMAN RETIREMENT PARK	SALEM		04/16/20	6.29	7.09	ND	4.18
2053030-001	SHADOW LAKE MOBILE HOME PARK	SALEM		08/13/18	3.30	ND	ND	ND
2055010-001	NORTH SALEM ELEMENTARY SCH	SALEM		12/13/16	2.00	ND	ND	ND
2055020-001	MERRIMACK VALLEY MONTESSOR SCH	SALEM		06/14/16	ND	ND	ND	ND
2056010-501	KLEIN MARINE SYSTEMS	SALEM		10/30/19	7.80	17.30	1.89	ND
2056040-001	NORTH SALEM VILLAGE	SALEM		03/23/20	ND	ND	ND	ND
2057060-001	SCOTTISH HIGHLAND GOLF COURSE	SALEM		06/14/16	ND	ND	ND	ND
2065010-001	SALISBURY ELEMENTARY SCH	SALISBURY		12/09/19	ND	ND	ND	ND
2075020-002	SANBORNTON CENTRAL SCH	SANBORNTON		12/06/19	ND	ND	ND	ND
2075070-001	SAPLINGS PRESCHOOL	SANBORNTON		11/15/19	ND	ND	ND	ND
2078010-503	STEELE HILL RESORT	SANBORNTON		11/13/19	3.53	3.93	ND	ND
2078010-505	STEELE HILL RESORT	SANBORNTON		11/13/19	ND	ND	ND	ND
2082010-503	PEU/BEAVER HOLLOW	SANDOWN		10/07/19	4.89	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	WELL TYPE	DATE SAMPLED	Max PFOA Detected (ng/L) MCL= 12	Max PFOS Detected (ng/L) MCL= 15	Max PFNA Detected (ng/L) MCL= 11	Max PFHxS Detected (ng/L) MCL= 18
2082020-502	FAIRFIELD	SANDOWN		12/30/19	ND	ND	ND	ND
2082040-501	PINE ACRES CONDOS	SANDOWN	BEDROCK WELL	08/25/20	10.70	6.35	ND	5.25
2082050-501	STONEFORD	SANDOWN	BEDROCK WELL	10/23/19	ND	ND	ND	ND
2082070-500	MILL PINE VILLAGE	SANDOWN	BEDROCK WELL	10/30/19	ND	ND	ND	ND
2082080-501	LITTLE MILL WOODS	SANDOWN		10/23/19	ND	ND	ND	ND
2082090-501	WATERFORD VILLAGE ESTATES	SANDOWN		10/23/19	ND	ND	ND	ND
2082110-501	TOWNHOUSES AT WELLS VILLAGE	SANDOWN	BEDROCK WELL	10/23/19	ND	ND	ND	ND
2085020-501	PLAYMATES LEARNING CENTER	SANDOWN		10/08/19	4.30	ND	ND	ND
2085040-001	SANDOWN NORTH ELEMENTARY SCH	SANDOWN		10/31/19	ND	ND	ND	ND
2095020-001	SANDWICH CENTRAL SCH	SANDWICH		09/23/20	ND	4.41	ND	ND
2095020-001	SANDWICH CENTRAL SCH	SANDWICH		08/23/16	ND	ND	ND	ND
211010-502	BENNINGTON WATER DEPT	BENNINGTON		02/21/20	ND	ND	ND	ND
2111010-501	SEABROOK WATER DEPT	SEABROOK		11/12/19	7.75	2.37	ND	ND
2111010-503	SEABROOK WATER DEPT	SEABROOK		11/12/19	4.85	ND	ND	ND
2111010-512	SEABROOK WATER DEPT	SEABROOK		12/09/19	3.35	ND	ND	ND
2111010-514	SEABROOK WATER DEPT	SEABROOK		12/10/19	ND	ND	ND	ND
2111010-516	SEABROOK WATER DEPT	SEABROOK		10/08/19	ND	ND	ND	ND
2151010-005	SOMERSWORTH WATER WORKS	SOMERSWORTH		03/24/20	ND	ND	ND	ND
2151010-506	SOMERSWORTH WATER WORKS	SOMERSWORTH		03/24/20	ND	ND	ND	ND
2165020-501	BARNARD SCH	SOUTH HAMPTON		03/16/20	ND	ND	ND	ND
2185010-002	STARK VILLAGE SCH	STARK		11/26/19	ND	ND	ND	ND
2212010-501	BOW LAKE ESTATES	STRAFFORD		10/25/19	ND	ND	ND	ND
2215010-502	STRAFFORD SCH	STRAFFORD		11/13/19	13.30	5.27	2.30	ND
2223010-001	PLEASANT VALLEY PARK ESTATES	STRAFFORD	BEDROCK WELL	11/03/19	ND	ND	ND	ND
2223020-001	NORTH STRATFORD MHP	STRAFFORD		11/18/19	ND	ND	ND	ND
2232020-502	THORNHILL CONDOS	STRATHAM		04/06/20	ND	ND	ND	ND
2232030-501	SALT RIVER CONDOS	STRATHAM		09/17/20	7.20	5.40	ND	2.60
2232040-000	PENINSULA AT WINDING BROOK	STRATHAM		03/03/20	ND	ND	ND	ND
2232050-001	STRATHAM GREEN CONDOS	STRATHAM		03/22/19	17.90	28.70	ND	12.80
2232050-002	STRATHAM GREEN CONDOS	STRATHAM		03/22/19	12.40	14.30	ND	14.00
2232050-003	STRATHAM GREEN CONDOS	STRATHAM		03/22/19	13.20	19.10	ND	21.90
2232060-001	BALMORAL CONDOS	STRATHAM		10/31/19	6.08	2.35	ND	ND
2232070-511	MONTROSE CONDOS	STRATHAM		10/09/19	3.12	ND	ND	ND
2232090-000	STRATHAM WOODS	STRATHAM		11/13/19	ND	ND	ND	ND
2232140-501	JEWETT HILL	STRATHAM		04/01/19	4.00	ND	ND	ND
2232150-512	ABERDEEN/WEST	STRATHAM		11/18/19	ND	ND	ND	ND
2232160-502	BURNHAVEN	STRATHAM		10/31/19	2.03	ND	ND	ND
2232190-001	VINEYARDS	STRATHAM		05/04/16	ND	ND	ND	ND
2232200-501	CHISHOLM FARM	STRATHAM		11/13/19	6.00	ND	ND	ND
2235010-001	ACORN SCH	STRATHAM		12/19/16	ND	ND	ND	ND
2235050-501	STRATHAM MEMORIAL SCH	STRATHAM	BEDROCK WELL	12/09/19	15.00	4.50	0.58	1.70
2235060-501	CORNERSTONE SCHOOL	STRATHAM	BEDROCK WELL	11/20/19	4.72	3.52	ND	ND
2236040-001	BELL AND FLYNN	STRATHAM	BEDROCK WELL	11/18/19	ND	ND	ND	2.44
2236050-1	STRATHAM PLAZA	STRATHAM		11/20/19	12.30	4.94	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	WELL TYPE	DATE SAMPLED	Max PFOA Detected (ng/L) MCL= 12	Max PFOS Detected (ng/L) MCL= 15	Max PFNA Detected (ng/L) MCL= 11	Max PFHxS Detected (ng/L) MCL= 18
2236070-002	NP STRATHAM	STRATHAM		10/31/19	ND	ND	ND	ND
2236070-501	NP STRATHAM	STRATHAM		10/31/19	ND	ND	ND	ND
2236100-001	PIPERS LANDING	STRATHAM	BEDROCK WELLS	03/22/19	36.90	32.00	ND	63.30
2236120-001	MILLBROOK OFFICE PARK	STRATHAM		11/13/19	3.10	ND	ND	ND
2236130-502	STRATHAM CENTRAL CONDOS	STRATHAM		09/22/20	111.00	235.00	ND	269.00
2236140-501	STRATHAM CROSSING 7621	STRATHAM	BEDROCK WELL	10/31/19	24.90	7.99	ND	ND
2236150-501	BMW OF STRATHAM	STRATHAM		11/20/19	6.65	2.36	ND	ND
2236170-001	LINDT AND SPRUNGLI USA/BLDG D	STRATHAM	BEDROCK WELL	08/19/20	2.46	ND	ND	ND
2236180-502	LINDT AND SPRUNGLI USA/BLDG E	STRATHAM		03/16/20	ND	ND	ND	ND
2236190-501	149/151 PORTSMOUTH AVE	STRATHAM		09/16/20	ND	ND	ND	ND
2238060-503	STRATHAM PLZ/MARKET BASKET	STRATHAM		06/24/20	ND	ND	ND	ND
2239010-501	STRATHAM COMMUNITY CHURCH	STRATHAM		11/22/19	3.18	ND	ND	ND
224010-004	GLENCLEIFF HOME FOR THE ELDERLY	BENTON		06/04/20	ND	ND	ND	ND
224010-504	GLENCLEIFF HOME FOR THE ELDERLY	BENTON		01/17/20	ND	ND	ND	ND
2271010-002	SUNAPEE WATER WORKS	SUNAPEE	BEDROCK WELL	02/13/20	ND	ND	ND	ND
2271020-502	GEORGES MILLS WATER WORKS	SUNAPEE		02/13/20	ND	ND	ND	ND
2272020-502	MEADOW BROOK AT SUNAPEE	SUNAPEE	BEDROCK WELL	03/25/20	ND	ND	ND	ND
2275020-001	MOUNT ROYAL ACADEMY	SUNAPEE		10/03/19	ND	ND	ND	ND
2281010-001	SURRY VILLAGE WATER	SURRY		06/10/20	ND	ND	ND	ND
2285010-501	SURRY VILLAGE CHARTER SCH	SURRY		12/04/19	ND	ND	ND	ND
2295010-502	KEARSARGE REGIONAL HIGH SCH	SUTTON		11/20/19	ND	ND	ND	ND
2295020-501	SUTTON CENTRAL SCH	SUTTON		11/20/19	ND	ND	ND	ND
2295030-502	KEARSARGE REGIONAL MIDDLE SCH	SUTTON		08/05/20	23.10	ND	ND	ND
2295030-511	KEARSARGE REGIONAL MIDDLE SCH	SUTTON		03/04/20	150.00	ND	6.34	ND
2296010-002	LABSPHERE	SUTTON		03/17/20	4.26	2.17	ND	ND
2301020-501	WEST SWANZEY WATER	SWANZEY		07/15/20	ND	ND	ND	ND
2302010-001	ASHUELOT RIVER APTS	SWANZEY		10/30/19	ND	ND	ND	ND
2302040-505	EASTFIELD CROSSING	SWANZEY		11/05/19	ND	ND	ND	ND
2302050-500	FOREST VIEW ESTATES	SWANZEY		10/30/19	ND	ND	ND	ND
2303010-508	PINE GROVE MOBILE HOME PARK	SWANZEY		10/30/19	ND	ND	ND	ND
2303020-500	VIEW POINT COOP	SWANZEY		10/30/19	ND	ND	ND	ND
2305050-501	MONADNOCK REGIONAL HIGH SCH	SWANZEY		11/12/19	ND	ND	ND	ND
2306060-501	TOYOTA OF KEENE	SWANZEY		07/13/20	ND	ND	ND	ND
2306060-501	TOYOTA OF KEENE	SWANZEY		10/14/19	ND	ND	ND	ND
2311010-005	TAMWORTH WATER WORKS	TAMWORTH		03/10/20	ND	ND	ND	ND
2312030-501	WHITE LAKE ESTATES	TAMWORTH		03/10/20	ND	ND	ND	ND
2312060-001	CHOCORUA WOODS	TAMWORTH		02/11/20	ND	ND	ND	ND
2312070-501	CHOCORUA MEADOWS	TAMWORTH		10/23/19	ND	ND	ND	ND
2313010-000	TAMWORTH MOBILE HOME PARK	TAMWORTH		10/23/19	ND	ND	ND	ND
2315010-501	KENNETH A BRETT SCH	TAMWORTH		04/01/19	ND	ND	ND	ND
2315020-001	TAMWORTH PRESCHOOL	TAMWORTH		12/03/19	ND	ND	ND	ND
2315030-501	COMMUNITY SCH	TAMWORTH		11/19/19	ND	ND	ND	ND
2318090-503	NORTHWYD APTS/DAYS INN	TAMWORTH		03/16/20	ND	ND	ND	ND
2342010-512	175 ESTATES	THORNTON		02/18/20	ND	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	WELL TYPE	DATE SAMPLED	Max PFOA Detected (ng/L) MCL= 12	Max PFOS Detected (ng/L) MCL= 15	Max PFNA Detected (ng/L) MCL= 11	Max PFHxS Detected (ng/L) MCL= 18
2342020-502	NORTHPOINTE WATER	THORNTON		11/12/19	2.80	ND	ND	ND
2342030-001	MOUNTAIN RIVER CONDOS	THORNTON		11/22/19	ND	ND	ND	ND
2342040-000	MOUNTAIN RIVER CONDOS EAST	THORNTON		11/22/19	ND	ND	ND	ND
2342060-002	WHITE MOUNTAIN RESORT/GATEWAY	THORNTON	BEDROCK WELL	02/18/20	ND	ND	ND	ND
2342070-002	WATERVILLE ACRES CONDOS	THORNTON		02/11/20	ND	ND	ND	ND
2342090-001	BIRCH BEND	THORNTON		01/08/20	ND	ND	ND	ND
2345010-002	THORNTON CENTRAL SCH	THORNTON		02/12/20	ND	ND	ND	ND
2351010-003	TILTON NORTHFIELD WATER DIST	NORTHFIELD		09/15/16	ND	ND	ND	ND
2351010-004	TILTON NORTHFIELD WATER DIST	NORTHFIELD		09/15/16	ND	ND	ND	ND
2351020-501	LOCHMERE VILLAGE DIST	TILTON		11/11/19	ND	8.78	ND	24.20
2352020-001	PEU/NORTHERN SHORES	TILTON		05/26/16	ND	ND	ND	ND
2352040-501	WINNISQUAM VILLAGE CONDOS	TILTON		10/23/19	ND	ND	ND	ND
2353010-501	RODGERS DEV	TILTON		11/06/19	ND	ND	ND	ND
2356010-001	3M TILTON	TILTON		11/02/16	2.00	ND	ND	ND
2356020-001	TOWN LINE PLAZA	TILTON		12/06/19	ND	3.00	ND	2.00
2356060-501	TANGER OUTLET CENTER	TILTON		11/06/19	ND	ND	ND	ND
2356080-001	BIS WHOLESale CLUB 309	TILTON	BEDROCK WELL	09/30/16	ND	ND	ND	ND
2356100-001	AUTOSERV OF TILTON	TILTON		11/06/19	ND	ND	ND	ND
2356110-001	EVERSOURCE ENERGY TILTON AWC	TILTON		06/18/20	ND	ND	ND	ND
2361010-503	TROY WATER WORKS	TROY	BEDROCK WELL	11/25/19	ND	ND	ND	ND
2361010-504	TROY WATER WORKS	TROY		11/25/19	ND	ND	ND	ND
2361010-505	TROY WATER WORKS	TROY		11/25/19	ND	ND	ND	ND
2361010-512	TROY WATER WORKS	TROY	BEDROCK WELL	11/25/19	ND	ND	ND	ND
2372020-002	HIDDEN VALLEY/MASON	TUFTONBORO		03/12/20	ND	ND	ND	ND
2372020-006	HIDDEN VALLEY/MASON	TUFTONBORO		03/12/20	ND	ND	ND	ND
2375010-502	TUFTONBORO CENTRAL SCH	TUFTONBORO		10/10/19	2.86	ND	ND	ND
2376010-003	PAK 2000 OFFICE	TUFTONBORO		08/29/16	ND	ND	ND	ND
2384010-007	SULLIVAN COUNTY COMPLEX	UNITY		09/22/16	ND	ND	ND	ND
2384010-104	SULLIVAN COUNTY COMPLEX	UNITY		09/22/16	ND	ND	ND	ND
2392030-500	MICHAWANIC VILLAGE CONDOS	WAKEFIELD		03/12/20	ND	ND	ND	ND
2395020-001	LEARNING WITH LOVE	WAKEFIELD		10/03/19	ND	ND	ND	ND
2401010-001	WALPOLE WATER DEPT	WALPOLE	BEDROCK WELL	07/14/20	ND	ND	ND	ND
2401010-502	WALPOLE WATER DEPT	WALPOLE	BEDROCK WELL	07/14/20	ND	ND	ND	ND
2401020-507	N WALPOLE VILLAGE DISTRICT/LOW	WALPOLE	BEDROCK WELL	11/12/19	ND	ND	ND	ND
2401020-508	N WALPOLE VILLAGE DISTRICT/LOW	WALPOLE		10/22/19	ND	ND	ND	ND
2401030-501	N WALPOLE VILLAGE DIST/HIGH	WALPOLE		10/22/19	ND	ND	ND	ND
2406010-101	BENSON WOODWORKING	WALPOLE		08/09/16	ND	ND	ND	ND
2411010-503	WARNER VILLAGE WATER DIST	WARNER		10/02/19	ND	ND	ND	ND
2411010-504	WARNER VILLAGE WATER DIST	WARNER		10/02/19	ND	ND	ND	ND
2413010-502	PLEASANT LAKE MHP	WARNER		11/13/19	ND	ND	ND	ND
2415010-501	NORTHEAST CATHOLIC COLLEGE	WARNER		10/03/19	ND	ND	ND	ND
2421010-002	GLENCLIFF IMPROVEMENT	WARREN	BEDROCK WELL	11/05/19	ND	ND	ND	ND
2422010-502	SOUTH MAIN STREET WATER DIST	WARREN		11/05/19	ND	ND	ND	ND
2435020-001	WASHINGTON ELEMENTARY SCH	WASHINGTON		10/15/19	ND	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	WELL TYPE	DATE SAMPLED	Max PFOA Detected (ng/L) MCL= 12	Max PFOS Detected (ng/L) MCL= 15	Max PFNA Detected (ng/L) MCL= 11	Max PFHxS Detected (ng/L) MCL= 18
2441010-502	WATERVILLE VALLEY WATER DIST	WATERVILLE VALLEY		03/03/20	ND	ND	ND	ND
2441010-503	WATERVILLE VALLEY WATER DIST	WATERVILLE VALLEY		03/03/20	ND	ND	ND	ND
2441010-504	WATERVILLE VALLEY WATER DIST	WATERVILLE VALLEY		03/03/20	ND	ND	ND	ND
2452010-501	PEU/DANIELS LAKE	WEARE		02/21/20	5.97	ND	ND	ND
2452030-514	SOUTH WEARE WATER	WEARE		11/05/19	ND	ND	ND	ND
2452030-515	SOUTH WEARE WATER	WEARE		11/20/19	ND	ND	ND	ND
2452040-501	COLLINS LANDING	WEARE		10/15/19	ND	ND	ND	ND
2453010-005	SUGAR HILL MANOR MHP	WEARE		09/28/20	ND	ND	ND	ND
2455020-001	WEARE MIDDLE SCHOOL	WEARE		11/03/16	ND	ND	ND	ND
2455040-003	JOHN STARK REG HIGH SCH	WEARE		12/06/16	3.70	1.00	ND	ND
2455080-001	WEARE MIDDLE SCH	WEARE		11/06/19	ND	ND	ND	ND
2456010-003	GRANITE STATE TELEPHONE	WEARE		08/05/16	ND	ND	ND	ND
2458030-002	COUNTRY THREE CORNERS	WEARE		08/09/18	ND	ND	ND	ND
2458070-501	LAMCTOTS CENTER	WEARE	BEDROCK WELL	01/23/20	ND	ND	ND	ND
2459010-001	TOWN OFFICES	WEARE	BEDROCK WELL	06/24/20	ND	ND	ND	ND
2462040-500	PILLSBURY LAKE/FRANKLIN PIERCE	WEBSTER		10/10/19	ND	ND	ND	ND
2462050-502	PILLSBURY LAKE/PENINSULA	WEBSTER	BEDROCK WELL	10/10/19	ND	ND	ND	ND
2465010-001	WEBSTER ELEMENTARY SCH	WEBSTER	BEDROCK WELL	12/09/19	ND	ND	ND	ND
2475010-001	WENTWORTH ELEMENTARY SCH	WENTWORTH		02/12/20	ND	ND	ND	ND
2494010-006	CHESHIRE COUNTY COMPLEX	WESTMORELAND		10/08/19	ND	ND	ND	ND
2494010-007	CHESHIRE COUNTY COMPLEX	WESTMORELAND		10/08/19	ND	ND	ND	ND
2495030-001	WESTMORELAND ELEMENTARY SCH	WESTMORELAND		12/04/19	ND	ND	ND	ND
2521010-505	WILTON WATER WORKS	WILTON		09/16/20	ND	ND	ND	ND
2521010-506	WILTON WATER WORKS	WILTON		09/16/20	ND	ND	ND	ND
2525010-512	HIGH MOWING SCH	WILTON		10/22/19	3.65	ND	ND	ND
2525020-502	PINE HILL WALDORF SCH	WILTON		10/22/19	ND	ND	ND	ND
2525030-501	PINE HILL WALDORF CHLD VILLAGE	WILTON		10/22/19	ND	ND	ND	ND
2526040-501	KIMBALL PHYSICS	WILTON		02/12/20	ND	ND	ND	ND
2531010-001	WINCHESTER WATER DEPT	WINCHESTER		08/17/16	ND	ND	ND	ND
2531010-002	WINCHESTER WATER DEPT	WINCHESTER		08/17/16	ND	ND	ND	ND
2531010-003	WINCHESTER WATER DEPT	WINCHESTER		08/17/16	ND	ND	ND	ND
2533010-501	SOUTH PARRISH	WINCHESTER		08/17/16	ND	ND	ND	ND
2533020-000	GREEN VALLEY MOBILE HOME PARK	WINCHESTER	GRAVEL PACK WELL	07/13/20	ND	ND	ND	ND
2542010-501	PEU/GOLDEN BROOK	WINDHAM	GRAVEL PACK WELL	10/22/19	2.86	ND	ND	ND
2542030-003	PEU/W AND E	WINDHAM	GRAVEL PACK WELL	10/22/19	9.95	2.05	ND	ND
2542030-504	PEU/W AND E	WINDHAM	GRAVEL PACK WELL	10/07/19	6.10	2.26	ND	2.54
2542060-503	PEU/HARDWOOD HTS BIRCH HILL VILLAGES OF WINDHAM	WINDHAM		10/22/19	8.58	4.99	ND	2.71
2542070-501	WYNRIDGE CONDOS	WINDHAM		11/14/19	6.03	2.07	ND	ND
2542080-500	PEU/CASTLE REACH	WINDHAM		12/04/19	3.00	ND	ND	ND
2542140-501	PEU/FLETCHER CORNER ESTATES	WINDHAM		10/22/19	14.20	ND	ND	ND
2542150-502	PEU/LAMPLIGHTER VILLAGE	WINDHAM		02/04/20	ND	ND	ND	ND
2542170-500	PEU/SPRUCE POND ESTS	WINDHAM		10/07/19	4.75	ND	ND	ND
2542180-501	CAMELOT III	WINDHAM		10/07/19	7.54	ND	ND	ND
2542190-003		WINDHAM		08/06/20	10.10	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	WELL TYPE	DATE SAMPLED	Max PFOA Detected (ng/L) MCL= 12	Max PFOS Detected (ng/L) MCL= 15	Max PFNA Detected (ng/L) MCL= 11	Max PFHxS Detected (ng/L) MCL= 18
2544010-501	WARDE REHABILITATION/NURSING	WINDHAM		10/22/19	7.22	4.07	ND	ND
2544020-501	WINDHAM TERRACE	WINDHAM		10/07/19	9.82	10.30	ND	5.34
2545010-002	WINDHAM CENTER SCH - PFAS TREATMENT INSTALLE	WINDHAM		12/05/19	11.30	14.90	2.19	2.40
2545020-501	GOLDEN BROOK SCH	WINDHAM		12/05/19	ND	ND	ND	ND
2545090-001	WINDHAM COOPTIVE KINDERGARTEN	WINDHAM		11/05/19	ND	ND	ND	ND
2545100-501	WINDHAM HIGH SCH	WINDHAM		10/21/19	3.21	ND	ND	ND
2545110-501	WEE CARE LEARNING CTR	WINDHAM		11/25/19	7.29	2.33	ND	4.21
2546080-501	CASTLE COMMONS	WINDHAM		10/24/19	4.74	4.98	ND	4.66
2546090-001	COMMONS AT WINDHAM 1/WEST BLDG	WINDHAM		07/20/17	7.00	6.00	ND	10.00
2546110-001	WINDHAM VILLAGE GREEN	WINDHAM		11/05/19	3.61	3.42	ND	ND
2546160-001	COMMONS AT WINDHAM 2/EAST BLDG	WINDHAM		07/20/17	9.00	4.00	ND	4.00
2546170-001	CAPITAL TRANSPORTATION	WINDHAM		10/30/19	10.00	ND	ND	ND
2546180-001	KAHUNA	WINDHAM	BEDROCK WELL	02/04/20	ND	ND	ND	ND
2546190-502	SHAWS SUPERMARKET 686	WINDHAM		10/07/19	6.28	2.71	ND	ND
2546220-501	FIVE INDUSTRIAL DR	WINDHAM		12/10/19	5.00	ND	ND	8.00
2546230-501	MEDICUS OFFICES	WINDHAM	BEDROCK WELL	08/27/20	9.74	3.02	ND	3.14
2546240-501	183 ROCKINGHAM ROAD	WINDHAM		11/12/19	2.80	ND	ND	ND
2548150-001	DUNKIN DONUTS /PC 346676 TREATED	WINDHAM		07/20/17	ND	ND	ND	ND
2548150-001	DUNKIN DONUTS /PC 346676 UNTREATED	WINDHAM		07/20/17	27.00	100.00	ND	159.00
2548170-001	HOWIE GLYNN AND SONS CONV STRE	WINDHAM		07/31/17	6.00	27.00	ND	40.00
2548180-001	WINDHAM TOWNE SHOPPES	WINDHAM		08/24/17	10.90	7.79	ND	ND
2549010-001	TOWN HALL/PLANNING/DEV/TV STAT	WINDHAM	BEDROCK WELL	06/07/17	8.00	16.00	ND	8.00
2549020-001	SENIOR CITIZENS CENTER	WINDHAM	BEDROCK WELL	05/02/18	6.80	31.00	1.80	10.00
2549050-001	NESMITH LIBRARY	WINDHAM	BEDROCK WELL	04/09/18	6.40	ND	ND	0.99
2552010-501	WEDIKO SCHOOL	WINDSOR	BEDROCK WELL	10/15/19	2.50	ND	ND	ND
2552010-502	WEDIKO SCHOOL	WINDSOR	BEDROCK WELL	10/15/19	ND	ND	ND	ND
2552010-513	WEDIKO SCHOOL	WINDSOR	BEDROCK WELL	10/15/19	ND	ND	ND	ND
2557060-501	WEDIKO KITCHEN	WINDSOR	BEDROCK WELL	10/15/19	ND	ND	ND	ND
2561010-002	WOLFEBORO WATER AND SEWER	WOLFEBORO	BEDROCK WELL	08/19/20	ND	ND	ND	ND
2562050-502	SHERWOOD FOREST	WOLFEBORO		01/08/20	ND	ND	ND	ND
2563010-000	BIRCH HILL ESTATES	WOLFEBORO		11/13/19	3.23	ND	ND	ND
2571020-502	WOODSTOCK WATER DEPT	WOODSTOCK		11/14/19	ND	ND	ND	ND
2571020-503	WOODSTOCK WATER DEPT	WOODSTOCK		11/14/19	ND	ND	ND	ND
2572010-501	JACK O LANTERN CONDOS	WOODSTOCK		02/03/20	ND	ND	ND	ND
262060-501	PEU/STONE SLED FARM	BOW		03/04/20	ND	ND	ND	ND
262060-502	PEU/STONE SLED FARM	BOW		03/04/20	ND	ND	ND	ND
265010-502	BOW MEMORIAL SCHOOL	BOW		01/24/20	2.00	ND	ND	ND
265020-502	BOW ELEMENTARY SCHOOL	BOW		01/24/20	ND	ND	ND	ND
265030-502	BOW HIGH SCHOOL	BOW		01/24/20	ND	ND	ND	ND
275080-501	NFI NORTH TRNS HSING	BRADFORD		09/17/20	ND	ND	ND	ND
282010-002	MILL POND CROSSING	BRENTWOOD		06/03/20	ND	ND	ND	ND
285040-501	A PLACE TO GROW	BRENTWOOD		09/17/20	ND	ND	ND	ND
293010-002	NEWFOUND ACRES MHP	BRIDGEWATER		02/12/20	ND	ND	ND	ND
341010-508	CAMPTON VILLAGE PCT	CAMPTON		02/11/20	ND	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	WELL TYPE	DATE SAMPLED	Max PFOA Detected (ng/L) MCL= 12	Max PFOS Detected (ng/L) MCL= 15	Max PFNA Detected (ng/L) MCL= 11	Max PFHxS Detected (ng/L) MCL= 18
341010-509	CAMPTON VILLAGE PCT	CAMPTON		02/11/20	ND	ND	ND	ND
342050-000	DEER RUN	CAMPTON		02/18/20	ND	ND	ND	ND
342080-000	VALLEY VIEW CONDOS	CAMPTON		01/08/20	ND	ND	ND	ND
356020-001	BARKER STEEL	CANAAN		03/11/20	ND	ND	ND	ND
412010-000	MEADOWVIEW APTS	CHARLESTOWN		08/04/20	ND	ND	ND	ND
413020-504	CONNECTICUT RIVER MHP	CHARLESTOWN		07/15/20	ND	ND	ND	ND
413030-501	WINDY ACRES	CHARLESTOWN		08/04/20	ND	ND	ND	ND
432040-501	PEU/SHAKER HEIGHTS	CHESTER		02/12/20	ND	ND	ND	ND
437020-503	WASON POND COMMUNITY CENTER	CHESTER		02/10/20	ND	ND	ND	ND
446020-502	UNITED NATURAL FOODS	CHESTERFIELD		07/28/20	ND	ND	ND	ND
446030-501	NORTHEAST HOME LOAN	CHESTERFIELD		09/15/20	ND	ND	ND	ND
461010-002	CLAREMONT WATER DEPT	CLAREMONT		02/04/20	ND	ND	ND	ND
501010-002	CONCORD WATER DEPT	CONCORD		04/16/20	ND	ND	ND	ND
501010-504	CONCORD WATER DEPT	CONCORD		04/16/20	ND	ND	ND	ND
501010-505	CONCORD WATER DEPT	CONCORD		08/12/20	2.69	ND	ND	ND
501010-506	CONCORD WATER DEPT	CONCORD		04/16/20	ND	ND	ND	ND
501010-507	CONCORD WATER DEPT	CONCORD		04/16/20	ND	ND	ND	ND
603020-001	JOHNSON CITY MHP	DEERING		01/29/20	ND	ND	ND	ND
612210-503	OLD COACH VILLAGE	DERRY		08/25/20	6.81	5.45	ND	ND
651010-003	DOVER WATER DEPT	DOVER		07/09/20	ND	ND	ND	ND
651010-502	DOVER WATER DEPT	DOVER		07/09/20	ND	ND	ND	ND
651010-505	DOVER WATER DEPT	DOVER		07/09/20	ND	ND	ND	ND
651010-515	DOVER WATER DEPT	DOVER		07/09/20	ND	ND	ND	ND
651010-517	DOVER WATER DEPT	DOVER		07/09/20	6.55	2.61	ND	5.39
691010-005	UNH/DURHAM WATER SYS	DURHAM		06/05/20	ND	ND	ND	ND
702040-504	COUNTRY HILLS OF EAST KINGSTON	EAST KINGSTON		02/21/20	ND	ND	ND	ND
705020-502	E KINGSTON ELEMENTARY SCH	EAST KINGSTON		01/07/20	14.7	ND	ND	ND
831010-505	FRANCETOWN VILLAGE WATER	FRANCETOWN		03/03/20	ND	ND	ND	ND
841010-501	FRANCONIA VILLAGE WATER	FRANCONIA		03/03/20	ND	ND	ND	ND
841020-004	MITTERSILL WATER DEPT	FRANCONIA		03/03/20	ND	ND	ND	ND
841020-005	MITTERSILL WATER DEPT	FRANCONIA		03/03/20	ND	ND	ND	ND
912050-502	MT LAUREL ESTATES	GOFFSTOWN		03/04/20	2.86	ND	ND	ND
921010-005	GORHAM WATER AND SEWER DEPT	GORHAM		01/24/20	ND	ND	ND	ND
921010-501	GORHAM WATER AND SEWER DEPT	GORHAM		01/24/20	ND	ND	ND	ND
921020-501	GORHAM HILL SPRING	GORHAM		01/24/20	ND	ND	ND	ND
951010-506	VILLAGE DIST OF EASTMAN	GRANTHAM		01/22/20	ND	ND	ND	ND
991010-001	GREENVILLE WATER DEPT	GREENVILLE		02/01/20	ND	ND	ND	ND

Notes:

1. Concentrations shown are in parts per trillion (ppt) or nanograms per liter (ng/L).
2. Cells that are shaded gray indicate an exceedance of the Maximum Concentration Limits (MCLs).
3. NH's four regulated PFAS compounds include: perfluorooctanoic acid (PFOA), perfluorooctane sulfonic acid (PFOS), perfluorohexane sulfonic acid (PFHxS), and perfluorononanoic acid (PFNA).
4. 'ND' indicates the analyzed PFAS was not detected above the laboratory reporting limit.
5. Data represents highest concentration detected at the Site.

Table 2 – Solid Waste Facility
PFAS Water Quality Summary



NHDES SITE #	SITE NAME	PROJECT TYPE	TOWN	Max PFOA Detected (ng/L) AGQS = 12	Max PFOS Detected (ng/L) AGQS = 15	Max PFNA Detected (ng/L) AGQS = 11	Max PFHxS Detected (ng/L) AGQS = 18
198400001	ACWORTH TOWN LANDFILL	LAND/UNLN	ACWORTH	90.6	7.24	ND	15.6
198802002	KANCMAGUS LANDFILL	LAND/UNLN	ALBANY	ND	ND	ND	ND
198705017	INDECK ALEXANDRIA ENERGY CTR	LWW/JAG	ALEXANDRIA	ND	ND	ND	ND
199012032	TOWN OF ALLENSTOWN	LAND/UNLN	ALLENSTOWN	25	219	ND	146
198400006	ALTON TOWN LANDFILL	LAND/UNLN	ALTON	63	15.1	ND	12.9
198704029	SOUHEGAN REG LANDFILL	LAND/UNLN	AMHERST	20	3.58	0.328	6.12
198704047	ANDOVER TOWN LANDFILL	LAND/UNLN	ANDOVER	9.54	ND	ND	ND
198904068	WASTEWATER TRT FACILITY	LWW/JAG	ANTRIM	17.6	7.26	ND	13.8
198705020	ASHLAND MUNICIPAL LANDFILL	LAND/UNLN	ASHLAND	ND	ND	ND	ND
198400026	GODIN SITE	LAND/UNLN	ATKINSON	11	20.8	ND	ND
199002015	AUBURN TOWN LANDFILL	LAND/UNLN	AUBURN	56	78	2.35	7
198806003	BARRINGTON LANDFILL	LAND/UNLN	BARRINGTON	11.4	ND	ND	ND
198704084	BEDFORD LANDFILL	LAND/UNLN	BEDFORD	48	34	ND	34.7
198704071	HURRICANE ROAD STUMP DUMP	LAND/UNLN	BELMONT	ND	ND	ND	ND
198704042	BENNINGTON TRI-TOWN LANDFILL	LAND/UNLN	BENNINGTON	11	ND	ND	ND
198400054	BERLIN TOWN LANDFILL I	LAND/UNLN	BERLIN	89.1	53.1	ND	7.37
198400055	CATES HILL LANDFILL	LAND/UNLN	BERLIN	89.1	53.1	ND	5.54
198704035	DUMMER YARD LANDFILL - JAMES RIVER	LAND/UNLN	BERLIN	424	740	13.2	21.6
198400057	BETHLEHEM TOWN LANDFILL (OLD)	LAND/UNLN	BETHLEHEM	75	81	8	20
198400060	WASTE WATER TREATMENT PLANT	LWW/JAG	BETHLEHEM	ND	ND	ND	ND
198704033	NORTH COUNTRY ENVIRONMENTAL SERVICES LF	LAND/UNLN	BETHLEHEM	64	12.6	8.72	11.3
198901021	CORN HILL ROAD LANDFILL	LAND/UNLN	BOSCAWEN	118	49	4.27	71.4
199101052	CALIFORNIA FIELDS	LAND/UNLN	BOSCAWEN	17	10	ND	6
198400064	BOW TOWN LANDFILL	LAND/UNLN	BOW	3.7	ND	ND	ND
198400065	MERRIMACK STATION AND ASH LANDFILL	LAND/UNLN	BOW	ND	ND	ND	ND
198400069	FMR NAUGHTON LANDFILL & AUTOCRAFT SITE	LAND/UNLN	BRADFORD	57	56.7	ND	36.3
199101059	BRIDGEWATER DUMP/INCINERATOR	LAND/UNLN	BRIDGEWATER	7.81	ND	ND	4.6
198704078	NEW HAMPTON LANDFILL	LAND/UNLN	BRISTOL	ND	ND	ND	ND
198400082	CANDIA TOWN LANDFILL	LAND/UNLN	CANDIA	78.5	56.6	1.99	7.3
198400084	CANTERBURY TOWN LANDFILL	LAND/UNLN	CANTERBURY	153	1337	4	663
198705080	CARROLL TOWN LANDFILL	LAND/UNLN	CARROLL	89.3	ND	ND	28
198809009	CENTER HARBOR LANDFILL	LAND/UNLN	CENTER HARBOR	11.2	20.8	ND	ND
198400087	CHARLESTOWN LANDFILL/TRANSFER STATION	LAND/UNLN	CHARLESTOWN	63.3	ND	ND	ND
198704036	CHESTER MUNICIPAL LF	LAND/UNLN	CHESTER	25.3	9.12	ND	4.5
198706002	CLAREMONT LANDFILL	LAND/UNLN	CLAREMONT	666	477	38.6	54.9
198400096	COLEBROOK MUNICIPAL LANDFILL	LAND/UNLN	COLEBROOK	229	21.2	8.7	51.6
198401001	CONCORD CITY LANDFILL/TRANSFER STATION	LAND/UNLN	CONCORD	16.2	ND	ND	5.34
198400638	OLD SUNCOOK ROAD LANDFILL (1)	LAND/UNLN	CONCORD	148	22.9	ND	29.1
198401017	CONWAY LANDFILL/SEPTAGE LAGOONS	LAND/UNLN	CONWAY	82.3	5.05	ND	14.9
198908068	LOWER MT WASHINGTON VALLEY LANDFILL	LAND/UN	CONWAY	40.6	4.79	ND	7.11
199103019	CROYDON LANDFILL	LAND/UNLN	CROYDON	7.9	13	ND	ND
198810003	OLD LANDFILL/X-FER STATION	LAND/UNLN	DALTON	58.9	9	828	ND
198401031	DEERFIELD LANDFILL	LAND/UNLN	DEERFIELD	13.8	4.47	ND	ND
198706001	DERRY MUNICIPAL LANDFILL	LAND/UNLN	DERRY	67.1	230	13.3	21.1
198401060	DUBLIN SANITARY LANDFILL	LAND/UNLN	DUBLIN	81	81	1.87	1.87
199006011	DURHAM LANDFILL	LAND/UNLN	DURHAM	28	41	0.66	26
198805021	EFFINGHAM TOWN LANDFILL	LAND/UNLN	EFFINGHAM	35.1	388	5.89	92.2
198401071	BULKY WASTE LANDFILL & OLD DUMP SITE	LAND/UNLN	EPHING	505	130	23.7	330
198406000	ERROL LANDFILL	LAND/UNLN	ERROL	20.6	5.08	ND	ND
198401081	CROSS ROAD LANDFILL/STUMP DUMP (TOWN)	LAND/UNLN	EXETER	7.53	7.04	ND	ND
198401085	FARMINGTON MUNICIPAL LANDFILL	LAND/UNLN	FARMINGTON	407	312	ND	98.4
198401090	OLD FRANKLIN LANDFILL	LAND/UNLN	FRANKLIN	ND	ND	ND	ND
198401092	CONCORD REG COOP RESIDUE LANDFILL	LAND/UN	FRANKLIN	ND	ND	ND	ND

Table 2 – Solid Waste Facility
PFAS Water Quality Summary



NHDES SITE #	SITE NAME	PROJECT TYPE	TOWN	Max PFOA Detected (ng/L) AGQS = 12	Max PFOS Detected (ng/L) AGQS = 15	Max PFNA Detected (ng/L) AGQS = 11	Max PFHxS Detected (ng/L) AGQS = 18
199101056	FREEDOM LANDFILL	LAND/UNLN	FREEDOM	24.9	54.1	ND	ND
198906002	GILMANTON LANDFILL	LAND/UNLN	GILMANTON	387	179	8.34	57.9
198402003	GILSUM LANDFILL/SEPTAGE PIT	LAND/UNLN	GILSUM	56.1	653	6.52	ND
198402005	GOFFSTOWN MUNICIPAL LANDFILL	LAND/UNLN	GOFFSTOWN	12.4	10.9	1.6	1.6
198705009	GOSHEN SANITARY LANDFILL/TRANSFER STA	LAND/UNLN	GOSHEN	317	1400	5.7	29
199102037	GRAFTON OLD LANDFILL	LAND/UNLN	GRAFTON	42.1	382	ND	77.1
199103005	GRANTHAM LANDFILL	LAND/UNLN	GRANTHAM	17.2	9.15	ND	ND
198708004	CROTCHED MOUNTAIN FOUNDATION	LAND/UNLN	GREENFIELD	ND	ND	ND	ND
199102032	GROTON TOWN DUMP	LAND/UNLN	GROTON	8.15	17.6	ND	ND
198402023	HAMPTON MUNICIPAL LANDFILL	LAND/UNLN	HAMPTON	72.5	91.5	6	8.71
198705010	HANCOCK TOWN LANDFILL	LAND/UNLN	HANCOCK	140	1330	9.02	261
198708010	HARRISVILLE TOWN LANDFILL	LAND/UNLN	HARRISVILLE	63	65	2	8
198402028	HENNIKER TOWN LANDFILL/TRANSFER STATION	LAND/UNLN	HENNIKER	ND	55.4	ND	ND
198704004	HILLSBORO WWTF	LWW/LAG	HILLSBOROUGH	1.7	ND	ND	ND
198704088	HILLSBORO TOWN LANDFILL/X-FER STATION	LAND/UNLN	HILLSBOROUGH	430	310	110	11
198402033	HINSDALE MUNICIPAL LANDFILL	LAND/UNLN	HINSDALE	554	1550	380	33
198402035	HINSDALE PRODUCTS LANDFILL	LAND/UNLN	HINSDALE	17	ND	ND	ND
199009014	HOLDerness LANDFILL	LAND/UNLN	HOLDerness	69.3	69.4	91.5	16
198402043	HOOKSETT TRANSFER/HIGHWAY	LAND/UNLN	HOOKSETT	62.2	2.19	ND	28.7
198705021	HOPKINTON/WEBSTER LANDFILL	LAND/UNLN	HOPKINTON	361	190	18.9	45
198402057	HUDSON TOWN LANDFILL	LAND/UNLN	HUDSON	186	3.33	2.61	7.42
199204002	BENSON PARK (FORMER BENSONS ANIMAL PARK)	LAND/UNLN	HUDSON	29.2	16.6	ND	ND
198712013	JACKSON OLD LANDFILL	LAND/UNLN	JACKSON	7.66	9.5	ND	ND
198402073	JEFFREY LANDFILL & WWTF / ULWW LAGOONS	LAND/UNLN	JEFFREY	20.6	26.3	7.62	6.27
198402082	KEENE OLD CITY LANDFILL	LAND/UNLN	JEFFREY	0.46	2.8	ND	0.66
199009001	KEENE MUNICIPAL LANDFILL	LAND/UNLN	KEENE	6.83	9.78	ND	4.52
198705089	KINGSTON TOWN LANDFILL	LAND/UNLN	KEENE	221	211	7.51	57.9
198709021	LACONIA DISPOSAL GARDENS	LAND/UNLN	KINGSTON	4.99	ND	ND	ND
200308076	FRANK BEAN ROAD SITE	LAND/UNLN	LACONIA	ND	ND	ND	ND
198705056	LANCASTER DISPOSAL FACILITY	LAND/UNLN	LACONIA	6.6	5.01	ND	ND
198710039	LEBANON LANDFILL	LAND/LN	LANCASTER	20.8	27.9	ND	5.03
198403011	LEMPSTER TOWN LANDFILL	LAND/UNLN	LEBANON	65.5	15.1	ND	28.5
198704025	LISBON TOWN LANDFILL AND LAGOONS	LAND/UNLN	LEMPSTER	110	ND	ND	ND
198704045	LITTLETON TOWN LANDFILL	LAND/UNLN	LISBON	110	18.1	ND	23.6
199001001	NORTON CO LANDFILL	LAND/UNLN	LITTLETON	564	59	47.4	32.6
198804014	SPARTAN CONSOLIDATED	LAND/UNLN	LITTLETON	11	ND	ND	ND
198809007	FORMER LECLAIR PROPERTY	LAND/UNLN	LONDONDERRY	210	180	4.8	29
199208010	LOUDON LANDFILL/X-FER STATION	OLD DUMP	LONDONDERRY	48.9	12.6	ND	ND
198708009	MILFORD SLUDGE DISPOSAL LAND (WWTF)	LAND/UNLN	LOUDON	282	51.9	8.39	33.8
198403039	MADISON LANDFILL	LAND/UNLN	LOUDON	ND	ND	ND	ND
198403055	MANCHESTER MUNICIPAL LANDFILL	LAND/UNLN	MADISON	2.8	ND	ND	ND
198403071	MARLBOROUGH MUNICIPAL LANDFILL	LAND/UNLN	MANCHESTER	532	48.8	10	23.9
199103022	MARLOW MUNICIPAL LANDFILL	LAND/UNLN	MARLBOROUGH	28.4	34.4	ND	8.03
198403073	MERRIMACK TOWN LANDFILL	LAND/UNLN	MARLOW	139	1600	ND	6.6
198508002	HITCHINER MANUFACTURING LANDFILL	LAND/LN	MERIDITH	90	36	3.7	12
198708009	MILFORD SLUDGE DISPOSAL LAND (WWTF)	LAND/LN	MERRIMACK	2450	1400	20.4	107
198908012	MILFORD TRANSFER STATION	LAND/UNLN	MILFORD	4.8	ND	ND	ND
198403092	TOWN W W T P	LWW/LAG	MILFORD	60.3	78.8	6.37	15.4
198403093	MILTON TOWN LANDFILL	LAND/UNLN	MILFORD	47.8	34.4	2	27.7
198705087	FORMER MOULTONBOROUGH TOWN LANDFILL	LAND/UNLN	MILTON	ND	ND	ND	ND
198403099	FOUR HILLS LANDFILL NASHUA RECYCL CTR	LAND/UNLN	MILTON	10.9	25	ND	ND
			MILTON	277	601	19.4	342
			NASHUA	246	111	8.38	108

Table 2 – Solid Waste Facility
PFAS Water Quality Summary



NHDES SITE #	SITE NAME	PROJECT TYPE	TOWN	Max PFOA Detected (ng/L) AGQS = 12	Max PFOS Detected (ng/L) AGQS = 15	Max PFNA Detected (ng/L) AGQS = 11	Max PFHxS Detected (ng/L) AGQS = 18
198705083	SHADY LANE LANDFILL (FORMER ADS 309)	LAND/UNLN	NASHUA	59.3	47.7	ND	9.73
198904055	BLUE LINE EXPRESS (WEBSTER SQUARE)	LAND/UNLN	NASHUA	53.2	14.2	ND	11.7
200009057	NASHUA RIVERSIDE LANDFILL	LAND/UNLN	NASHUA	23.6	43.9	ND	5.14
200202018	ROUSSEL PARK	LAND/UNLN	NASHUA	253	ND	ND	11.4
200203021	LINCORN PARK/COUSEUM AVE. (FMR ADS 207)	LAND/UNLN	NASHUA	90.4	21.8	5.61	7.02
198404014	NEW BOSTON TRANSFER STATION	LAND/UNLN	NEW BOSTON	15.4	1.98	1.55	1.23
198811009	NEW DURHAM HIGHWAY DEPT	LAND/UNLN	NEW DURHAM	ND	ND	ND	ND
198404017	NEW IPSWICH TOWN LANDFILL	LAND/UNLN	NEW IPSWICH	719	206	104	156
198404020	NEW LONDON OLD TOWN LANDFILL	LAND/UNLN	NEW LONDON	39.5	42.3	2.7	2.2
198710013	NEW LONDON STUMP DUMP	LAND/UNLN	NEW LONDON	8.73	13.7	ND	ND
198806028	NEWBURY DEMO DEBRIS LANDFILL	LAND/UNLN	NEWBURY	48	240	1.9	150
198704049	NEWMARKET LANDFILL	LAND/UNLN	NEWMARKET	12	12	ND	4
198404027	NH/VT SOLID WASTE PROJECT	LAND/LN	NEWPORT	ND	ND	ND	ND
198705052	NEWPORT MUNICIPAL LANDFILL	LAND/UNLN	NEWPORT	35.7	20	ND	4.81
198908037	NEWPORT WWTF	LWW/LAG	NEWPORT	ND	ND	ND	ND
199101029	NEWTON MUNICIPAL LANDFILL	LAND/UNLN	NEWTON	101	111	ND	13.2
198704070	NORTHFIELD HIGHWAY GARRAGE	LAND/UNLN	NORTHFIELD	20.7	570	ND	262
198404034	PIKE INDUSTRIES INC 700	LAND/UNLN	NORTHFIELD	4	ND	ND	ND
198801023	GROVETON LANDFILL	LAND/UNLN	NORTHUMBERLAND	107	232	ND	300
199001014	NOTTINGHAM MUNICIPAL SOLID WASTE FAC	LAND/UNLN	NOTTINGHAM	2360	204	354	40.7
198809004	ORFORD LANDFILL	LAND/UNLN	ORFORD	55	12	6	7
198404045	OSSIPEE LANDFILL/INCINERATOR	LAND/UNLN	OSSIPEE	25.8	31	9.74	21.2
198404052	ROKETNETZ LANDFILL	LAND/UNLN	PELHAM	900	1700	150	92
198404049	PEMBROKE LANDFILL	LAND/UNLN	PEMBROKE	15.3	19.5	ND	4.65
198905054	ENIS PARCEL B SITE (OLD TOWN DUMP)	LAND/UNLN	PETERBOROUGH	39	87	ND	ND
198903064	PIERMON TOWN LANDFILL	LAND/UNLN	PETERBOROUGH	7.87	ND	ND	ND
199004019	PITTSBURG TRANSFER STATION LF	LAND/UNLN	PITTSBURG	ND	ND	ND	ND
198901008	SW INGIN & TRSER STA (BCEP)	LAND/UNLN	PITTSFIELD	12.8	10.8	ND	ND
199105022	MERIDEN WASTEWATER TREATMENT FACILITY	LWW/LAG	PLAINFIELD	9.53	6.9	ND	ND
198404078	PLYMOUTH INCINERATOR/ASH LF	LAND/UNLN	PLAINSTOW	47	170	5	13
198404087	JONES AVE LANDFILL & ASH CONTAINMENT	LAND/UNLN	PLYMOUTH	17.6	29.5	3.08	4.6
198404088	PSNH SCHILLER STATION	LAND/UNLN	PORTSMOUTH	32.5	20.8	ND	12.8
198808007	RANDOLPH LANDFILL OLD	LAND/UNLN	PORTSMOUTH	7.51	7.51	ND	ND
198404092	RAYMOND LANDFILL	LAND/UNLN	RANDOLPH	4	11	ND	ND
198705045	ROCHESTER LANDFILL	LAND/UNLN	RAYMOND	230	2000	7.1	150
198706006	TLR-II	LAND/LN	ROCHESTER	1100	311	24.9	148
198706010	TLR-I (PHASES I-IV)	LAND/LN	ROCHESTER	41	5.6	ND	ND
198808005	RUMNEY LANDFILL	LAND/UNLN	ROCHESTER	350	70	ND	ND
198704080	RYE GROVE ROAD LANDFILL	LAND/UNLN	RUMNEY	28.7	26.8	ND	7.48
198705029	RYE MUNICIPAL LANDFILL	LAND/UNLN	RYE	60.1	110	ND	25
198405024	LL & S LANDFILL	LAND/UNLN	RYE	67	36	21.8	14
198405030	SHANNON RD LANDFILL	LAND/UNLN	SALEM	680	530	55	230
198405034	SALISBURY TOWN LANDFILL	LAND/UNLN	SALEM	452	631	ND	50.3
198405036	SANBORNTON TOWN LANDFILL	LAND/UNLN	SALISBURY	22.1	ND	ND	ND
198405037	SANDWICH LANDFILL	LAND/UNLN	SANBORNTON	12.4	ND	ND	4.49
198910015	SHELburne LANDFILL	LAND/UNLN	SANDWICH	4.98	7.67	ND	ND
198405054	LAMPREY REGIONAL COOP/SLUDGE ASH LF	LAND/LN	SHELburne	7.93	12.1	ND	2.34
198405050	SPRINGFIELD POWER FMR HEMPHILL POWER	LWW/LAG	SOMERSWORTH	16	19.8	ND	10
198500040	STARK MUNICIPAL LANDFILL	LAND/UNLN	SPRINGFIELD	10.3	7.05	ND	ND
198705031	JAMES RIVER BARK PILE	LAND/UNLN	STARK	7.1	ND	ND	ND
198500020	STRAFFORD LANDFILL	LAND/UNLN	STRAFFORD	48.4	150	ND	9.63

Table 2 – Solid Waste Facility
PFAS Water Quality Summary



NHDES SITE #	SITE NAME	PROJECT TYPE	TOWN	Max PFOA Detected (ng/L) AGQS = 12	Max PFOS Detected (ng/L) AGQS = 15	Max PFNA Detected (ng/L) AGQS = 11	Max PFHxS Detected (ng/L) AGQS = 18
199102024	STRATFORD MUNICIPAL LANDFILL	LAND/UNLN	STRATFORD	ND	ND	ND	ND
198909004	STRATHAM LANDFILL	LAND/UNLN	STRATHAM	95.5	37.2	ND	66.1
198706016	MT CABBERRY LANDFILL	LAND/UN	SUCCESS	240	29.5	30.4	88.4
199103006	SUNAPEE LANDFILL	LAND/UNLN	SUNAPEE	306	148	78.8	18.3
199105015	W SWANZEY VILLAGE AREA WWTF	LWW/LAG	SWANZEY	ND	ND	ND	ND
198704017	TAMWORTH TOWN LANDFILL	LAND/UNLN	TAMWORTH	337	121	95.4	12.1
199101060	THORNTON LANDFILL	LAND/UNLN	THORNTON	ND	ND	ND	ND
198405081	TOWN OF TROY LANDFILL	LAND/UNLN	TROY	57	34	65	18
198405083	TUFTONBORO TOWN LANDFILL	LAND/UNLN	TUFTONBORO	173	13.5	13.3	45.8
198809016	UNITY MUNICIPAL LANDFILL	LAND/UNLN	UNITY	610	92	410	40
198704018	WAKEFIELD TOWN LANDFILL	LAND/UNLN	WAKEFIELD	610	124	130	66.1
198705026	WALPOLE LANDFILL	LAND/UNLN	WALPOLE	54.1	126	ND	15.1
199102030	WARREN DUMP #1	LAND/UNLN	WARREN	ND	ND	ND	ND
198806031	WASHINGTON LANDFILL	LAND/UNLN	WASHINGTON	14	27.7	ND	ND
198704005	WEARE LP/SEPTAGE LAG/TOWN GARAGE	LAND/UNLN	WEARE	7.41	8.19	ND	ND
199102031	WENTWORTH LANDFILL	LAND/UNLN	WENTWORTH	47.3	ND	ND	8.73
198806027	WESTMORELAND LANDFILL	LAND/UNLN	WESTMORELAND	82.3	145	ND	7.19
199105008	CHESHIRE COUNTY HOME WWTF & JAIL	LWW/LAG	WESTMORELAND	ND	ND	ND	ND
198406001	SEWAGE TREATMENT FAC	LWW/LAG	WHITEFIELD	ND	ND	ND	ND
198801018	DG WHITEFIELD LLC (FMR POWER & LIGHT CO)	LWW/LAG	WHITEFIELD	ND	ND	ND	ND
200111035	MOUNTAIN VIEW GRAND RESORT & SPA	LAND/UNLN	WHITEFIELD	74.4	47.8	41	8.6
199102009	WHITEFIELD LANDFILL	LAND/UNLN	WHITEFIELD	18.1	ND	ND	ND
198704087	WILTON SANITARY LANDFILL	LAND/UNLN	WILTON	20.7	12.3	ND	ND
198704085	WINCHESTER TOWN LANDFILL	LAND/UNLN	WINCHESTER	ND	ND	ND	ND
198801019	WINDHAM TOWN LANDFILL	LAND/UNLN	WINDHAM	17	10.5	ND	6.25
198406014	WOLFEBORO ASH LANDFILL	LAND/UNLN	WOLFEBORO	230	91	7.28	107
199101048	WOLFEBORO ABANDONED DUMP	LAND/UNLN	WOLFEBORO	13	13	ND	8.4

Notes:

1. Concentrations shown are in parts per trillion (ppt) or nanograms per liter (ng/L).
2. Cells that are shaded gray indicate an exceedance of the current Ambient Groundwater Quality Standards (AGQS) included in Env-Or 600 Contaminated Site Management.
3. NH's four regulated PFAS compounds include: perfluorooctanoic acid (PFOA), perfluorooctane sulfonic acid (PFOS), perfluorohexane sulfonic acid (PFHxS), and perfluorononanoic acid (PFNA).
4. 'ND' indicates the analyzed PFAS was not detected above the laboratory reporting limit.
5. Data represents highest concentration detected at the Site.

Table 3 – Hazardous Waste Remediation Sites
PFAS Water Quality Summary



NHDES SITE #	SITE NAME	PROJECT TYPE	TOWN	Max PFOA Detected (ng/L) AGQS = 12	Max PFOS Detected (ng/L) AGQS = 15	Max PFNA Detected (ng/L) AGQS = 11	Max PFHxS Detected (ng/L) AGQS = 18
199907011	IRVING OIL CORPORATION	HAZWASTE	ALTON	346	39500	47.4	2680
201605022	FORMER TCI FACILITY	HAZWASTE	AMHERST	5700	6	5	ND
201701004	CENTRAL PORTION OF HOWE DRIVE AREA	SITEEVALHW	AMHERST	965	29.8	ND	ND
201701005	SOUTHERN PORTION OF CALDWELL DRIVE AREA	SITEEVALHW	AMHERST	1090	13	ND	ND
200009045	LW PACKARD & CO INC	SITEEVALHW	ASHLAND	44.4	12.4	ND	ND
200210001	EMERY DRIVE SITE	HAZWASTE	ATKINSON	9.8	8.2	0.93	2.3
199707009	28 COMMERCIAL COURT (FMR & PRISCILLA LN)	HAZWASTE	AUBURN	3	ND	ND	ND
200602025	TIBBETTS ROAD DRUM SITE	CERCLA	BARRINGTON	2.46	2.71	ND	ND
199709046	NASHUA ROAD PROPERTY	HAZWASTE	BEDFORD	23.7	8.75	ND	ND
201703005	CHLOR ALKALI FACILITY (CROWN VANTAGE)	CERCLA	BERLIN	201	70.1	ND	8.99
198400061	FORMER SINCLAIR HOTEL PROPERTY	HAZWASTE	BETHLEHEM	ND	ND	ND	ND
198708008	ALLIED LEATHER CORP./QUEEN ST. LANDFILL	HAZWASTE	BOSCAWEN	ND	ND	ND	ND
198906062	FORMER GRAPHIC PACKAGING	HAZWASTE	BOW	8.1	5.49	ND	ND
200610095	ROCKINGHAM COUNTY COMPLEX	HAZWASTE	BRENTWOOD	3800	46000	4500	15000
198706012	OMNI TECHNOLOGIES CORPORATION	HAZWASTE	BRENTWOOD	ND	ND	ND	ND
199902022	FREUDENBERG NOK	HAZWASTE	BRISTOL	2510	162	48.3	75.2
198400091	FMR BEEBE RIVER MILL LAGOON	HAZWASTE	CAMPTON	ND	ND	ND	ND
199601023	BARNEY BASS COMPANY	HAZWASTE	CLAREMONT	1.4	1.3	ND	ND
200308070	FORMER SYNERGY GAS (ALLSTAR GAS)	HAZWASTE	CLAREMONT	19	62	ND	98
200911039	T BIRD MINI MART	HAZWASTE	CLAREMONT	6	4	ND	ND
201805030	101 MULBERRY STREET PROPERTY	HAZWASTE	CLAREMONT	7.46	9.38	4.56	2.85
198401012	NORTH ST AND WASHINGTON ST AREA	SITEEVALHW	CLAREMONT	19	62	ND	ND
198605043	BEDE ELECTRICAL INSTRUMENTS	HAZWASTE	CONCORD	1.93	3.39	ND	ND
199104009	FORMER ALLIED LEATHER TANNERY	HAZWASTE	CONCORD	18	57	0.9	8.9
199212014	ELECTROPAC WORLDWIDE (FMR VISHAY SPRAGUE)	HAZWASTE	CONCORD	12.8	158	ND	16.2
199811043	FORMER JOHNSON & DIX BULK FUEL	HAZWASTE	CONCORD	2.9	12	ND	3.9
200011034	EXIT 13 COAL TAR POND	HAZWASTE	CONCORD	21.8	3.6	ND	2.88
201710012	DOT GULLY HILL STORAGE SHED	HAZWASTE	CONCORD	9.86	42.4	ND	52.4
198708002	CONCORD CLEANERS	HAZWASTE	CONCORD	67.9	133	21.2	9.55
199101011	RICHARD FLYNN FIRE ACADEMY	HAZWASTE	CONCORD	2200	35000	25000	5100
199110087	96 W PORTSMOUTH ST PROPERTY	H2O SAMPHW	CONCORD	ND	ND	ND	ND
198401037	KEARSARGE METALLURGICAL CORP	CERCLA	CONWAY	20	2.9	2	2.9
200109011	WHITE MOUNTAIN LAUNDRY & DRY CLEANERS	HAZWASTE	CONWAY	6.11	ND	ND	ND
201802004	FORMER NH MARBLE & FIBERGLASS	HAZWASTE	DERRY	45	530	ND	37
198401046	HADCO PRINTED CIRCUIT	HAZWASTE	DERRY	170	850	6.9	150
198705067	WEBER AUTO & TRUCK PARTS INC	HAZWASTE	DERRY	133	640	8	140
200701022	24 SCOBIE POND ROAD PROPERTY	SITEEVALHW	DERRY	59	24	2	38
198401047	FMR ELLIOTT & WILLIAMS ROSES	HAZWASTE	DOVER	42.3	110	ND	10.5
198705067	DOVER GAS WORKS	HAZWASTE	DOVER	200	23	78	21
198705067	ELECTROCRRAFT NEW HAMPSHIRE	HAZWASTE	DOVER	ND	ND	ND	ND
198803019	85 INDUSTRIAL PARK I LLC	HAZWASTE	DOVER	13.5	5.76	ND	1.84
198907059	DOVER LANDFILL SUPERFUND SITE	CERCLA	DOVER	110	32	10	34
199011005	ONE WASHINGTON CENTER INC	HAZWASTE	DOVER	28.1	101	9.7	8.52
199202044	HEIDELBERG WEB SYSTEMS INC (FAMILY HARRIS)	HAZWASTE	DOVER	9.7	5.9	2	3.1
199203042	DOVER PUBLIC WORKS GARAGE	HAZWASTE	DOVER	320	16	53	5
200410018	MOORE BUSINESS EQUIPMENT (FORMER)	HAZWASTE	DOVER	8.3	6.77	ND	25.3
200701053	16 INDUSTRIAL PARK DRIVE LLC	HAZWASTE	DOVER	7.56	29.5	ND	ND
200707072	COCHOCO PARK	HAZWASTE	DOVER	12.5	74.5	ND	ND
198710024	VARNEY'S CLEANERS	HAZWASTE	DOVER	6.46	11.6	ND	5.01
199812012	KEEFE ENVIR.	CERCLA	EPPING	260	25	ND	6.4
	BUXTON OIL CO INC	HAZWASTE	EPPING	4.8	28	ND	ND

Table 3 – Hazardous Waste Remediation Sites
PFAS Water Quality Summary



NHDES SITE #	SITE NAME	PROJECT TYPE	TOWN	Max PFOA Detected (ng/L) AGQS = 12	Max PFOS Detected (ng/L) AGQS = 15	Max PFNA Detected (ng/L) AGQS = 11	Max PFHxS Detected (ng/L) AGQS = 18
198401083	TEXTRON'S CARDINAL LANDFILL	HAZWASTE	FARMINGTON	6.42	5.44	ND	2.38
198603048	UNION TELEPHONE COMPANY	HAZWASTE	FARMINGTON	16.4	11.6	ND	3
200009052	MEADOWOOD ASSEMBLY HALL	HAZWASTE	FITZWILLIAM	35	1100	ND	370
198705001	ACME STAPLE COMPANY	HAZWASTE	FRANKLIN	ND	ND	ND	ND
199306026	FRANKLIN FIRE STATION	HAZWASTE	FRANKLIN	480	10000	480	1500
201704004	FMR CIAO PASTA	SITEVALHW	FRANKLIN	120	200	16	76
198402001	GILFORD FIRE TRAINING SITE	HAZWASTE	GILFORD	6.1	85.1	ND	ND
200411113	LOWER LIBERTY HILL ROAD SITE	HAZWASTE	GILFORD	ND	ND	ND	ND
198908003	NUTTER CONSTRUCTION	HAZWASTE	GILMANTON	4.51	ND	ND	ND
200110023	FORMER GOFFSTOWN DPW GARAGE	HAZWASTE	GOFFSTOWN	8.6	2.5	1.8	1.5
201705038	FLETCHER MOUNTAIN - 14 DEPOT ST	SITEVALHW	GOFFSTOWN	130	680	15	160
200001038	JOHNSON AND JOHNSTON ASSOCIATES, INC.	HAZWASTE	HAMPSTEAD	11	45	ND	7
198804018	HAMPTON FOREIGN AUTO	HAZWASTE	HAMPTON	22	52	3	ND
198904009	HAMPTON MAIN TOLL PLAZA	HAZWASTE	HAMPTON	12	2	ND	ND
201811034	610 LAFAYETTE ROAD	HAZWASTE	HAMPTON	26	31	4.9	2.3
200007006	HANCOCK FORMER DUMP SITE	HAZWASTE	HANCOCK	5.07	140	ND	25.7
198802009	HANOVER CONSUMERS COOP SOCIETY	HAZWASTE	HANOVER	40	8.4	7.2	6.5
199101025	COLD REGIONS RESEARCH & ENGINEERING LAB	HAZWASTE	HANOVER	8.2	5.9	1.8	10
199705006	HYPERTHERM INC	HAZWASTE	HANOVER	6	16	ND	ND
201111109	RENNIE FARM PROJECT	HAZWASTE	HANOVER	ND	ND	ND	ND
198904023	EVERSOURCE ENERGY (FMR PSNH)	HAZWASTE	HILLSBOROUGH	434	235	161	7.88
199104013	CONTINENTAL INDUSTRIES	HAZWASTE	HINSDALE	2.74	ND	ND	ND
199606069	MCGOLDRICK PAPER CO INC	SITEVALHW	HINSDALE	23.6	280	13	ND
198709008	GE AVIATION	HAZWASTE	HOOKSETT	11.3	8.88	ND	4.37
199120027	AUTO WHOLESALER OF HOOKSETT/NAULT SUBARU	HAZWASTE	HOOKSETT	61.1	13.5	ND	6.32
199407009	FORMER AL LAMBERT'S GARAGE	HAZWASTE	HOOKSETT	135	1080	21	840
201801035	MARTIN'S FERRY	HAZWASTE	HOOKSETT	560	ND	ND	81
198708005	MARKLIN CANDLE CO FMR AEROTRONIC FAC	HAZWASTE	HOPKINTON	221	1530	14.2	497
198402070	BURNS HILL RD SITE	HAZWASTE	HUDSON	ND	ND	ND	ND
198805019	COMPUTER OPTICS	HAZWASTE	HUDSON	41	54	ND	6
198806099	HUDSON LANDFILL (BURNS HILL RD)	HAZWASTE	HUDSON	63.7	28.5	ND	4.16
199805041	MELBA BURTON PROPERTY	HAZWASTE	HUDSON	7.94	ND	ND	ND
198708007	WW GROSS TACK PILE	HAZWASTE	JAFFREY	2.6	14	ND	7.4
199108021	HADLEY PROPERTIES	HAZWASTE	JAFFREY	ND	ND	ND	ND
199908001	FMR BISSIERE PROPERTY (ELITE LAUNDRY)	HAZWASTE	JAFFREY	16	110	1.6	13
198402080	FINDINGS INC.	HAZWASTE	KEENE	7.75	3.03	ND	ND
198801029	CENTRAL SCREW/KEENE MILL	HAZWASTE	KEENE	ND	14.6	ND	18
198909019	FORMER ZINN'S BOWLING LANES	HAZWASTE	KEENE	7	ND	ND	6
198910006	TIMKEN SUPER PRECISION	HAZWASTE	KEENE	ND	6.13	ND	ND
199101014	MAIN STREET SUNOCO	HAZWASTE	KEENE	ND	ND	ND	ND
199103010	RIVERSIDE PLAZA	HAZWASTE	KEENE	9.73	5.93	ND	3.47
199412009	PSNH 227 EMERALD ST	HAZWASTE	KEENE	10	5.9	0.91	2
199802052	PEOPLES LAUNDRY INC	HAZWASTE	KEENE	12	23	ND	4
200104006	AUBUCHON/MARTIAL ARTS CENTER	HAZWASTE	KEENE	27.5	8.44	ND	ND
200108004	ACHILLE AGWAY	HAZWASTE	KEENE	8.5	2.6	1.1	2.6
200401019	COLONY MILL MARKETPLACE	HAZWASTE	KEENE	ND	ND	ND	ND
201310007	32 WASHINGTON STREET SITE	HAZWASTE	KEENE	97.6	30.1	ND	21.1
199004006	OTTATI & GOSS/GREAT LAKES CONTAINER CORP	CERCLA	KINGSTON	3200	4750	28.8	61.8
199103103	KINGSTON FIRE DEPT	HAZWASTE	KINGSTON	400	110	130	32
198910016	FRED FULLER OIL CO INC (FMR ELECTRO-CIR)	HAZWASTE	LACONIA	150	180	2.2	470
199312038	MESSER STREET COAL TAR SITE	HAZWASTE	LACONIA	18	8.1	960	4.4
199506014	BARON MACHINE COMPANY	HAZWASTE	LACONIA	2	ND	ND	ND

Table 3 – Hazardous Waste Remediation Sites
PFAS Water Quality Summary



NHDES SITE #	SITE NAME	PROJECT TYPE	TOWN	Max PFOA Detected (ng/L) AGQS = 12	Max PFOS Detected (ng/L) AGQS = 15	Max PFNA Detected (ng/L) AGQS = 11	Max PFHxS Detected (ng/L) AGQS = 18
199906039	LAKES REGION LINEN	HAZWASTE	LACONIA	14	160	5	5
200404044	FORMER VERNITRON PROPERTY	HAZWASTE	LACONIA	5.86	7.6	ND	ND
201207059	FMR ABC FABRICATORS, INC.	HAZWASTE	LACONIA	15.7	27.1	ND	ND
198705054	TIMKEN AEROSPACE (FMR SPLIT BALLBEARING)	HAZWASTE	LEBANON	4.94	18.7	ND	ND
199204007	BOND OPTICS	HAZWASTE	LEBANON	14	ND	110	ND
199501031	BONNIE PLANTS (FORMERLY JOLLY FARMER)	SITEEVALHW	LEMPSTER	2.28	3.55	ND	ND
198902003	FMR FRAMATOME CONNECTORS USA(BURNDY LLC)	HAZWASTE	LINCOLN	61.2	296	31.2	37.8
198705068	PLAZA 28	HAZWASTE	LONDONDERRY	33	27	ND	9.7
198802020	FLIGHT ONE OWNERS ASSOC. SITE	HAZWASTE	LONDONDERRY	52.4	17.2	2.68	11.8
198803007	AUBURN ROAD LANDFILL	CERCLA	LONDONDERRY	201	38.9	6.16	14.4
199004008	TINKHAM'S GARAGE	CERCLA	LONDONDERRY	831	592	15.8	97
200009020	TOWN OF LONDONDERRY (FORMER LAMONT LABS)	HAZWASTE	LONDONDERRY	77.6	9.13	ND	6.13
200410259	MANCHESTER AIRPORT SOUTH REGIONAL	HAZWASTE	LONDONDERRY	180	35	3	280
201501009	COOKSON ELECTRONICS	HAZWASTE	LONDONDERRY	147	1310	14.9	1.26
201610174	IMPACTED WATER SUPPLY WELLS	HAZWASTE	LONDONDERRY	29.9	44.2	2.94	3.02
201708017	MAMMOTH ROAD AREA PFAS DETECTS	H2O SAMPHW	LONDONDERRY	117	118	6.64	20.5
201803016	APPLETREE MALL	HAZWASTE	LONDONDERRY	401	164	568	27
198909017	SANBORN ROAD AREA SITE	HAZWASTE	LONDONDERRY	117	377	ND	1540
198705022	NH MOTOR SPEEDWAY	HAZWASTE	LOUDON	38.7	240	31.1	229
198403040	NE METAL RECYCLING (FMR MADBURY METALS)	HAZWASTE	MADBURY	1700	1440	99.8	630
198403058	UNIVERSITY CENTER AS (AMOSKEAG MACHINE)	HAZWASTE	MANCHESTER	24	15.7	ND	8.15
198612003	RR DONNELLEY CO FMR MOORE BUSINESS FORMS	HAZWASTE	MANCHESTER	129	35.1	7.07	11.5
198904041	E & R LAUNDRY	HAZWASTE	MANCHESTER	87	160	7.6	46
198912008	ALTEX UNIFORM RENTAL SERVICE INC	HAZWASTE	MANCHESTER	120	1800	29	88
199307019	JCM MANAGEMENT	HAZWASTE	MANCHESTER	15.2	39.3	ND	11.9
199310024	MILL WEST FMR ELBES ASSOCIATES	HAZWASTE	MANCHESTER	500	674	15.9	89.9
199402007	RAY'S CHEVRON STATION	SITEEVALHW	MANCHESTER	28	10	ND	11
199702009	MANCHESTER PLACE	HAZWASTE	MANCHESTER	34.4	14.6	ND	ND
199712026	122 MCGREGOR STREET	HAZWASTE	MANCHESTER	11	14	ND	18
200102004	MANCHESTER TRANSIT AUTHORITY	HAZWASTE	MANCHESTER	24	10	ND	8.1
200305008	SUNSHINE FABRICARE	HAZWASTE	MANCHESTER	33.5	ND	ND	6.95
201808024	COMCAST OF NEW HAMPSHIRE	HAZWASTE	MANCHESTER	42	74	2.4	220
201610173	CINTAS CORP - 341 TAYLOR ST FACILITY	HAZWASTE	MANCHESTER	150	2	ND	6.5
198403080	JOHN PERKINS ELEMENTARY SCHOOL	H2O SAMPHW	MARLOW	ND	67	ND	23
198406030	LONGA DISPOSAL AREA	SITEEVALHW	MERRIMACK	130	8.7	0.8	7
198611001	MERRIMACK WELL #6 & #7 VILLAGE H2O DIST	CERCLA	MERRIMACK	196	8.68	3.4	15
198711006	NASHUA CORP	SITEEVALHW	MERRIMACK	99	85	ND	5.3
198901022	HARGOS CHEMICAL GROUP	HAZWASTE	MERRIMACK	90	2000	4.2	10
199712055	SAINT GOBAIN PERFORMANCE PLASTICS	HAZWASTE	MERRIMACK	120	12	ND	3.5
201610175	TROWBRIDGE DR AREA PFC DETECTS	HAZWASTE	MERRIMACK	69500	2560	2960	200
198506001	FLETCHERS PAINT/ELM STREET	SITEEVALHW	MERRIMACK	35	100	ND	4
198506002	FLETCHERS PAINT/MILL STREET SITE	CERCLA	MILFORD	7.27	14.7	ND	8.68
199109008	OK TOOL CO (OU-1)	CERCLA	MILFORD	11	3.11	ND	1.15
199202008	SPEAR NH (FORMERLY GAR-DOC)	CERCLA	MILFORD	ND	ND	ND	ND
19810020	OLD MILTON DUMP	HAZWASTE	MILFORD	11	60	ND	ND
198106005	CAMP WINALUKE	HAZWASTE	MILTON	30.2	96.9	ND	9.34
198404000	ELEKSYS INTERNATIONAL INC	HAZWASTE	MOULTONBOROUGH	1.97	2.53	ND	ND
198404001	FIMBEL DOOR (GRANITE ST LEATHER)	HAZWASTE	NASHUA	46.4	60.7	13	3.2
198406029	ACT (FORMER SHELDHAL, FORMER IRI)	HAZWASTE	NASHUA	16.2	3.61	ND	ND
198603002	GILSON ROAD SITE	HAZWASTE	NASHUA	15	37	ND	ND
	BRONZE CRAFT CORP	CERCLA	NASHUA	470	1190	11.1	7.43
		HAZWASTE	NASHUA	19	5	0.54	25

Table 3 – Hazardous Waste Remediation Sites
PFAS Water Quality Summary



NHDES SITE #	SITE NAME	PROJECT TYPE	TOWN	Max PFOA Detected (ng/L) AGQS = 12	Max PFOS Detected (ng/L) AGQS = 15	Max PFNA Detected (ng/L) AGQS = 11	Max PFHxS Detected (ng/L) AGQS = 18
198604324	FAB BRAZE CORP	HAZWASTE	NASHUA	39	4.02	ND	ND
198605230	CLOCKTOWER PLACE	HAZWASTE	NASHUA	46	38	12	4
198704027	HAMPSHIRE CHEMICAL CORP	HAZWASTE	NASHUA	28	24	ND	ND
198904062	GL & V PULP GROUP (FMR INGERSOLL-RAND)	HAZWASTE	NASHUA	20	59	0.68	4.3
199410039	NASHUA MOTOR EXPRESS INC	HAZWASTE	NASHUA	120	80	3.6	110
199612010	FORMER KOLLSMAN FACILITY	HAZWASTE	NASHUA	ND	ND	ND	ND
199810022	ENERGY NORTH NATURAL GAS	HAZWASTE	NASHUA	15	9.5	ND	5.3
200409215	SCRAP METALS, INC.	HAZWASTE	NASHUA	370	560	77	66
200807038	323 DANIEL WEBSTER HIGHWAY	HAZWASTE	NASHUA	242	405	18.5	68.6
198710027	NEW BOSTON AIR FORCE STATION	HAZWASTE	NEW BOSTON	150	260	17	110
198605228	NEW LONDON CLEANERS INC	HAZWASTE	NEW LONDON	ND	ND	ND	ND
199505034	NEWFIELDS LIGHT INDUSTRIAL PRK	HAZWASTE	NEWFIELDS	4.1	2.7	ND	ND
198404025	PAFB REMEDIATION UST GENERAL	HAZWASTE	NEWINGTON	130000	490000	290	31000
198705051	SPRAGUE - RIVER ROAD TERMINAL	HAZWASTE	NEWINGTON	8.2	ND	ND	ND
199001012	DEFENSE FUELS	HAZWASTE	NEWINGTON	453	2380	133	313
198708011	FMR ESSEX MILLS	HAZWASTE	NEWMARKET	7.73	13.1	ND	ND
201708036	41 EXETER RD. SITE	HAZWASTE	NEWMARKET	78	50	1.8	330
199805019	AMBARGIS PROPERTY	HAZWASTE	NEWPORT	2.36	2.92	ND	ND
200104007	STURM RUGER & CO INC (FMR DORR MILL)	HAZWASTE	NEWPORT	1860	16	373	ND
198712001	COAKLEY LANDFILL	GERCLA	NORTH HAMPTON	1240	55.8	774	110
198906065	PROWASH CARWASH AND LUBE	HAZWASTE	NORTH HAMPTON	188	44.9	102	41
201904026	227/227A ATLANTIC AVENUE AREA SITE	SITEEVALHW	NORTH HAMPTON	110	660	2	290
200006031	WYMAN-GORDON INV CASTINGS INC	HAZWASTE	NORTHFIELD	18.1	90.6	13.3	ND
198404038	HARDING METALS	HAZWASTE	NORTHWOOD	334	1030	22.9	83.1
198404058	BROWN'S SEPTAGE PITS	HAZWASTE	PETERBOROUGH	61	120	ND	ND
198404060	SOUTH MUNICIPAL WELL STUDY	GERCLA	PETERBOROUGH	4.29	8.33	ND	ND
198404061	PITTSFIELD WEAVING (FRMLY CAMBION)	HAZWASTE	PITTSFIELD	9	125	ND	ND
199710020	PITTSFIELD PUBLIC WORKS DEPT	SITEEVALHW	PITTSFIELD	5.53	1.86	ND	0.7
201612039	FRESE PROPERTIES INC	SITEEVALHW	PITTSFIELD	24.6	5.22	ND	2.31
198404067	STATE LINE PLAZA	HAZWASTE	PLAISTOW	61	35	4.3	5.3
198404068	BEDE WASTE OIL CORP(AKA CASH OIL SALES)	GERCLA	PLAISTOW	410	1700	11	600
198404076	CHART INDUSTRIES	HAZWASTE	PLAISTOW	6.32	ND	ND	2.97
198404081	ALLTEX UNIFORM/COLONIAL SERVICES	HAZWASTE	PORTSMOUTH	160	800	13	30
198905023	PLAZA 800	HAZWASTE	PORTSMOUTH	100	200	13	4.2
199408047	FORMER COUNTRY MOTOR SALES	SITEEVALHW	PORTSMOUTH	15	200	ND	66
199006049	FORMER PHILIP SINGER REVOCABLE TRUST	HAZWASTE	PORTSMOUTH	27	11	4.1	3.9
199605033	PORTSMOUTH USED CAR CENTER	HAZWASTE	PORTSMOUTH	29.4	60.6	ND	ND
199801091	BENGAL CLEANERS FACILITY	HAZWASTE	PORTSMOUTH	7.9	2.59	10.2	3.91
200512019	WENTWORTH SCRAP METAL PROPERTY	HAZWASTE	PORTSMOUTH	27.3	78.7	3.9	23.1
201005026	150 MIROMA ROAD PROPERTY	SITEEVALHW	PORTSMOUTH	47.9	119	4.7	12.8
201010003	FMR BOURNIVAL KIA SITE	HAZWASTE	PORTSMOUTH	17	25	3	4
201801004	HANSCOM'S TRUCK STOP, INC.	HAZWASTE	PORTSMOUTH	6	7.4	2	10
198704094	WOTTOLO WASTE SITE	GERCLA	RAYMOND	480	180	12	89
198705081	FORMER REGIS TANNERY (AKA REX LEATHER)	HAZWASTE	RAYMOND	1230	2410	4.31	769
201110061	FORMER REGIS TANNERY - LOT 120	HAZWASTE	RAYMOND	ND	ND	ND	ND
199108024	DICK POULIN CHEVROLET OLDS	SITEEVALHW	ROCHESTER	69	270	8.8	11
198405005	GONIC MILL	HAZWASTE	ROCHESTER	11.5	16.7	ND	ND
198405009	LYDALL INC	HAZWASTE	ROCHESTER	21000	7600	320	2400
199705019	OFF PRICE OUTLET STORE	SITEEVALHW	ROCHESTER	64	470	2.9	14
199306038	SWD PROPERTY MANAGEMENT PARCEL	HAZWASTE	ROCHESTER	ND	ND	ND	ND
199611022	PEIRCE FORD	HAZWASTE	ROCHESTER	100	1100	2.3	67
200309133	FMR ADVANCED RECYCLING	HAZWASTE	ROCHESTER	63	17	2.1	21

Table 3 – Hazardous Waste Remediation Sites
PFAS Water Quality Summary



NHDES SITE #	SITE NAME	PROJECT TYPE	TOWN	Max PFOA Detected (ng/L) AGQS = 12	Max PFOS Detected (ng/L) AGQS = 15	Max PFNA Detected (ng/L) AGQS = 11	Max PFHxS Detected (ng/L) AGQS = 18
198909002	JANCO	HAZWASTE	ROLLINSFORD	14	18.9	ND	ND
200101009	FOYE'S CORNER MARKET & VACANT PARCEL	HAZWASTE	RYE	39.5	7.36	ND	3.06
200108010	DAISY CLEANERS	HAZWASTE	SALEM	80.5	439	23.4	17.9
198405033	OLD SALEM WASTEWATER FACILITY	HAZWASTE	SALEM	209	337	8.32	46.6
199309056	KEY PACKAGING INDUSTRIES CORP	HAZWASTE	SALEM	24.5	12.5	10.4	3.66
198405027	KEEWAYDIN DRIVE	HAZWASTE	SALEM	62.6	13.2	3.06	13
201812014	23 BUS ROAD SITE	HAZWASTE	SALEM	67.4	45	5.82	8.09
201907031	SHADOW LAKE RD / DOIRON RD AREA SITE	H2O SAMPHW	SALEM	68	23	4.2	5.7
199202001	FOGG AUTO SALVAGE PROPERTY	HAZWASTE	SEABROOK	18.7	26	ND	ND
198405038	KJ QUINN & CO INC	HAZWASTE	SEABROOK	11.1	4.2	ND	ND
198705069	DDR SEABROOK (FORMER VENTURE INDUSTRIES)	HAZWASTE	SEABROOK	4.6	2.3	1.1	ND
199211045	139 FOLLY MILL RD	HAZWASTE	SEABROOK	3.22	3.11	ND	ND
198405055	SOMERSWORTH SANITARY LANDFILL	CERCLA	SOMERSWORTH	280	108	24.1	34.9
200411112	BRETTON CLEANERS PROPERTY	HAZWASTE	SOMERSWORTH	52.9	16.5	3.06	13.7
198705075	ANTIQUE REPAIR COMPANY	HAZWASTE	STRATHAM	85	57	5.9	ND
199507007	STRATHAM FIRE DEPT	DOHERTY	STRATHAM	84.1	206	2.11	222
199901071	T BIRD MINI MART	SITEEVAL	SWANZEY	4	4	ND	3
199106008	BIG APPLE CONVENIENCE STORE	HAZWASTE	TILTON	15	ND	ND	ND
198405082	TROY MILLS ROCKWOOD BROOK LANDFILL	CERCLA	TROY	2140	10.9	57.3	22.5
199607014	PAK 2000	HAZWASTE	TUFTONBORO	108	2190	54	729
199806071	CENTRAL PLATING & CO.	HAZWASTE	WALPOLE	1070	7080	0.72	806
199103001	WS PACKAGING GROUP INC FMR LABEL ART	HAZWASTE	WILTON	2.7	2.4	ND	ND
198406006	A.C LAWRENCE LEATHER	HAZWASTE	WINCHESTER	95.8	212	ND	17.6
200110005	WINDHAM MARINE SITE	HAZWASTE	WINDHAM	17.9	ND	ND	5.89
201704035	CENTRAL METAL FINISHING	HAZWASTE	WINDHAM	32.7	700	4.28	8
201709003	WINDHAM SR. CENTER AREA	HAZWASTE	WINDHAM	61	160	6.8	274
199408043	WOLFEBORO POWER EQUIPMENT INC.	SITEEVALHW	WOLFEBORO	5.66	20.6	ND	ND

Notes:

1. Concentrations shown are in parts per trillion (ppt) or nanograms per liter (ng/L).
2. Cells that are shaded gray indicate an exceedance of the current Ambient Groundwater Quality Standards (AGQS) included in Env-Or 600 Contaminated Site Management.
3. NH's four regulated PFAS compounds include: perfluorooctanoic acid (PFOA), perfluorooctane sulfonic acid (PFOS), perfluorohexane sulfonic acid (PFHxS), and perfluorononanoic acid (PFNA).
4. 'ND' indicates the analyzed PFAS was not detected above the laboratory reporting limit.
5. Data represents highest concentration detected at the Site.



Table 4 – Oil Remediation Sites
PFAS Water Quality Summary

NHDES SITE #	SITE NAME	PROJECT TYPE	TOWN	Max PFOA Detected (ng/L) AGQS = 12	Max PFOS Detected (ng/L) AGQS = 15	Max PFNA Detected (ng/L) AGQS = 11	Max PFHxS Detected (ng/L) AGQS = 18
198402084	JOHNS TRUCK & AUTO	ETHER	KINGSTON	7.23	5.84	ND	3.98
198605555	FMR. HUNT'S AUTO REPAIR	ETHER	FRANCONIA	127	200	12.5	39.3
198903004	FORMER FLUFFYS CONVENIENCE STORE	LUST	TILTON	2.4	5.4	1.5	2
199203034	MOBIL 13052	ETHER	LEE	28	38	ND	ND
199209012	N HAVERHILL CONV INC FMR GARYS FUEL	MOST	HAVERHILL	376	ND	ND	745
199210004	WAKEFIELD GENERAL STORE INC	ETHER	WAKEFIELD	4.27	4.3	ND	ND
199312032	BROOKSIDE MINI MART	LUST	WILTON	7.36	13.2	ND	ND
199409033	ALTON IRVING BULK TERMINAL	LAST	ALTON	31.5	240	4.48	72
199502055	YEATON OIL CO INC	LAST	PLYMOUTH	ND	ND	ND	ND
199503033	LAMPREY BROS BULK STORAGE	FUEL	NORTH HAMPTON	110	660	2	290
199506011	FORMER MIDWAY EXCAVATORS INC	MOST	SOUTH HAMPTON	16	11.8	2.46	2.76
199607056	ROWELL AND WATSON CO INC	LAST	ROLLINSFORD	8.23	3.94	2.38	ND
200009053	ESSLINGER OIL UNDERCOATING	MOST	ALSTEAD	ND	5.25	ND	ND
200203023	BROOKS PROPERTY	ETHER	WINDSOR	9.2	36	1.5	20
200203024	TRI-STATE CAR CRUSHING (FRMR BROOKS PROP	ETHER	LEMPSTER	3	6	ND	ND
200309090	KAPOTIS PROPERTY	LAST	HAVERHILL	ND	24	ND	ND
200412055	TIM & JONIS TOWING/AUTO RECYCLING	ETHER	EPHING	8.2	3.1	ND	17
200702049	MAJESTIC MOTORS	ETHER	MERRIMACK	650	34	10	42
201410048	SILVER RESIDENCE	OPUF	GILFORD	ND	ND	ND	ND
201507027	FARAN PROPERTY	OPUF	BRIDGEWATER	5.35	ND	ND	ND
201507028	MARGIANO RESIDENCE	OPUF	HAMPSTEAD	6.03	ND	ND	2.04
201612036	P & H TRANSPORTATION TANKER SPILL	SPILL/RLS	LONDONDERRY	278	18.6	15.9	21.3
201701036	CULLEN RESIDENCE	OPUF	DOVER	39	16	3.7	6.2
201703001	JANVRIN PROPERTY	OPUF	BARTLETT	ND	ND	ND	ND

Notes:

- Concentrations shown are in parts per trillion (ppt) or nanograms per liter (ng/L).
- Cells that are shaded gray indicate an exceedance of the current Ambient Groundwater Quality Standards (AGQS) included in Env-Or 600 Contaminated Site Management.
- NH's four regulated PFAS compounds include: perfluorooctanoic acid (PFOA), perfluorooctane sulfonic acid (PFOS), perfluorohexane sulfonic acid (PFHxS), and perfluorononanoic acid (PFNA).
- 'ND' indicates the analyzed PFAS was not detected above the laboratory reporting limit.
- Data represents highest concentration detected at the Site.

Table 5 – Groundwater Discharge Permit Sites
PFAS Water Quality Summary



NHDES SITE #	SITE NAME	PROJECT TYPE	TOWN	Max PFOA Detected (ng/L) AGQS = 12	Max PFOS Detected (ng/L) AGQS = 15	Max PFNA Detected (ng/L) AGQS = 11	Max PFHxS Detected (ng/L) AGQS = 18
198400008	CEDAR COVE SEPTIC	SEPTIC	ALTON	55	ND	ND	ND
200506037	MEADOW BROOK CROSSING	SEPTIC	AMHERST	52	ND	ND	ND
199705002	ASHLA WWTF UWW LAGOON	UWW/LAG	ASHLA	11	13.7	13.6	ND
200011029	ATKINSON COUNTRY CLUB	SPRAYIRR	ATKINSON	17.8	ND	ND	ND
200403086	BLUEBERRY STATION CAR WASH	SEPTIC	BARNSTEAD	5.13	9.82	ND	ND
199008008	WIMNF HARTS LOCATION	RIB	BARTLETT	ND	ND	ND	ND
198812003	STILLINGS GRANT	SEPTIC	BARTLETT	ND	ND	ND	ND
199009032	STORYLAND	SEPTIC	BARTLETT	2.73	ND	ND	ND
199512013	GRAND SUMMIT AT ATTITASH	SEPTIC	BARTLETT	ND	5	ND	ND
198400051	MONADNOCK PAPER MILL	UWW/LAG	BENNINGTON	8.7	6.7	ND	ND
19910510	GLENCLEIFF HOME	SEPTIC	BENTON	5.24	36.8	4.49	ND
199105012	MERRIMACK COUNTY COMPLEX UWW LAGOON	UWW/LAG	BOSCAMEN	9.9	4.7	ND	ND
198906062	ROCKINGHAM COUNTY COMPLEX SPRAY IRRIG	SPRAYIRR	BRENTWOOD	11	ND	ND	ND
198711013	CANAAN WWTF	RIB	CANAAN	8.2	ND	ND	ND
198400085	BRETTON WOODS RIB	RIB	CARROL	16.9	12.2	ND	ND
198710018	MT WASHINGTON HOTEL RESORT	RIB	CARROL	9.14	4.6	ND	ND
199105007	CHARLESTOWN WWTF	UWW/LAG	CHARLESTOWN	17.4	72.2	9.63	ND
198907055	NORTH CONWAY RIB	RIB	CONWAY	27.4	292	6.71	178
198912004	CONWAY VILLAGE FIRE DISTRICT	UWW/LAG	CONWAY	16.2	10.9	5.1	ND
198706001	DERRY UWW LAGOON	UWW/LAG	DERRY	38.1	119	9.88	7.66
198401040	BALSAMS UWW LAGOON	UWW/LAG	DIXVILLE	8.76	ND	ND	ND
198401070	EPPING WWTF	UWW/LAG	EPPING	61.1	34.4	35.3	ND
198401079	EXETER WWTF UWW/LAG	UWW/LAG	EXETER	75	54.4	8.1	18
200012033	FARMINGTON RIB SITE MW-14	RIB	FARMINGTON	19.9	5	5.63	5.13
198908055	GORHAM PAPER MILL UWW LAGOONS	UWW/LAG	GORHAM	21.4	43	ND	5.13
198801026	EASTMAN	UWW/LAG	GRANTHAM	5	7	ND	ND
198708004	GROTTCHED MTN REHAB - TRENCH SEPT PLUS DRIP	SEPTIC	GREENFIELD	3.38	ND	ND	ND
200403117	GROVETON WWTF	UWW/LAG	GROVETON	9.53	12	4.5	ND
199807009	SARGENT CAMP NATURE CLASSROOM WW LAG	UWW/LAG	HAMCOCK	9.38	6.4	6.14	ND
199008008	USDA-FS	SEPTAGE-LAG	HARTS LOCATION	ND	ND	ND	ND
198402027	BOUDREAU SEPTAGE LAGOON	SEPTAGE-LAG	HAVERRHILL	98	14.7	7.9	14.9
199406035	BROX GRAVEL PIT	SPRAYIRR	HOOKSET	ND	ND	ND	ND
198705021	HOPKINTON/WEBSTER LANDFILL & LAGOONS	SEPTAGE-LAG	HOPKINTON	200	106	18.9	44
199505004	MCCLANE NORTHEAST TRUCK WASH	SEPTIC	HOPKINTON	4	ND	ND	ND
198402073	TOWN OF JAFFREY UWW/LAG	UWW/LAG	JAFFREY	20.6	26.3	7.62	4.22
198705050	CARDIGAN MOUNTAIN	SEPTIC	LEBANON	9	ND	ND	13
198704055	LINCOLN WWTF UWW LAGOON	UWW/LAG	LINCOLN	8.2	29.3	ND	ND
199009018	SCHOFIELD SEPTAGE	SEPTAGE	LISBON	9.85	ND	ND	ND
198801025	LOUDON LANDFILL SEPTAGE LAGOON	SEPTAGE-LAG	LOUDON	282	46.3	8.39	25.5
198909017	NH MOTOR SPEEDWAY	SEPTIC	LOUDON	38.7	240	31.1	229
199403026	DARTMOUTH SKIWAY MW-1	UWW/LAG	LYME	ND	ND	ND	ND
199907040	CAMP LAWRENCE	UWW/LAG	MEREDITH	ND	ND	ND	ND
199907043	CAMP NOKOMIS	UWW/LAG	MEREDITH	ND	ND	ND	ND
199007020	BAY DISTRICT	UWW/LAG	MOULTONBOROUGH	5.21	ND	ND	ND
199810020	CAMP WINAUKEE	UWW/LAG	MOULTONBOROUGH	1.97	2.53	ND	ND
199103016	NEW HAMPTON WWTF MONITORING	UWW/LAG	NEW HAMPTON	292	21.3	ND	14.7
199812019	WARWICK MILLS SEPTIC	SEPTIC	NEW IPSWICH	25	6	4.00	ND
198704058	MT SUNNAPEE LAGOON PLUS SPRAY IRRIG	UWW/LAG - SPRAYIRR	NEWBURY	ND	ND	ND	ND
198908064	BLODGETT LAING WWTF	RIB	NEWBURY	9.23	18.4	ND	ND

Table 5 – Groundwater Discharge Permit Sites
PFAS Water Quality Summary



NHDES SITE #	SITE NAME	PROJECT TYPE	TOWN	Max PFOA Detected (ng/L) AGQS = 12	Max PFOS Detected (ng/L) AGQS = 15	Max PFNA Detected (ng/L) AGQS = 11	Max PFHxs Detected (ng/L) AGQS = 18
199806017	HIGHLANDS VIL DIST.	SEPTIC	NORTHFIELD	ND	ND	ND	ND
198909013	NORTHUMBERLA OVERLA FLOW	SEPTIC	NORTHUMBERLA	61.7	44.8	54.90	6.37
198404040	NORTHWOOD SEPTAGE FACILITY	SEPTAGE	NORTHWOOD	102	39.6	96.9	14.4
198404044	CARROL COUNTY COMPLEX OVERLA FLOW	SEPTIC	OSSIPEE	7.45	25.5	5.43	ND
198404046	OSSIPEE TOWN SEPTIC LEACHFIELDS	SEPTIC	OSSIPEE	14.3	ND	ND	4.58
199103017	PETERBOROUGH WWTF	UWW/LAG	PETERBOROUGH	ND	ND	ND	ND
198712010	PITTSBURG SEPTAGE LAGOON	SEPTAGE	PITTSBURG	51.1	10.9	ND	6.48
198604204	PITTSBURG WWTF UWW LAGOON	UWW/LAG	PITTSBURG	59.2	ND	ND	4.77
198712011	PITTSBURG RIB SITE	RIB	PITTSBURG	49.5	ND	7.99	ND
199105022	MERIDIAN WWTF RIB	RIB	PLAINFIELD	9.53	6.9	ND	ND
199606073	WALMART DISTRIB CENTER SEPTIC	SEPTIC	RAYMOND	4.72	5.7	ND	ND
199601006	CAMP TAKODAH YMCA	UWW/LAG	RICHMOND	29	23	ND	ND
199312051	FRANKLIN PIERCE	RIB	RINDGE	2.9	ND	ND	ND
198712014	JARVIS CUTTING TOOLS	SEPTIC	ROCHESTER	3.53	ND	ND	ND
198405011	ROCHESTER WWTF UWW LAGOON	UWW/LAG	ROCHESTER	197	23	18	11.3
201004021	EVOLVE HEALTH CARE	SEPTIC	RYE	ND	ND	ND	ND
199706032	97 SHOPPES - COMMERC SEPTIC SYSTEM	SEPTIC	SALEM	7.73	8.19	ND	ND
199907047	CAMP HALE UWW LAGOON	UWW/LAG	SAWICH	ND	8.13	ND	ND
199007007	MT WASHINGTON OBSERVATORY	SEPTIC	SARGENTS PURCHASE	ND	ND	ND	ND
199907046	MANCHESTER YMCA CAMP FOSS	UWW/LAG	STRATFORD	5	ND	ND	ND
198910049	STRATFORD SEPTAGE FACILITY	SEPTAGE	STRATFORD	ND	ND	ND	ND
200304015	SEWALL FARM COO ASSOC SEPTIC LEACHFIELD	SEPTIC	STRATHAM	ND	ND	ND	ND
200210028	TRICKET STRATHAM IRVING CAR WASH	SEPTIC	STRATHAM	2.39	3.69	ND	ND
198704011	SUTTON SEPTAGE FACILITY	SEPTAGE	SUTTON	445	94.1	21.1	62
199105014	TROY WASTEWATER TP	UWW/LAG	TROY	ND	ND	ND	ND
198907053	WAKEFIELD WWTF RIB PLUS SEPTIC	RIB - SEPTAGE	WAKEFIELD	7.31	ND	ND	ND
199009012	WATERVILLE VALLEY WWTF UWW LAGOON	UWW/LAG	WATERVILLE VALLEY	13	4	6	ND
199007031	WARDE HEALTH CTR SISTERS OF MERCY LEACHFIELD	SEPTIC	WINDHAM	15.5	11.3	ND	ND
198705015	WOLFEBORO SPRAY	SPRAYIRR	WOLFEBORO	7.23	11.8	ND	20.8
200707014	WOLFEBORO RIB SITE	RIB	WOLFEBORO	6.19	8.37	4.49	9.49

Notes:

- Concentrations shown are in parts per trillion (ppt) or nanograms per liter (ng/L).
- Cells that are shaded gray indicate an exceedance of the current Ambient Groundwater Quality Standards (AGQS) included in Env-Or 600 Contaminated Site Management.
- NH's four regulated PFAS compounds include: perfluorooctanoic acid (PFOA), perfluorooctane sulfonic acid (PFOS), perfluorohexane sulfonic acid (PFHxS), and perfluorononanoic acid (PFNA).
- 'ND' indicates the analyzed PFAS was not detected above the laboratory reporting limit.
- Data represents highest concentration detected at the Site.